

Table A4: A catalogue of  $S_{\text{H}\alpha-r}$  distances to Galactic PNe

PNG	Name	$a$ ( $''$ )	$b$ ( $''$ )	$E(B-V)$ (mag)	method	$\log S_0(\text{H}\alpha)$ ( $\text{cgs sr}^{-1}$ )	$\log r$ (pc)	$D_{\text{mean}}$ (kpc)	$D_{\text{thin}}$ (kpc)	$D_{\text{thick}}$ (kpc)	Notes
000.0-06.8	H 1-62	5.0	4.0	$0.49 \pm 0.29$	1, 3	$-1.25 \pm 0.29$	-1.12	$6.97 \pm 2.43$	...	...	...
000.1+17.2	PC 12	2.3	2.2	$0.54 \pm 0.31$	1, 3	$-0.65 \pm 0.32$	-1.29	$9.46 \pm 3.39$	...	...	...
000.1-01.7	PHR J1752-2941	16.7	12.2	$0.99 \pm 0.31$	1	$-3.07 \pm 0.33$	-0.62	$6.95 \pm 2.54$	...	...	...
000.1-02.3	Bl 3-10	7.2	6.9	$0.64 \pm 0.25$	3	$-2.41 \pm 0.30$	-0.80	$9.24 \pm 3.24$	$7.62 \pm 2.12$	...	...
000.1-05.6	H 2-40	18.3	16.9	$0.50 \pm 0.22$	1	$-3.22 \pm 0.23$	-0.58	$6.19 \pm 1.99$	...	...	...
000.2+01.7	JaSt 19	7.2	6.4	$1.59 \pm 0.07$	1, 3	$-2.22 \pm 0.13$	-0.85	$8.50 \pm 2.49$	...	...	...
000.2+06.1	Terz N 67	16.0	12.0	$0.76 \pm 0.13$	1, 3	$-3.57 \pm 0.26$	-0.48	$9.79 \pm 3.27$	...	...	...
000.2-01.9	M 2-19	9.4	8.5	$0.83 \pm 0.21$	1, 3	$-1.78 \pm 0.22$	-0.97	$4.89 \pm 1.55$	...	...	...
000.3+12.2	IC 4634	20.5	6.6	$0.35 \pm 0.06$	1, 3	$-1.31 \pm 0.08$	-1.10	$2.79 \pm 0.79$	$2.35 \pm 0.44$	...	...
000.3-01.6	PHR J1752-2930	8.6	7.9	$1.07 \pm 0.21$	3	$-2.90 \pm 0.23$	-0.67	$10.79 \pm 3.48$	...	...	...
000.3-02.8	M 3-47	9.0	8.0	$1.43 \pm 0.21$	1	$-2.18 \pm 0.21$	-0.87	$6.63 \pm 2.08$	...	...	...
000.3-04.6	M 2-28	9.0	8.0	$0.86 \pm 0.13$	1	$-1.97 \pm 0.15$	-0.92	$5.80 \pm 1.72$	...	...	...
000.4+04.4	K 5-1	9.0	9.0	$1.25 \pm 0.24$	1	$-2.30 \pm 0.27$	-0.83	$6.74 \pm 2.28$	$5.57 \pm 1.45$	...	...
000.4-01.9	M 2-20	4.1	3.4	$1.29 \pm 0.25$	1	$-0.47 \pm 0.25$	-1.34	$5.10 \pm 1.69$	...	...	...
000.4-02.9	M 3-19	7.2	6.6	$0.99 \pm 0.12$	1	$-1.39 \pm 0.17$	-1.08	$4.96 \pm 1.51$	...	...	...
000.5+01.9	JaSt 17	9.1	6.6	$1.37 \pm 0.37$	3	$-2.44 \pm 0.38$	-0.79	$8.55 \pm 3.37$	...	...	...
000.5-03.1	KFL 1	8.0	7.9	$0.96 \pm 0.21$	3	$-2.02 \pm 0.26$	-0.91	$6.39 \pm 2.14$	...	...	...
000.5-05.3	SB 2	23.0	23.0	$0.47 \pm 0.07$	3	$-3.43 \pm 0.14$	-0.52	$5.40 \pm 1.59$	...	...	...
000.6-01.3	Bl 3-15	6.0	4.5	$1.48 \pm 0.41$	1	$-1.83 \pm 0.42$	-0.96	$8.65 \pm 3.60$	...	...	...
000.7+03.2	M 4-5	6.7	4.9	$1.54 \pm 0.30$	1	$-1.36 \pm 0.31$	-1.09	$5.84 \pm 2.07$	...	...	...
000.7+04.7	H 2-11	2.0	2.0	$1.99 \pm 0.35$	1	$-0.23 \pm 0.36$	-1.40	$8.19 \pm 3.13$	...	...	...
000.7-01.5	JaSt 2-11	9.7	8.8	$1.21 \pm 0.10$	3	$-3.06 \pm 0.15$	-0.62	$10.67 \pm 3.17$	$8.68 \pm 1.79$	...	...
000.7-02.7	M 2-21	2.8	2.8	$0.66 \pm 0.15$	1	$-0.87 \pm 0.16$	-1.23	$8.75 \pm 2.63$	$7.44 \pm 1.57$	...	...
000.7-03.7	M 3-22	6.0	6.0	$0.72 \pm 0.09$	1, 3	$-1.89 \pm 0.15$	-0.95	$7.80 \pm 2.32$	$6.50 \pm 1.34$	...	...
000.7-06.1	SB 3	77.4	55.2	$0.30 \pm 0.21$	1	$-4.38 \pm 0.22$	-0.26	$3.47 \pm 1.11$	...	...	...
000.8+01.3	JaSt 38	10.9	9.6	$1.75 \pm 0.04$	1	$-2.97 \pm 0.12$	-0.65	$9.07 \pm 2.63$	...	...	...
000.8-01.5	Sa 3-90	2.0	1.8	$1.34 \pm 0.08$	1	$-0.57 \pm 0.09$	-1.31	$10.69 \pm 3.06$	...	...	...
000.9+01.1	JaSt 44	8.5	5.0	$1.70 \pm 0.21$	1	$-2.44 \pm 0.23$	-0.79	$10.20 \pm 3.29$	...	...	...
000.9-01.2	JaSt 84	13.8	3.6	$1.74 \pm 0.41$	1	$-2.60 \pm 0.42$	-0.75	$10.42 \pm 4.36$	...	...	...
000.9-02.0	Bl 3-13	4.2	3.9	$1.13 \pm 0.46$	1	$-1.15 \pm 0.47$	-1.15	$7.25 \pm 3.27$	...	...	...
000.9-03.3	PHR J1801-2947	35.1	31.2	$0.84 \pm 0.12$	1	$-4.18 \pm 0.12$	-0.32	$6.03 \pm 1.76$	...	...	...
000.9-04.8	M 3-23	13.6	12.5	$0.72 \pm 0.08$	1	$-2.19 \pm 0.12$	-0.86	$4.35 \pm 1.27$	...	...	...
001.0+01.3	JaSt 41	4.7	4.6	$1.89 \pm 0.19$	1	$-1.51 \pm 0.22$	-1.05	$7.90 \pm 2.50$	...	...	...
001.0+01.9	K 1-4	48.1	33.6	$0.85 \pm 0.17$	1	$-3.29 \pm 0.18$	-0.56	$2.83 \pm 0.86$	...	$3.19 \pm 0.98$	...
001.1-01.6	Sa 3-92	6.4	5.7	$1.23 \pm 0.14$	1, 3	$-2.26 \pm 0.14$	-0.84	$9.81 \pm 2.90$	...	...	...
001.2+02.1	Hen 2-262	4.6	4.5	$1.73 \pm 0.23$	1	$-0.95 \pm 0.25$	-1.20	$5.67 \pm 1.86$	...	...	...
001.2+08.6	BMP J1716-2313	178.0	129.0	$0.69 \pm 0.09$	3	$-5.15 \pm 0.08$	-0.05	$2.44 \pm 0.69$	...	...	...
001.2-01.2a	JaSt 95	10.3	8.6	$1.19 \pm 0.21$	1	$-2.58 \pm 0.23$	-0.76	$7.70 \pm 2.48$	...	...	...
001.2-03.0	H 1-47	2.5	2.5	$1.21 \pm 0.25$	1	$-0.51 \pm 0.26$	-1.33	$7.79 \pm 2.58$	...	...	...
001.2-05.6	PHR J1811-3042	32.0	23.0	$0.43 \pm 0.07$	3	$-4.01 \pm 0.08$	-0.36	$6.63 \pm 1.86$	$5.29 \pm 0.95$	...	...
001.3-01.2	Bl M	3.5	3.5	$1.73 \pm 0.46$	1	$-0.87 \pm 0.48$	-1.22	$7.03 \pm 3.19$	...	...	...
001.4+06.3	Sab 24	55.0	37.0	$0.34 \pm 0.05$	2	$-3.74 \pm 0.17$	-0.43	$3.36 \pm 0.94$	...	...	...
001.5+01.5	JaSt 46	4.5	4.4	$1.75 \pm 0.34$	1	$-1.37 \pm 0.36$	-1.09	$7.59 \pm 2.89$	...	...	...
001.5-01.8	JaSt 2-19	5.3	2.7	$1.53 \pm 0.14$	3	$-2.52 \pm 0.17$	-0.77	$18.50 \pm 5.62$	...	...	...
001.5-06.7	SwSt 1	5.6	5.2	$0.24 \pm 0.05$	3	$-0.42 \pm 0.07$	-1.35	$3.42 \pm 0.97$	...	...	P
001.6+01.5	K 6-10	6.7	6.1	$1.87 \pm 0.19$	1	$-1.90 \pm 0.22$	-0.94	$7.38 \pm 2.35$	...	...	...
001.6-01.1	JaSt 97	7.4	5.6	$2.36 \pm 0.21$	1	$-1.98 \pm 0.23$	-0.92	$7.70 \pm 2.48$	...	...	...
001.7+01.3	JaSt 52	5.0	5.0	$1.92 \pm 0.34$	1	$-1.42 \pm 0.36$	-1.07	$6.97 \pm 2.65$	...	...	...
001.7-04.4	H 1-55	3.0	2.8	$0.79 \pm 0.28$	1	$-1.08 \pm 0.29$	-1.17	$9.64 \pm 3.34$	...	...	...
001.7-04.6	H 1-56	4.2	4.2	$0.45 \pm 0.06$	1, 3	$-1.54 \pm 0.13$	-1.04	$8.93 \pm 2.61$	$7.50 \pm 1.49$	...	...
001.8-02.0	PHR J1757-2824	19.3	8.0	$1.34 \pm 0.09$	3	$-3.31 \pm 0.10$	-0.55	$9.25 \pm 2.66$	$7.49 \pm 1.43$	...	...
001.8-03.7	PHR J1804-2913	8.3	7.3	$0.56 \pm 0.15$	1	$-3.49 \pm 0.16$	-0.50	$16.61 \pm 4.96$	$13.40 \pm 2.79$	...	...
001.9-02.5	PPA J1759-2834	15.6	13.5	$0.86 \pm 0.22$	1	$-3.57 \pm 0.22$	-0.48	$9.37 \pm 2.98$	$7.54 \pm 1.77$	...	...
002.0-01.3	JaSt 98	2.0	1.7	$2.71 \pm 0.41$	1	$-0.62 \pm 0.41$	-1.30	$11.34 \pm 4.66$	...	...	...
002.0-06.2	M 2-33	5.4	5.0	$0.24 \pm 0.08$	1	$-1.74 \pm 0.10$	-0.99	$8.19 \pm 2.36$	...	...	P
002.0-13.4	IC 4776	8.5	4.0	$0.10 \pm 0.06$	1, 3	$-0.96 \pm 0.08$	-1.20	$4.44 \pm 1.27$	...	...	...
002.1-02.2	M 3-20	6.6	6.6	$0.98 \pm 0.23$	1	$-1.34 \pm 0.24$	-1.10	$4.99 \pm 1.63$	...	...	...
002.1-04.2	H 1-54	1.9	1.6	$0.79 \pm 0.15$	1, 3	$-0.01 \pm 0.16$	-1.46	$8.17 \pm 2.45$	...	...	...
002.1+01.7	JaFu 1	6.0	6.0	$1.93 \pm 0.21$	1	$-2.20 \pm 0.26$	-0.86	$7.12 \pm 2.36$	...	...	C
002.2-02.5	KFL 2	8.2	5.9	$1.02 \pm 0.21$	1, 3	$-3.37 \pm 0.21$	-0.54	$17.25 \pm 5.46$	$13.95 \pm 3.24$	...	...
002.2-02.7	M 2-23	4.0	4.0	$0.43 \pm 0.23$	1	$-0.82 \pm 0.23$	-1.24	$5.92 \pm 1.92$	$5.05 \pm 1.22$	...	...
002.2-06.3	H 1-63	3.8	3.2	$0.23 \pm 0.17$	1	$-1.14 \pm 0.17$	-1.15	$8.34 \pm 2.53$	...	...	...
002.2-09.4	Cn 1-5	7.2	6.0	$0.26 \pm 0.05$	1	$-1.33 \pm 0.08$	-1.10	$4.99 \pm 1.42$	...	...	...
002.3+02.2	K 5-11	12.0	10.0	$1.55 \pm 0.14$	1	$-2.00 \pm 0.14$	-0.92	$4.57 \pm 1.35$	...	...	...
002.3-03.4	H 2-37	6.0	3.5	$0.92 \pm 0.24$	1	$-1.63 \pm 0.27$	-1.02	$8.67 \pm 2.93$	...	...	...
002.3-07.8	M 2-41	14.0	14.0	$0.16 \pm 0.08$	1, 3	$-2.93 \pm 0.10$	-0.66	$6.45 \pm 1.85$	...	$7.14 \pm 2.05$	...
002.4+05.8	NGC 6369	30.0	29.0	$1.31 \pm 0.16$	2	$-1.01 \pm 0.17$	-1.19	$0.91 \pm 0.28$	...	...	C
002.4-03.2	Wray 17-107	18.6	15.4	$0.75 \pm 0.08$	1, 3	$-2.86 \pm 0.13$	-0.68	$5.10 \pm 1.49$	...	...	...
002.4-03.7	M 1-38	3.5	3.5	$0.63 \pm 0.19$	1	$-0.89 \pm 0.20$	-1.22	$7.08 \pm 2.20$	...	...	C
002.5-01.7	Pe 2-11	7.8	6.5	$1.48 \pm 0.34$	1	$-2.07 \pm 0.41$	-0.90	$7.35 \pm 3.03$	...	$7.73 \pm 3.18$	...
002.6+02.1	Terz N 1580	11.7	9.9	$1.45 \pm 0.29$	1, 3	$-2.04 \pm 0.30$	-0.90	$4.79 \pm 1.34$	...	...	...
002.6+04.2	Th 3-27	2.1	1.9	$1.35 \pm 0.10$	1	$-0.76 \pm 0.13$	-1.26	$11.48 \pm 3.37$	...	...	...
002.6+05.5	K 5-3	16.0	10.0	$1.07 \pm 0.14$	3	$-2.52 \pm 0.17$	-0.77	$5.52 \pm 1.67$	$4.54 \pm 0.97$	...	...
002.6+08.1	H 1-11	6.0	6.0	$0.74 \pm 0.18$	1	$-1.66 \pm 0.19$	-1.01	$6.77 \pm 2.08$	$5.67 \pm 1.25$	...	...
002.6-03.4	M 1-37	0.8	0.7	$0.65 \pm 0.17$	1	$0.43 \pm 0.18$	-1.58	$14.35 \pm 4.39$	...	...	...
002.7-02.4	PPA J1801-2746	11.5	8.5	$1.16 \pm 0.14$	1	$-2.04 \pm 0.17$	-0.90	$5.21 \pm 1.57$	...	$5.47 \pm 1.65$	...
002.7-04.8	M 1-42	13.1	11.3	$0.46 \pm 0.22$	3	$-1.86 \pm 0.23$	-0.95	$3.77 \pm 1.21$	...	...	...
002.7-52.4	IC 5148/50	132.5	127.8	$0.02 \pm 0.02$	2	$-3.99 \pm 0.06$	-0.37	$1.37 \pm 0.39$	...	...	...
002.8+01.7	H 2-20	2.8	2.7	$1.20 \pm 0.34$	1	$-1.13 \pm 0.35$	-1.15	$10.51 \pm 3.94$	...	...	C

PNG	Name	$a$ ( $''$ )	$b$ ( $''$ )	$E(B - V)$ (mag)	method	$\log S_0(\text{H}\alpha)$ ( $\text{cgs sr}^{-1}$ )	$\log r$ (pc)	$D_{\text{mean}}$ (kpc)	$D_{\text{thin}}$ (kpc)	$D_{\text{thick}}$ (kpc)	Notes
002.8+01.8	Terz N 1567	11.8	8.9	$1.39 \pm 0.21$	1	$-2.03 \pm 0.23$	-0.91	$5.01 \pm 1.60$	...	...	...
002.8-02.2	Pe 2-12	10.5	5.0	$0.96 \pm 0.31$	1	$-2.50 \pm 0.32$	-0.78	$9.52 \pm 3.45$	...	...	...
002.9-03.9	H 2-39	6.9	4.7	$0.75 \pm 0.11$	1, 3	$-2.07 \pm 0.15$	-0.90	$9.19 \pm 2.74$	$7.63 \pm 1.57$	...	...
002.9-07.0	PPA J1820-2948	11.0	10.0	$0.32 \pm 0.10$	3	$-4.29 \pm 0.11$	-0.28	$20.53 \pm 5.94$	...	...	...
003.1+02.9	Hb 4	11.1	6.8	$1.14 \pm 0.14$	1, 3	$-0.90 \pm 0.15$	-1.22	$2.88 \pm 0.86$	...	...	...
003.1+03.4	H 2-17	4.8	3.9	$1.24 \pm 0.17$	1	$-1.15 \pm 0.18$	-1.15	$6.79 \pm 2.08$	...	...	...
003.1-02.1	PHR J1801-2718	38.1	35.1	$1.34 \pm 0.31$	1	$-3.67 \pm 0.31$	-0.45	$3.97 \pm 1.41$	...	...	...
003.2-04.4	KFL 12	3.4	3.1	$0.72 \pm 0.10$	1	$-2.17 \pm 0.19$	-0.87	$17.28 \pm 5.31$	$14.32 \pm 3.15$	...	...
003.3+66.1	SkAc 1	50.0	45.0	$0.02 \pm 0.02$	3	$-5.27 \pm 0.10$	-0.01	$8.45 \pm 2.43$	$6.57 \pm 1.26$	...	...
003.3-04.6	Ap 1-12	12.0	9.0	$0.43 \pm 0.10$	1, 3	$-2.18 \pm 0.12$	-0.86	$5.42 \pm 1.58$	...	...	P
003.5+02.7	PTB 1	32.0	31.0	$1.09 \pm 0.27$	1	$-3.49 \pm 0.29$	-0.51	$4.09 \pm 1.42$	$3.30 \pm 0.91$	...	...
003.5-02.4	IC 4673	22.0	15.2	$0.73 \pm 0.07$	1	$-2.11 \pm 0.09$	-0.88	$2.94 \pm 0.84$	$2.44 \pm 0.46$	...	...
003.5-04.6	NGC 6565	18.0	13.0	$0.31 \pm 0.10$	1	$-1.95 \pm 0.12$	-0.93	$3.18 \pm 0.92$	...	...	C
003.6+03.1	M 2-14	2.2	2.2	$0.96 \pm 0.10$	1, 3	$-0.40 \pm 0.12$	-1.36	$8.25 \pm 2.40$	...	...	...
003.6+04.9	K 5-6	22.6	9.7	$0.94 \pm 0.10$	1	$-3.10 \pm 0.19$	-0.61	$6.81 \pm 2.10$	$5.54 \pm 1.23$	...	...
003.6-01.3	PHR J1759-2630	4.2	4.2	$2.49 \pm 0.34$	1	$-1.06 \pm 0.34$	-1.17	$6.58 \pm 2.45$	...	...	...
003.6-02.3	M 2-26	10.5	10.4	$1.02 \pm 0.14$	1	$-1.92 \pm 0.17$	-0.94	$4.56 \pm 1.38$	...	...	...
003.7+07.9	H 2-8	11.9	6.7	$1.04 \pm 0.14$	3	$-3.01 \pm 0.14$	-0.64	$10.68 \pm 3.16$	...	...	...
003.7-04.6	M 2-30	5.1	5.0	$0.48 \pm 0.07$	1, 3	$-1.53 \pm 0.11$	-1.04	$7.37 \pm 2.13$	$6.19 \pm 1.19$	...	...
003.8-04.3	H 1-59	6.6	6.0	$0.47 \pm 0.10$	1	$-2.27 \pm 0.14$	-0.84	$9.45 \pm 2.80$	...	...	...
003.8-04.5	H 2-41	9.3	9.2	$0.48 \pm 0.07$	1, 3	$-2.40 \pm 0.13$	-0.80	$7.00 \pm 2.05$	$5.77 \pm 1.15$	...	...
003.8-17.1	Hb 8	2.9	2.3	$0.09 \pm 0.06$	1, 3	$-1.35 \pm 0.08$	-1.09	$12.86 \pm 3.67$	...	...	...
003.9-02.3	M 1-35	7.3	6.8	$1.52 \pm 0.21$	1	$-0.77 \pm 0.22$	-1.25	$3.26 \pm 1.04$	...	...	...
003.9-03.1	KFL 7	8.1	5.0	$0.78 \pm 0.10$	1	$-3.02 \pm 0.11$	-0.63	$15.02 \pm 4.34$	$12.24 \pm 2.36$	...	...
003.9-14.9	Hb 7	3.5	3.5	$0.13 \pm 0.05$	1, 3	$-0.99 \pm 0.08$	-1.19	$7.57 \pm 2.15$	$6.43 \pm 1.20$	...	...
004.0-02.6	PHR J1804-2645	24.5	13.2	$1.03 \pm 0.24$	1	$-3.26 \pm 0.24$	-0.57	$6.19 \pm 2.02$	...	...	...
004.0-03.0	M 2-29	4.8	3.6	$0.65 \pm 0.14$	1	$-1.25 \pm 0.15$	-1.12	$7.52 \pm 2.25$	$6.35 \pm 1.32$	...	C
004.0-05.8	Pe 1-12	10.0	9.0	$0.50 \pm 0.04$	1	$-2.91 \pm 0.06$	-0.66	$9.45 \pm 2.67$	...	...	...
004.0-11.1	M 3-29	9.7	8.6	$0.10 \pm 0.07$	1	$-2.30 \pm 0.09$	-0.83	$6.66 \pm 1.91$	...	...	...
004.1-03.8	KFL 11	3.0	2.3	$0.79 \pm 0.07$	1, 3	$-2.00 \pm 0.13$	-0.91	$19.18 \pm 5.62$	$15.95 \pm 3.19$	...	...
004.2-03.2	KFL 10	7.1	5.6	$0.51 \pm 0.15$	1	$-2.78 \pm 0.16$	-0.70	$13.07 \pm 3.91$	...	...	...
004.2-04.3	H 1-60	6.0	6.0	$0.41 \pm 0.26$	1, 3	$-2.15 \pm 0.28$	-0.87	$9.21 \pm 3.16$	$7.64 \pm 2.04$	...	...
004.3+01.8	H 2-24	8.4	4.3	$1.47 \pm 0.11$	1	$-1.18 \pm 0.13$	-1.14	$4.96 \pm 1.46$	...	...	...
004.3+06.4	G4.4+6.4	250.0	220.0	$0.70 \pm 0.07$	2	$-4.56 \pm 0.10$	-0.21	$1.09 \pm 0.31$	...	$1.32 \pm 0.38$	...
004.3-02.6	H 1-53	2.3	1.7	$1.11 \pm 0.28$	1	$-0.56 \pm 0.28$	-1.31	$10.22 \pm 3.52$	...	...	...
004.6+06.0	H 1-24	9.0	5.0	$1.03 \pm 0.18$	1	$-1.62 \pm 0.19$	-1.02	$5.87 \pm 1.81$	...	...	...
004.7-05.5	SB 10	70.8	63.0	$0.34 \pm 0.07$	3	$-5.54 \pm 0.10$	0.06	$7.09 \pm 2.04$	...	...	...
004.7-11.8	Hen 2-418	14.0	8.5	$0.14 \pm 0.04$	1, 3	$-3.01 \pm 0.13$	-0.64	$8.71 \pm 2.55$	$7.10 \pm 1.41$	...	...
004.8+02.0	H 2-25	3.1	3.0	$0.96 \pm 0.28$	1	$-1.44 \pm 0.31$	-1.07	$11.53 \pm 4.10$	...	...	...
004.8-01.1	PHR J1801-2522	7.0	4.0	$2.63 \pm 0.41$	1	$-1.12 \pm 0.41$	-1.16	$5.42 \pm 2.23$	...	...	...
004.8-05.0	M 3-26	11.0	9.5	$0.39 \pm 0.22$	1	$-2.40 \pm 0.24$	-0.81	$6.32 \pm 2.05$	$5.22 \pm 1.26$	...	...
004.8-22.7	Hen 2-436	0.6	0.6	$0.11 \pm 0.07$	1, 3	$-0.53 \pm 0.12$	-1.32	$33.04 \pm 9.63$	$28.31 \pm 5.58$	...	C
004.9+04.9	M 1-25	5.0	3.0	$0.83 \pm 0.27$	1	$-0.68 \pm 0.27$	-1.28	$5.60 \pm 1.90$	...	...	...
004.9-04.9	M 1-44	6.0	5.4	$0.46 \pm 0.14$	3	$-1.62 \pm 0.15$	-1.02	$6.91 \pm 2.06$	...	...	...
004.9-08.6	PPA J1831-2849	4.5	4.0	$0.28 \pm 0.10$	3	$-3.55 \pm 0.11$	-0.49	$31.56 \pm 9.13$	$25.43 \pm 4.94$	...	...
005.0+03.0	Pe 1-9	13.6	13.4	$0.87 \pm 0.08$	1	$-2.59 \pm 0.12$	-0.75	$5.41 \pm 1.58$	$4.44 \pm 0.88$	...	P
005.0-03.9	H 2-42	13.0	11.9	$0.76 \pm 0.14$	1	$-2.99 \pm 0.14$	-0.64	$7.55 \pm 2.23$	$6.16 \pm 1.25$	...	...
005.1-03.0	H 1-58	6.0	6.0	$1.27 \pm 0.21$	1	$-1.19 \pm 0.22$	-1.14	$5.01 \pm 1.60$	...	...	...
005.1-08.9	Hf 2-2	21.7	21.7	$0.29 \pm 0.08$	1, 3	$-2.95 \pm 0.10$	-0.65	$4.24 \pm 1.22$	$3.46 \pm 0.66$	...	...
005.2-18.6	StWr 2-21	2.7	2.7	$0.10 \pm 0.07$	3	$-2.19 \pm 0.13$	-0.86	$20.94 \pm 6.12$	$17.35 \pm 3.45$	...	C
005.8-06.1	NGC 6620	7.4	5.4	$0.34 \pm 0.07$	1, 3	$-1.64 \pm 0.09$	-1.01	$6.31 \pm 1.81$	...	...	...
006.0+03.1	M 1-28	33.1	30.3	$1.03 \pm 0.33$	1	$-2.79 \pm 0.33$	-0.70	$2.62 \pm 0.96$	...	$2.87 \pm 1.05$	C
006.0-03.6	M 2-31	4.0	3.7	$0.91 \pm 0.08$	1	$-0.76 \pm 0.09$	-1.26	$5.94 \pm 1.70$	...	...	...
006.0-41.9	PRMG 1	8.2	8.2	$0.06 \pm 0.04$	3	$-3.99 \pm 0.12$	-0.37	$21.63 \pm 6.28$	$17.28 \pm 3.38$	...	...
006.1+01.5	K 6-33	25.0	17.0	$2.12 \pm 0.34$	1	$-2.70 \pm 0.34$	-0.72	$3.80 \pm 1.40$	...	...	...
006.1+08.3	M 1-20	2.5	2.3	$0.73 \pm 0.12$	1, 3	$-0.46 \pm 0.13$	-1.34	$7.88 \pm 2.31$	...	...	...
006.4+02.0	M 1-31	3.5	3.0	$1.11 \pm 0.10$	1	$-0.50 \pm 0.12$	-1.33	$5.99 \pm 1.74$	...	...	...
006.5-03.1	H 1-61	2.0	2.0	$1.38 \pm 0.21$	1, 3	$-0.26 \pm 0.24$	-1.39	$8.35 \pm 2.72$	...	...	...
006.7-02.2	M 1-41	108.0	53.0	$1.45 \pm 0.21$	1	$-2.57 \pm 0.26$	-0.76	$0.95 \pm 0.32$	...	$1.03 \pm 0.34$	...
006.8+04.1	M 3-15	4.5	4.2	$1.16 \pm 0.17$	1, 3	$-0.83 \pm 0.18$	-1.24	$5.51 \pm 1.69$	$4.70 \pm 1.03$	...	...
006.8-08.6	Al 1	14.5	12.3	$0.32 \pm 0.04$	1, 3	$-3.27 \pm 0.14$	-0.56	$8.44 \pm 2.48$	$6.84 \pm 1.38$	...	...
006.8-19.8	Wray 16-423	1.4	1.4	$0.10 \pm 0.07$	3	$-1.17 \pm 0.09$	-1.14	$20.50 \pm 5.87$	$17.34 \pm 3.29$	...	C
007.0-06.8	Vy 2-1	4.0	4.0	$0.39 \pm 0.06$	1	$-1.00 \pm 0.08$	-1.19	$6.68 \pm 1.91$	...	...	...
007.2+01.8	IC 4670	7.7	6.8	$1.45 \pm 0.10$	1	$-0.48 \pm 0.11$	-1.33	$2.64 \pm 0.76$	...	...	...
007.8-03.7	M 2-34	8.0	8.0	$1.00 \pm 0.10$	1, 3	$-1.81 \pm 0.13$	-0.97	$5.55 \pm 1.63$	...	...	...
007.8-04.4	H 1-65	8.0	3.0	$0.65 \pm 0.10$	1, 3	$-1.37 \pm 0.12$	-1.09	$6.87 \pm 2.00$	...	...	P
008.0+03.9	NGC 6445	130.0	72.0	$0.79 \pm 0.23$	1	$-2.70 \pm 0.23$	-0.72	$0.81 \pm 0.26$	...	$0.88 \pm 0.29$	...
008.1-04.7	M 2-39	3.2	3.2	$0.52 \pm 0.19$	1	$-1.13 \pm 0.19$	-1.16	$9.02 \pm 2.79$	$7.63 \pm 1.71$	...	...
008.2+06.8	Hen 2-260	1.8	0.8	$0.55 \pm 0.33$	1, 3	$-0.09 \pm 0.33$	-1.44	$12.13 \pm 4.46$	...	...	C
008.3+14.8	Kn 41	28.0	20.0	$0.50 \pm 0.08$	3	$-4.12 \pm 0.09$	-0.33	$8.13 \pm 2.32$	$6.48 \pm 1.22$	...	...
008.3-01.1	M 1-40	9.2	7.5	$1.88 \pm 0.26$	1	$-0.57 \pm 0.28$	-1.31	$2.43 \pm 0.83$	...	...	...
008.3-07.3	NGC 6644	4.4	4.3	$0.29 \pm 0.11$	1	$-0.66 \pm 0.13$	-1.28	$4.95 \pm 1.45$	...	...	...
008.6-07.0	Hen 2-406	8.0	7.5	$0.76 \pm 0.14$	1	$-2.39 \pm 0.18$	-0.81	$8.30 \pm 2.53$	...	$8.89 \pm 2.71$	...
009.3-06.5	SB 15	14.4	13.8	$0.48 \pm 0.08$	3	$-3.73 \pm 0.14$	-0.44	$10.64 \pm 3.15$	...	...	...
009.4-05.5	NGC 6629	16.6	15.5	$0.57 \pm 0.10$	1, 3	$-1.29 \pm 0.11$	-1.11	$1.99 \pm 0.58$	$1.68 \pm 0.33$	...	...
009.4-09.8	M 3-32	8.1	6.8	$0.41 \pm 0.06$	1	$-2.12 \pm 0.09$	-0.88	$7.30 \pm 2.09$	...	...	...
009.6+10.5	Abell 41	20.2	17.3	$0.41 \pm 0.06$	1	$-2.94 \pm 0.09$	-0.65	$4.89 \pm 1.40$	...	...	...
009.6+14.8	NGC 6309	22.8	12.4	$0.45 \pm 0.10$	1, 2	$-1.83 \pm 0.12$	-0.96	$2.67 \pm 0.78$	$2.23 \pm 0.44$	...	...
009.6-10.6	M 3-33	7.4	7.3	$0.27 \pm 0.08$	1, 3	$-2.15 \pm 0.10$	-0.87	$7.50 \pm 2.15$	$6.22 \pm 1.19$	...	...
009.8-04.6	H 1-67	7.0	6.0	$0.79 \pm 0.13$	1	$-1.57 \pm 0.15$	-1.03	$5.88 \pm 1.76$	...	...	...
010.0-01.5	PHR J1813-2057	17.0	10.0	$2.14 \pm 0.48$	1	$-2.18 \pm 0.48$	-0.86	$4.32 \pm 1.97$	...	...	...

PNG	Name	$a$ ( $''$ )	$b$ ( $''$ )	$E(B - V)$ (mag)	method	$\log S_0(\text{H}\alpha)$ ( $\text{cgs sr}^{-1}$ )	$\log r$ (pc)	$D_{\text{mean}}$ (kpc)	$D_{\text{thin}}$ (kpc)	$D_{\text{thick}}$ (kpc)	Notes
010.1+00.7	NGC 6537	11.0	10.0	$1.32 \pm 0.19$	1	$-0.48 \pm 0.20$	-1.33	$1.82 \pm 0.57$	...	$1.74 \pm 0.54$	C
010.4+04.4	DPV 1	44.0	44.0	$0.72 \pm 0.14$	1	$-4.35 \pm 0.18$	-0.27	$5.05 \pm 1.55$	$4.01 \pm 0.88$	...	C
010.7-06.4	IC 4732	1.4	1.4	$0.36 \pm 0.10$	1, 3	$-0.15 \pm 0.11$	-1.42	$11.10 \pm 3.22$	$9.58 \pm 1.87$	...	...
010.8-01.8	NGC 6578	12.1	11.8	$0.93 \pm 0.10$	1	$-1.15 \pm 0.12$	-1.15	$2.46 \pm 0.72$	...	...	C
011.0+05.8	NGC 6439	4.5	3.2	$0.59 \pm 0.24$	1, 3	$-0.83 \pm 0.25$	-1.24	$6.31 \pm 2.07$	...	...	...
011.0+06.2	M 2-15	5.5	4.5	$0.60 \pm 0.07$	1, 3	$-1.45 \pm 0.10$	-1.07	$7.11 \pm 2.04$	$5.98 \pm 1.14$	...	...
011.0-02.9	CGMW 3-2111	14.0	12.0	$1.32 \pm 0.21$	1	$-2.44 \pm 0.24$	-0.79	$5.13 \pm 1.66$	$4.23 \pm 1.03$	...	...
011.0-05.1	M 1-47	6.2	5.3	$0.25 \pm 0.09$	1	$-1.77 \pm 0.11$	-0.98	$7.56 \pm 2.19$	$6.31 \pm 1.23$	...	...
011.1+11.5	M 2-13	3.0	2.4	$0.64 \pm 0.08$	1	$-0.99 \pm 0.12$	-1.19	$9.89 \pm 2.88$	...	...	...
011.1-07.9	SB 17	19.8	19.2	$0.30 \pm 0.21$	3	$-3.95 \pm 0.26$	-0.38	$8.90 \pm 2.97$	...	...	P
011.2-02.7	Sab 86	38.0	38.0	$1.32 \pm 0.14$	1	$-3.91 \pm 0.16$	-0.39	$4.44 \pm 1.24$	...	...	...
011.3-09.1	PTB 32	130.0	115.0	$0.36 \pm 0.03$	1	$-4.91 \pm 0.10$	-0.11	$2.60 \pm 0.75$	...	...	...
011.3-09.4	My 121	3.0	3.0	$0.41 \pm 0.08$	1, 3	$-0.38 \pm 0.10$	-1.36	$5.98 \pm 1.72$	...	...	...
011.4+17.9	DHW 1-2	32.0	19.0	$0.41 \pm 0.03$	1, 3	$-3.65 \pm 0.32$	-0.46	$5.81 \pm 2.08$	$4.67 \pm 1.34$	...	...
011.5+03.7	PTB 15	33.0	33.0	$0.76 \pm 0.25$	1	$-3.82 \pm 0.31$	-0.41	$4.82 \pm 1.71$	$3.87 \pm 1.09$	...	...
011.7+00.0	M 1-43	7.0	5.5	$1.45 \pm 0.34$	1	$-0.65 \pm 0.35$	-1.29	$3.43 \pm 1.29$	$2.94 \pm 0.91$	...	...
011.7-00.6	NGC 6567	8.1	6.4	$0.48 \pm 0.10$	1	$-0.79 \pm 0.11$	-1.25	$3.24 \pm 0.94$	$2.77 \pm 0.54$	...	P
011.7-06.6	M 1-55	6.0	4.0	$0.32 \pm 0.04$	3	$-1.53 \pm 0.07$	-1.04	$7.61 \pm 2.16$	...	...	...
011.9+04.2	M 1-32	9.1	8.0	$0.94 \pm 0.17$	1, 3	$-1.21 \pm 0.18$	-1.13	$3.56 \pm 1.08$	...	...	...
012.1-11.2	CGMW 4-3783	20.5	18.0	$0.23 \pm 0.05$	3	$-3.45 \pm 0.09$	-0.52	$6.55 \pm 1.83$	$5.29 \pm 0.95$	...	...
012.2+04.9	PM 1-188	16.0	15.0	$0.65 \pm 0.19$	1, 3	$-3.19 \pm 0.22$	-0.59	$6.88 \pm 2.19$	...	...	P
012.4+02.4	MPA J1803-1657	8.0	6.0	$1.45 \pm 0.30$	1	$-2.22 \pm 0.30$	-0.85	$8.33 \pm 2.92$	...	...	...
012.5+04.3	Sab 10	29.0	25.0	$0.60 \pm 0.15$	1	$-3.69 \pm 0.18$	-0.45	$5.46 \pm 1.67$	...	...	...
012.5-09.8	M 1-62	4.8	4.6	$0.37 \pm 0.06$	1, 3	$-1.61 \pm 0.09$	-1.02	$8.34 \pm 2.38$	$6.99 \pm 1.32$	...	...
013.0-04.3	Pe 2-14	5.5	5.3	$0.63 \pm 0.13$	1	$-1.63 \pm 0.15$	-1.02	$7.37 \pm 2.20$	$6.18 \pm 1.28$	...	...
013.3+01.1	Sh 2-42	164.0	115.0	$0.40 \pm 0.06$	2	$-4.19 \pm 0.10$	-0.31	$1.46 \pm 0.42$	...	...	...
013.3+32.7	Sn 1	5.9	5.0	$0.13 \pm 0.10$	1, 3	$-1.74 \pm 0.11$	-0.99	$8.53 \pm 2.47$	$7.13 \pm 1.38$	...	...
013.7-15.3	We 4-5	45.0	35.0	$0.12 \pm 0.02$	3	$-4.33 \pm 0.09$	-0.27	$5.54 \pm 1.58$	...	...	...
013.8-02.8	SaWe 3	110.0	80.0	$0.72 \pm 0.27$	1	$-3.82 \pm 0.27$	-0.41	$1.70 \pm 0.58$	...	$1.99 \pm 0.67$	C
014.0+04.8	PTB 19	20.0	17.0	$1.21 \pm 0.13$	3	$-2.84 \pm 0.19$	-0.68	$4.64 \pm 1.43$	$3.80 \pm 0.84$	...	...
014.0-05.5	VV 3-5	10.0	10.0	$0.43 \pm 0.07$	1, 3	$-2.22 \pm 0.09$	-0.85	$5.78 \pm 1.66$	$4.79 \pm 0.91$	...	...
014.2+04.2	Sa 3-111	6.0	6.0	$1.26 \pm 0.14$	1	$-1.67 \pm 0.17$	-1.01	$6.77 \pm 2.05$	...	...	...
014.4-06.1	SB 19	10.7	10.7	$0.35 \pm 0.07$	1, 3	$-3.33 \pm 0.18$	-0.55	$10.89 \pm 3.33$	$8.82 \pm 1.92$	...	...
014.6+01.0	PHR J1813-1543	27.0	21.0	$1.76 \pm 0.28$	1	$-3.28 \pm 0.28$	-0.56	$4.75 \pm 1.61$	...	...	...
014.6-04.3	M 1-50	4.2	3.9	$0.70 \pm 0.06$	1, 3	$-1.03 \pm 0.10$	-1.18	$6.71 \pm 1.93$	$5.69 \pm 1.10$	...	...
014.7-11.8	SaWe 4	48.0	43.0	$0.11 \pm 0.04$	3	$-4.30 \pm 0.09$	-0.28	$4.74 \pm 1.36$	$3.76 \pm 0.71$	...	...
014.9+06.4	K 2-5	25.0	25.0	$0.88 \pm 0.19$	1, 3	$-3.38 \pm 0.21$	-0.53	$4.82 \pm 1.51$	...	...	...
015.4-04.5	M 1-53	6.0	6.0	$0.66 \pm 0.15$	1	$-1.41 \pm 0.16$	-1.08	$5.74 \pm 1.73$	$4.83 \pm 1.02$	...	...
015.5+01.0	PHR J1815-1457	9.0	8.0	$2.23 \pm 0.38$	1	$-2.37 \pm 0.38$	-0.81	$7.47 \pm 2.92$	$6.17 \pm 2.02$	...	...
015.5+02.8	BMP J1808-1406	540.0	540.0	$0.40 \pm 0.07$	2	$-6.00 \pm 0.12$	0.19	$1.17 \pm 0.34$	...	...	...
015.5-00.0	PHR J1818-1526	55.0	11.0	$0.90 \pm 0.14$	1, 2	$-3.97 \pm 0.25$	-0.37	$7.14 \pm 2.34$	...	$8.40 \pm 2.75$	P
015.6-03.0	Abell 44	67.0	47.0	$0.87 \pm 0.39$	1	$-3.40 \pm 0.39$	-0.53	$2.17 \pm 0.86$	...	$2.47 \pm 0.98$	...
016.0+13.5	Abell 42	60.0	60.0	$0.70 \pm 0.03$	3	$-3.81 \pm 0.10$	-0.42	$2.63 \pm 0.76$	$2.11 \pm 0.40$	...	...
016.0-04.3	M 1-54	13.0	13.0	$0.50 \pm 0.11$	1	$-1.93 \pm 0.13$	-0.93	$3.69 \pm 1.08$	...	...	...
016.0-07.6	SB 21	24.6	24.0	$0.27 \pm 0.19$	2, 3	$-3.79 \pm 0.25$	-0.42	$6.45 \pm 2.13$	$5.17 \pm 1.29$	...	...
016.4-01.9	M 1-46	12.1	11.3	$0.83 \pm 0.38$	1	$-1.27 \pm 0.38$	-1.12	$2.69 \pm 1.06$	$2.27 \pm 0.75$	...	...
016.6+07.0	PTB 21	69.0	69.0	$0.65 \pm 0.24$	1	$-4.95 \pm 0.26$	-0.10	$4.74 \pm 1.33$	...	...	...
016.8+07.0	PTB 22	35.5	33.5	$0.89 \pm 0.12$	1, 3	$-4.14 \pm 0.21$	-0.33	$5.66 \pm 1.58$	$4.50 \pm 0.81$	...	...
016.9-09.7	PTB 44	58.0	58.0	$0.22 \pm 0.03$	1	$-5.08 \pm 0.05$	-0.07	$6.09 \pm 1.71$	$4.76 \pm 0.86$	...	...
017.0+11.1	GLMP 621	13.0	13.0	$1.11 \pm 0.14$	3	$-1.95 \pm 0.15$	-0.93	$3.75 \pm 1.11$	$3.12 \pm 0.64$	...	...
017.3-21.9	Abell 65	152.0	86.0	$0.12 \pm 0.05$	1	$-4.24 \pm 0.08$	-0.30	$1.82 \pm 0.52$	$1.44 \pm 0.27$	...	...
017.5+01.0	MPA J1819-1307	6.0	5.0	$2.53 \pm 0.34$	1	$-2.25 \pm 0.34$	-0.85	$10.73 \pm 4.00$	...	...	...
017.6-10.2	Abell 51	59.2	59.0	$0.26 \pm 0.07$	1	$-4.00 \pm 0.09$	-0.36	$3.02 \pm 0.87$	$2.41 \pm 0.46$	...	...
017.9-04.8	M 3-30	19.1	18.4	$0.46 \pm 0.20$	1, 3	$-2.86 \pm 0.21$	-0.68	$4.61 \pm 1.45$	$3.77 \pm 0.87$	...	...
018.0+20.1	Na 1	10.0	10.0	$0.49 \pm 0.07$	3	$-2.10 \pm 0.09$	-0.89	$5.36 \pm 1.53$	$4.45 \pm 0.84$	...	...
018.0-02.2	PTB 23	54.0	42.0	$0.57 \pm 0.08$	1	$-3.87 \pm 0.24$	-0.40	$3.45 \pm 1.12$	$2.76 \pm 0.67$	...	...
018.6-02.2	M 3-54	4.4	4.2	$1.30 \pm 0.27$	1	$-1.43 \pm 0.27$	-1.07	$8.14 \pm 2.75$	...	...	...
018.8-01.9	PTB 25	42.0	36.0	$0.43 \pm 0.14$	1	$-3.78 \pm 0.17$	-0.42	$3.99 \pm 1.21$	$3.20 \pm 0.68$	...	...
019.4-05.3	M 1-61	1.8	1.8	$0.70 \pm 0.17$	1, 3	$0.27 \pm 0.18$	-1.54	$6.61 \pm 2.02$	...	...	...
019.4-13.6	DeHt 3	33.0	32.0	$0.11 \pm 0.03$	3	$-3.86 \pm 0.07$	-0.40	$5.02 \pm 1.43$	...	$5.87 \pm 1.67$	...
019.4-19.6	K 2-7	159.0	145.0	$0.12 \pm 0.03$	3	$-5.38 \pm 0.09$	0.02	$2.83 \pm 0.81$	$2.20 \pm 0.42$	...	...
019.6+00.7	MPA J1824-1126	13.0	13.0	$1.19 \pm 0.14$	2	$-3.30 \pm 0.20$	-0.56	$8.80 \pm 2.75$	...	...	C
019.7-04.5	M 1-60	2.5	2.5	$1.00 \pm 0.26$	1	$-0.29 \pm 0.27$	-1.39	$6.77 \pm 2.28$	...	...	...
019.7-10.7	MPA J1906-1634	242.0	132.0	$0.17 \pm 0.03$	3	$-5.17 \pm 0.05$	-0.04	$2.10 \pm 0.59$	...	...	...
019.8-23.7	Abell 66	312.0	246.0	$0.17 \pm 0.04$	3	$-4.79 \pm 0.08$	-0.15	$1.06 \pm 0.30$	...	...	...
019.9+00.9	M 3-53	5.0	5.0	$2.11 \pm 0.18$	1	$-1.29 \pm 0.18$	-1.11	$6.39 \pm 1.95$	...	...	...
020.2-00.6	Abell 45	302.0	281.0	$0.77 \pm 0.07$	2	$-4.69 \pm 0.09$	-0.17	$0.95 \pm 0.27$	...	$1.17 \pm 0.33$	...
020.4-07.0	MPA J1854-1420	149.0	118.0	$0.41 \pm 0.05$	3	$-5.40 \pm 0.09$	0.02	$3.28 \pm 0.93$	...	...	...
020.7-05.9	Sa 1-8	8.0	6.0	$0.54 \pm 0.12$	1	$-1.83 \pm 0.14$	-0.96	$6.53 \pm 1.92$	$5.45 \pm 1.10$	...	...
020.7-08.0	MPA J1858-1430	210.0	210.0	$0.17 \pm 0.07$	2	$-5.77 \pm 0.17$	0.12	$2.61 \pm 0.79$	$2.01 \pm 0.43$	...	...
020.9-01.1	M 1-51	15.4	8.3	$2.01 \pm 0.23$	1	$-0.97 \pm 0.24$	-1.20	$2.31 \pm 0.75$	...	$2.27 \pm 0.74$	...
020.9-11.3	PHR J1911-1546	157.0	154.0	$0.14 \pm 0.04$	3	$-4.88 \pm 0.09$	-0.12	$2.00 \pm 0.57$	$1.57 \pm 0.30$	...	...
021.0-04.1	PHR J1844-1226	15.0	14.0	$0.82 \pm 0.14$	3	$-4.01 \pm 0.14$	-0.36	$12.39 \pm 3.67$	$9.90 \pm 2.02$	...	...
021.2-03.9	We 1-7	20.5	19.7	$0.83 \pm 0.21$	1, 3	$-3.71 \pm 0.21$	-0.44	$7.38 \pm 2.32$	$5.93 \pm 1.36$	...	...
021.7-00.6	M 3-55	12.2	9.3	$1.61 \pm 0.41$	1	$-2.34 \pm 0.42$	-0.82	$5.86 \pm 2.46$	...	$6.27 \pm 2.63$	...
021.8-00.4	M 3-28	24.1	12.1	$1.34 \pm 0.21$	1	$-2.32 \pm 0.21$	-0.83	$3.61 \pm 1.14$	...	$3.86 \pm 1.22$	...
021.9+02.7	MaC 1-12	5.0	4.0	$1.54 \pm 0.21$	1	$-0.75 \pm 0.21$	-1.26	$5.07 \pm 1.60$	...	...	...
022.0-04.3	AS 321	4.0	4.0	$0.59 \pm 0.08$	1, 3	$-1.40 \pm 0.15$	-1.08	$8.59 \pm 2.55$	...	...	P
022.1-02.4	M 1-57	12.0	5.0	$1.11 \pm 0.13$	1	$-1.33 \pm 0.14$	-1.10	$4.24 \pm 1.26$	...	...	...
022.5+01.0	MaC 1-13	18.0	14.0	$1.73 \pm 0.40$	1	$-2.05 \pm 0.41$	-0.90	$3.27 \pm 1.34$	...	$3.44 \pm 1.40$	...
023.8-06.2	BMP J1857-1054	195.0	195.0	$0.41 \pm 0.07$	3	$-5.35 \pm 0.13$	0.01	$2.16 \pm 0.63$	...	...	...

PNG	Name	$a$ ( $''$ )	$b$ ( $''$ )	$E(B - V)$ (mag)	method	$\log S_0(\text{H}\alpha)$ ( $\text{cgs sr}^{-1}$ )	$\log r$ (pc)	$D_{\text{mean}}$ (kpc)	$D_{\text{thin}}$ (kpc)	$D_{\text{thick}}$ (kpc)	Notes
023.9-02.3	M 1-59	6.7	6.0	$1.07 \pm 0.18$	1	$-0.74 \pm 0.19$	-1.26	$3.57 \pm 1.10$	...	...	...
024.1+03.8	M 2-40	5.5	5.0	$1.09 \pm 0.14$	1	$-1.09 \pm 0.15$	-1.16	$5.39 \pm 1.61$	...	...	...
024.2+05.9	M 4-9	47.9	42.6	$1.05 \pm 0.11$	3	$-2.85 \pm 0.12$	-0.68	$1.90 \pm 0.55$	...	...	...
024.2-05.2	M 4-11	29.0	26.0	$0.32 \pm 0.07$	1, 3	$-3.10 \pm 0.09$	-0.61	$3.68 \pm 1.05$	$3.00 \pm 0.57$	...	...
024.3-03.3	Pe 1-17	14.7	7.6	$0.99 \pm 0.14$	1, 3	$-2.41 \pm 0.16$	-0.80	$6.18 \pm 1.86$	...	...	...
025.0-11.6	Abell 60	94.0	72.0	$0.18 \pm 0.04$	1, 3	$-4.86 \pm 0.08$	-0.13	$3.74 \pm 1.07$	$2.94 \pm 0.55$	...	...
025.3+40.8	IC 4593	15.3	14.7	$0.05 \pm 0.03$	2	$-1.64 \pm 0.06$	-1.01	$2.67 \pm 0.75$	$2.23 \pm 0.41$	...	...
025.4-04.7	IC 1295	110.0	89.0	$0.32 \pm 0.03$	1, 3	$-3.59 \pm 0.06$	-0.48	$1.39 \pm 0.39$	$1.12 \pm 0.21$	...	P
025.8-17.9	NGC 6818	24.7	24.7	$0.14 \pm 0.02$	1, 3	$-1.88 \pm 0.06$	-0.95	$1.88 \pm 0.53$	...	...	C
025.9+10.3	MCS 1	11.4	11.4	$0.54 \pm 0.07$	3	$-2.99 \pm 0.08$	-0.64	$8.26 \pm 2.35$	$6.73 \pm 1.26$	...	...
025.9-00.9	Pe 1-14	5.0	5.0	$1.57 \pm 0.18$	1	$-2.02 \pm 0.18$	-0.91	$10.15 \pm 3.11$	...	$10.64 \pm 3.26$	...
025.9-10.9	Na 2	6.3	5.7	$0.24 \pm 0.10$	1, 3	$-2.37 \pm 0.12$	-0.81	$10.59 \pm 3.08$	...	...	...
026.9+04.4	FP J1824-0319	1900.0	1440.0	$0.08 \pm 0.03$	2	$-6.02 \pm 0.07$	0.19	$0.39 \pm 0.11$	...	...	...
027.0-01.5	PHR J1835-0429	41.0	36.0	$0.75 \pm 0.34$	1	$-3.19 \pm 0.35$	-0.59	$2.79 \pm 1.04$	$2.26 \pm 0.69$	...	...
027.3-03.4	Abell 49	56.0	38.2	$0.61 \pm 0.08$	1, 3	$-3.71 \pm 0.11$	-0.44	$3.22 \pm 0.93$	...	...	...
027.5+01.0	PHR J1838-0417	15.0	13.0	$1.29 \pm 0.14$	1	$-3.32 \pm 0.14$	-0.55	$8.33 \pm 2.46$	$6.74 \pm 1.37$	...	...
027.6+04.2	M 2-43	2.0	1.2	$1.58 \pm 0.31$	1	$0.61 \pm 0.31$	-1.63	$6.20 \pm 2.21$	...	...	P
027.6+16.9	DeHt 2	124.0	96.0	$0.17 \pm 0.06$	2	$-5.25 \pm 0.12$	-0.02	$3.61 \pm 1.05$	$2.81 \pm 0.55$	...	...
027.6-09.6	IC 4846	3.0	3.0	$0.29 \pm 0.01$	1, 3	$-0.66 \pm 0.06$	-1.29	$7.13 \pm 2.01$	$6.10 \pm 1.12$	...	...
027.7+00.7	M 2-45	9.4	7.6	$2.27 \pm 0.24$	1	$-0.85 \pm 0.26$	-1.23	$2.87 \pm 0.96$	...	...	...
028.0+10.2	WeSb 3	50.7	43.1	$0.38 \pm 0.03$	1, 3	$-4.39 \pm 0.17$	-0.26	$4.90 \pm 1.48$	$3.89 \pm 0.82$	...	...
028.5+01.6	M 2-44	11.3	10.4	$1.42 \pm 0.26$	1	$-1.46 \pm 0.27$	-1.06	$3.28 \pm 1.10$	...	...	...
028.5+05.1	K 3-2	3.0	3.0	$1.45 \pm 0.14$	1, 3	$-0.78 \pm 0.15$	-1.25	$7.73 \pm 2.30$	...	...	...
028.7-03.9	Pe 1-21	11.1	10.4	$0.69 \pm 0.17$	1, 3	$-2.77 \pm 0.21$	-0.70	$7.61 \pm 2.38$	$6.23 \pm 1.42$	...	...
029.0+00.4	Abell 48	43.5	38.5	$1.90 \pm 0.17$	1, 2	$-2.22 \pm 0.19$	-0.85	$1.41 \pm 0.43$	...	...	...
029.2-05.9	NGC 6751	24.1	23.2	$0.43 \pm 0.11$	1	$-2.23 \pm 0.12$	-0.85	$2.46 \pm 0.72$	...	...	C
029.8-07.8	LSA 1	14.0	14.0	$0.48 \pm 0.09$	1, 3	$-3.27 \pm 0.16$	-0.57	$8.01 \pm 2.41$	$6.50 \pm 1.37$	...	...
030.6-16.4	Fe 4	30.0	29.0	$0.19 \pm 0.03$	3	$-5.02 \pm 0.05$	-0.08	$11.58 \pm 3.26$	$9.06 \pm 1.65$	...	...
030.8+03.4	Abell 47	17.5	12.3	$1.70 \pm 0.34$	1, 2	$-2.47 \pm 0.38$	-0.79	$4.61 \pm 1.80$	...	$4.96 \pm 1.94$	...
031.0-10.8	M 3-34	7.4	6.4	$0.33 \pm 0.08$	1, 3	$-1.67 \pm 0.10$	-1.01	$5.90 \pm 1.69$	$4.94 \pm 0.94$	...	...
031.2+05.9	K 3-3	9.5	7.0	$1.72 \pm 0.28$	1	$-1.43 \pm 0.29$	-1.07	$4.29 \pm 1.49$	$3.61 \pm 0.99$	...	...
031.3-00.5	HaTr 10	32.0	19.5	$1.58 \pm 0.44$	1	$-2.89 \pm 0.45$	-0.67	$3.54 \pm 1.54$	...	$3.91 \pm 1.70$	C
031.7+01.7	PC 20	12.0	5.0	$1.73 \pm 0.25$	1	$-1.60 \pm 0.27$	-1.03	$5.03 \pm 1.70$	...	...	...
031.9-00.3	WeSb 4	42.0	33.0	$1.30 \pm 0.17$	1, 2	$-3.43 \pm 0.19$	-0.52	$3.35 \pm 0.94$	...	$3.82 \pm 1.07$	P
032.0-01.7	CBSS 2	4.9	3.6	$1.32 \pm 0.38$	1, 3	$-1.13 \pm 0.37$	-1.16	$6.87 \pm 2.67$	...	...	P
032.1+07.0	PC 19	3.0	3.0	$0.70 \pm 0.14$	1, 3	$-0.89 \pm 0.15$	-1.22	$8.30 \pm 2.47$	$7.06 \pm 1.45$	...	P
032.5-00.3	Te 7	15.0	12.0	$1.54 \pm 0.28$	1	$-2.80 \pm 0.31$	-0.69	$6.24 \pm 2.21$	...	...	...
032.7-02.0	M 1-66	3.0	3.0	$0.97 \pm 0.07$	1, 3	$-0.47 \pm 0.09$	-1.33	$6.36 \pm 1.82$	...	...	...
032.9-00.7	CBSS 3	6.5	5.2	$1.45 \pm 0.24$	1	$-2.57 \pm 0.24$	-0.76	$12.23 \pm 3.99$	...	$13.40 \pm 4.37$	P
033.0-05.3	Abell 55	56.8	52.3	$0.20 \pm 0.14$	1	$-3.89 \pm 0.15$	-0.39	$3.05 \pm 0.91$	...	...	...
033.1-06.3	NGC 6772	80.7	70.8	$0.60 \pm 0.11$	1, 3	$-3.07 \pm 0.12$	-0.62	$1.31 \pm 0.38$	...	...	...
033.2-01.9	Sa 3-151	13.0	9.0	$0.96 \pm 0.14$	1	$-2.27 \pm 0.15$	-0.84	$5.51 \pm 1.63$	$4.55 \pm 0.93$	...	...
033.7-02.0	CBSS 1	4.9	4.1	$1.31 \pm 0.29$	1	$-1.88 \pm 0.32$	-0.95	$10.36 \pm 4.40$	$8.64 \pm 3.17$	...	P
033.8-02.6	NGC 6741	9.1	6.5	$0.73 \pm 0.19$	1	$-0.92 \pm 0.20$	-1.21	$3.29 \pm 1.02$	...	...	P
034.1-10.5	HaWe 13	86.0	72.0	$0.40 \pm 0.02$	2	$-4.55 \pm 0.09$	-0.21	$3.22 \pm 0.92$	$2.55 \pm 0.48$	...	P
034.3+06.2	K 3-5	10.0	8.0	$0.78 \pm 0.22$	1, 3	$-2.46 \pm 0.24$	-0.79	$7.50 \pm 2.44$	$6.18 \pm 1.51$	...	...
034.5-06.7	NGC 6778	21.4	15.5	$0.34 \pm 0.06$	1, 3	$-2.02 \pm 0.08$	-0.91	$2.79 \pm 0.79$	...	...	...
034.5-11.7	PM 1-308	1.8	1.3	$0.36 \pm 0.03$	1, 3	$-0.67 \pm 0.07$	-1.28	$14.13 \pm 4.00$	...	...	P
034.6+11.8	NGC 6572	15.0	13.0	$0.22 \pm 0.07$	1, 3	$-0.58 \pm 0.09$	-1.31	$1.46 \pm 0.42$	...	...	C
035.2+05.2	Pa 10	27.0	26.0	$0.84 \pm 0.09$	1	$-3.85 \pm 0.10$	-0.40	$6.14 \pm 1.76$	...	...	...
035.9-01.1	Sh 2-71	132.4	74.9	$0.64 \pm 0.29$	1	$-3.52 \pm 0.31$	-0.50	$1.32 \pm 0.47$	...	$1.52 \pm 0.54$	...
036.0+17.6	Abell 43	80.0	80.0	$0.17 \pm 0.13$	2	$-4.46 \pm 0.14$	-0.24	$2.99 \pm 0.89$	$2.37 \pm 0.48$	...	C
036.1-57.1	NGC 7293	970.0	735.0	$0.02 \pm 0.02$	2	$-3.95 \pm 0.06$	-0.38	$0.21 \pm 0.06$	...	$0.24 \pm 0.07$	C
036.9-01.1	HaTr 11	21.0	21.0	$1.29 \pm 0.34$	1	$-2.83 \pm 0.36$	-0.69	$4.05 \pm 1.53$	...	...	...
037.5-05.1	Abell 58	44.0	36.0	$0.47 \pm 0.17$	3	$-4.37 \pm 0.21$	-0.26	$5.68 \pm 1.78$	...	...	C
037.7-34.5	NGC 7009	28.0	22.0	$0.08 \pm 0.04$	2	$-1.25 \pm 0.07$	-1.12	$1.26 \pm 0.36$	...	...	CP
037.8-06.3	NGC 6790	4.4	3.4	$0.45 \pm 0.10$	1, 3	$-0.22 \pm 0.11$	-1.41	$4.20 \pm 1.22$	$3.62 \pm 0.71$	...	P
037.9-03.4	Abell 56	206.0	182.0	$0.40 \pm 0.10$	1	$-4.95 \pm 0.14$	-0.10	$1.68 \pm 0.50$	...	$2.09 \pm 0.62$	...
038.1-25.4	Abell 70	45.2	37.8	$0.04 \pm 0.30$	1, 3	$-4.53 \pm 0.30$	-0.22	$6.04 \pm 2.13$	...	...	P
038.2+12.0	Cn 3-1	5.7	4.6	$0.19 \pm 0.29$	3	$-0.83 \pm 0.29$	-1.24	$4.68 \pm 1.62$	...	...	...
038.7+01.9	YM 16	375.0	285.0	$0.82 \pm 0.07$	2	$-4.94 \pm 0.10$	-0.11	$0.99 \pm 0.28$	...	$1.23 \pm 0.35$	...
039.5-02.7	M 2-47	6.9	4.9	$1.22 \pm 0.23$	1	$-1.06 \pm 0.23$	-1.17	$4.74 \pm 1.53$	$4.02 \pm 0.97$	...	...
039.8+02.1	K 3-17	18.6	11.9	$2.82 \pm 0.24$	1	$-1.01 \pm 0.26$	-1.19	$1.80 \pm 0.60$	...	...	P
040.3-00.4	Abell 53	31.9	31.1	$1.27 \pm 0.11$	1	$-2.59 \pm 0.13$	-0.75	$2.32 \pm 0.68$	...	...	...
040.4-03.1	K 3-30	3.0	3.0	$1.17 \pm 0.16$	1, 3	$-0.84 \pm 0.17$	-1.23	$8.04 \pm 2.44$	$6.84 \pm 1.47$	...	...
040.8-09.7	WHTZ 1	172.0	148.0	$0.32 \pm 0.07$	3	$-5.26 \pm 0.08$	-0.02	$2.49 \pm 0.71$	...	...	...
041.2-00.6	HaTr 14	19.0	17.0	$0.43 \pm 0.14$	1	$-4.30 \pm 0.14$	-0.28	$12.05 \pm 3.56$	$9.56 \pm 1.95$	...	...
041.8-02.9	NGC 6781	141.0	109.0	$0.58 \pm 0.07$	2	$-2.91 \pm 0.09$	-0.67	$0.72 \pm 0.21$	...	$0.79 \pm 0.23$	C
042.5-14.5	NGC 6852	28.0	26.0	$0.14 \pm 0.07$	2	$-3.44 \pm 0.09$	-0.52	$4.65 \pm 1.33$	$3.75 \pm 0.71$	...	...
042.9-06.9	NGC 6807	2.0	1.9	$0.28 \pm 0.05$	1	$-0.42 \pm 0.08$	-1.35	$9.48 \pm 2.70$	$8.14 \pm 1.52$	...	...
043.0-03.0	M 4-14	28.0	14.0	$0.83 \pm 0.17$	1	$-2.87 \pm 0.18$	-0.68	$4.39 \pm 1.34$	...	$4.84 \pm 1.48$	...
043.1+03.8	M 1-65	4.2	4.0	$0.76 \pm 0.12$	1, 3	$-1.08 \pm 0.13$	-1.17	$6.85 \pm 2.01$	...	...	...
043.1+37.7	NGC 6210	14.0	14.0	$0.05 \pm 0.07$	3	$-1.12 \pm 0.08$	-1.16	$2.05 \pm 0.58$	$1.74 \pm 0.33$	...	C
043.3+02.2	PM 1-276	15.0	13.0	$1.38 \pm 0.23$	3	$-2.13 \pm 0.25$	-0.88	$3.90 \pm 1.28$	$3.23 \pm 0.80$	...	?
043.3+10.4	Kn 2	56.0	52.0	$0.26 \pm 0.04$	1, 3	$-4.88 \pm 0.06$	-0.12	$5.79 \pm 1.62$	$4.54 \pm 0.82$	...	...
043.5-13.4	Abell 67	74.0	61.0	$0.13 \pm 0.03$	3	$-4.68 \pm 0.08$	-0.18	$4.10 \pm 1.17$	...	...	...
044.3+10.4	We 3-1	175.0	160.0	$0.19 \pm 0.07$	2	$-4.91 \pm 0.11$	-0.11	$1.90 \pm 0.55$	...	...	C
044.3-05.6	K 3-36	12.0	8.0	$0.29 \pm 0.21$	1, 3	$-2.68 \pm 0.22$	-0.73	$7.87 \pm 2.51$	$6.46 \pm 1.52$	...	...
045.0-12.4	WHTZ 3	92.0	69.0	$0.10 \pm 0.03$	3	$-5.13 \pm 0.08$	-0.05	$4.58 \pm 1.30$	...	...	...
045.4-02.7	Vy 2-2	3.1	2.6	$1.08 \pm 0.21$	1	$0.30 \pm 0.21$	-1.55	$4.12 \pm 1.30$	$3.59 \pm 0.83$	...	C
045.6+24.3	K 1-14	54.0	51.5	$0.09 \pm 0.03$	3	$-4.57 \pm 0.06$	-0.21	$4.87 \pm 1.38$	...	...	C

PNG	Name	$a$ ( $''$ )	$b$ ( $''$ )	$E(B - V)$ (mag)	method	$\log S_0(\text{H}\alpha)$ ( $\text{cgs sr}^{-1}$ )	$\log r$ (pc)	$D_{\text{mean}}$ (kpc)	$D_{\text{thin}}$ (kpc)	$D_{\text{thick}}$ (kpc)	Notes
045.7-04.5	NGC 6804	58.3	48.6	$0.62 \pm 0.09$	2	$-2.72 \pm 0.11$	-0.72	$1.49 \pm 0.43$	$1.22 \pm 0.24$	...	P
046.3-03.1	PB 9	13.0	11.0	$1.16 \pm 0.17$	1	$-2.09 \pm 0.18$	-0.89	$4.44 \pm 1.36$	$3.69 \pm 0.81$	...	...
046.4-04.1	NGC 6803	5.4	5.1	$0.41 \pm 0.15$	1	$-0.84 \pm 0.16$	-1.23	$4.59 \pm 1.37$	...	...	...
046.8+03.8	Sh 2-78	655.0	535.0	$0.32 \pm 0.07$	2	$-5.19 \pm 0.09$	-0.04	$0.64 \pm 0.18$	...	$0.81 \pm 0.23$	C
047.0+42.4	Abell 39	162.0	162.0	$0.05 \pm 0.02$	2	$-5.06 \pm 0.05$	-0.07	$2.16 \pm 0.61$	$1.69 \pm 0.31$	...	C
047.1+04.1	K 3-21	10.0	7.0	$0.81 \pm 0.08$	3	$-3.06 \pm 0.09$	-0.62	$11.72 \pm 3.35$	...	$13.07 \pm 3.74$	...
047.1-04.2	Abell 62	166.0	156.0	$0.20 \pm 0.06$	2	$-4.53 \pm 0.09$	-0.22	$1.56 \pm 0.45$	...	...	...
048.0-02.3	PB 10	11.0	9.0	$1.27 \pm 0.21$	1	$-1.48 \pm 0.22$	-1.06	$3.64 \pm 1.15$	...	...	...
048.5+04.2	K 4-16	3.0	3.0	$1.15 \pm 0.19$	1	$-1.35 \pm 0.22$	-1.09	$11.12 \pm 3.53$	$9.37 \pm 2.19$	...	...
048.7+01.9	M 4-13	7.0	4.2	$1.61 \pm 0.21$	1	$-0.54 \pm 0.21$	-1.32	$3.66 \pm 1.15$	...	...	...
048.7-02.3	K 3-24	12.0	8.0	$1.58 \pm 0.11$	1	$-2.48 \pm 0.12$	-0.78	$6.97 \pm 2.02$	...	...	P
049.3+88.1	H 4-1	2.7	2.7	$0.01 \pm 0.02$	3	$-1.84 \pm 0.11$	-0.96	$16.83 \pm 4.87$	...	...	...
049.4+02.4	Hen 2-428	40.0	15.0	$1.05 \pm 0.21$	1	$-2.44 \pm 0.21$	-0.79	$2.72 \pm 0.86$	...	...	...
050.4+05.2	Abell 52	37.0	37.0	$0.40 \pm 0.09$	1	$-3.94 \pm 0.10$	-0.38	$4.64 \pm 1.33$	$3.71 \pm 0.71$	...	C
051.0+03.0	Hen 2-430	5.0	2.0	$1.63 \pm 0.14$	1, 3	$-0.22 \pm 0.17$	-1.40	$5.15 \pm 1.56$	...	...	...
051.0-04.5	PC 22	20.0	12.0	$0.44 \pm 0.08$	1	$-2.77 \pm 0.10$	-0.70	$5.27 \pm 1.52$	...	...	...
051.4+09.6	Hu 2-1	8.0	2.8	$0.29 \pm 0.05$	3	$-0.53 \pm 0.07$	-1.32	$4.18 \pm 1.18$	...	...	...
051.5+06.1	K 1-17	56.0	45.0	$0.52 \pm 0.16$	1, 3	$-3.87 \pm 0.19$	-0.40	$3.27 \pm 1.01$	...	...	...
051.9-03.8	M 1-73	8.8	6.0	$0.62 \pm 0.16$	1, 3	$-1.21 \pm 0.17$	-1.13	$4.18 \pm 1.27$	...	...	...
052.2+07.6	K 4-10	7.7	5.0	$0.41 \pm 0.07$	3	$-1.79 \pm 0.08$	-0.97	$7.10 \pm 2.02$	$5.93 \pm 1.11$	...	...
052.2-04.0	M 1-74	3.0	3.0	$0.68 \pm 0.11$	1	$-0.58 \pm 0.12$	-1.30	$6.82 \pm 1.99$	...	...	...
052.5-02.9	Me 1-1	6.0	2.8	$0.46 \pm 0.16$	1	$-0.92 \pm 0.17$	-1.21	$6.17 \pm 1.87$	...	...	C
052.9+02.7	K 3-31	2.0	2.0	$1.75 \pm 0.19$	1	$-0.67 \pm 0.20$	-1.28	$10.81 \pm 3.35$	...	...	...
052.9-02.7	K 3-41	7.5	6.5	$1.10 \pm 0.11$	1	$-3.21 \pm 0.12$	-0.58	$15.52 \pm 4.51$	$12.60 \pm 2.47$	...	...
053.3+03.0	Abell 59	94.0	80.0	$1.10 \pm 0.35$	1, 2	$-3.82 \pm 0.36$	-0.41	$1.83 \pm 0.70$	...	$2.14 \pm 0.82$	...
053.3+24.0	Vy 1-2	6.0	4.0	$0.06 \pm 0.05$	1	$-1.63 \pm 0.07$	-1.02	$8.13 \pm 2.30$	...	...	...
053.8-03.0	Abell 63	48.0	42.0	$0.44 \pm 0.08$	1	$-3.93 \pm 0.14$	-0.38	$3.79 \pm 1.12$	$3.03 \pm 0.61$	...	C
054.1-12.1	NGC 6891	13.5	12.7	$0.10 \pm 0.07$	1	$-1.55 \pm 0.09$	-1.04	$2.88 \pm 0.82$	$2.42 \pm 0.46$	...	...
055.1-01.8	K 3-43	8.8	8.8	$1.25 \pm 0.26$	1	$-3.08 \pm 0.26$	-0.62	$11.30 \pm 3.76$	$9.20 \pm 2.34$	...	...
055.3+02.7	Hen 1-1	8.0	6.0	$1.56 \pm 0.14$	1, 3	$-1.62 \pm 0.14$	-1.02	$5.71 \pm 1.69$	...	...	...
055.3+06.6	Abell 54	67.0	47.0	$0.48 \pm 0.13$	1	$-4.61 \pm 0.17$	-0.20	$4.68 \pm 1.41$	...	...	...
055.4+16.0	Abell 46	97.0	84.0	$0.10 \pm 0.06$	3	$-4.48 \pm 0.13$	-0.23	$2.67 \pm 0.78$	$2.11 \pm 0.42$	...	C
055.5-00.5	M 1-71	6.0	3.7	$1.68 \pm 0.21$	1	$0.06 \pm 0.21$	-1.48	$2.88 \pm 0.91$	...	$2.67 \pm 0.84$	C
055.5-01.7	Kn 43	39.0	20.0	$0.89 \pm 0.21$	1	$-3.51 \pm 0.21$	-0.50	$4.69 \pm 1.47$	...	$5.37 \pm 1.69$	...
055.6+02.1	Hen 1-2	5.0	5.0	$1.41 \pm 0.26$	1	$-1.06 \pm 0.26$	-1.17	$5.53 \pm 1.84$	...	...	...
056.0+02.0	K 3-35	6.0	3.0	$1.53 \pm 0.37$	1	$-1.74 \pm 0.37$	-0.99	$10.05 \pm 3.87$	...	$10.36 \pm 4.00$	C
056.4-00.9	K 3-42	3.4	3.4	$1.52 \pm 0.34$	1	$-1.53 \pm 0.34$	-1.04	$10.98 \pm 4.09$	...	...	...
056.8-06.9	K 3-51	10.0	10.0	$0.41 \pm 0.33$	1	$-2.41 \pm 0.33$	-0.80	$6.51 \pm 2.37$	$5.37 \pm 1.58$	...	...
057.2-08.9	NGC 6879	5.0	5.0	$0.21 \pm 0.12$	1	$-1.43 \pm 0.13$	-1.07	$7.00 \pm 2.05$	$5.89 \pm 1.18$	...	...
057.9-01.5	Hen 2-447	3.0	1.2	$1.65 \pm 0.16$	1	$-0.07 \pm 0.19$	-1.45	$7.78 \pm 2.41$	...	...	...
057.9-09.8	Alves 6	300.0	260.0	$0.21 \pm 0.06$	3	$-5.65 \pm 0.07$	0.09	$1.82 \pm 0.52$	...	...	...
058.3-10.9	IC 4997	2.5	1.7	$0.34 \pm 0.21$	1	$0.55 \pm 0.23$	-1.62	$4.85 \pm 1.56$	$4.24 \pm 1.02$	...	P
058.6+06.1	Abell 57	40.0	34.0	$0.38 \pm 0.06$	3	$-3.77 \pm 0.09$	-0.43	$4.18 \pm 1.20$	$3.35 \pm 0.64$	...	...
058.6-03.6	V458 Vul	27.0	17.0	$0.59 \pm 0.07$	3	$-4.35 \pm 0.04$	-0.27	$10.41 \pm 2.93$	...	...	C
058.6-05.5	WeSb 5	176.0	148.0	$0.31 \pm 0.17$	3	$-4.70 \pm 0.17$	-0.17	$1.72 \pm 0.52$	...	...	...
058.9+01.3	K 3-40	4.0	4.0	$1.31 \pm 0.13$	1	$-1.02 \pm 0.14$	-1.19	$6.73 \pm 1.99$	$5.71 \pm 1.16$	...	...
058.9+09.0	Si 1-2	60.0	60.0	$0.14 \pm 0.07$	1	$-4.99 \pm 0.08$	-0.09	$5.56 \pm 1.58$	...	...	...
059.0+04.6	K 3-34	12.0	9.6	$0.27 \pm 0.20$	1	$-3.38 \pm 0.20$	-0.53	$11.24 \pm 3.50$	...	...	...
059.0-01.7	Hen 1-3	8.0	8.0	$0.85 \pm 0.19$	1	$-2.28 \pm 0.19$	-0.84	$7.52 \pm 2.32$	$6.22 \pm 1.38$	...	...
059.1-07.1	Kn 10	65.0	54.0	$0.31 \pm 0.07$	3	$-4.81 \pm 0.08$	-0.14	$5.02 \pm 1.43$	...	$6.21 \pm 1.77$	...
059.3-01.7	We 1-8	19.0	19.0	$1.38 \pm 0.36$	1	$-3.46 \pm 0.36$	-0.51	$6.69 \pm 2.56$	...	...	...
059.4+02.3	K 3-37	2.5	2.5	$1.34 \pm 0.18$	1	$-0.76 \pm 0.20$	-1.26	$9.12 \pm 2.86$	$7.78 \pm 1.77$	...	...
059.7-18.7	Abell 72	154.0	118.0	$0.05 \pm 0.03$	2	$-5.04 \pm 0.09$	-0.08	$2.56 \pm 0.73$	$2.00 \pm 0.38$	...	...
060.1-07.7	NGC 6886	9.3	4.5	$0.38 \pm 0.06$	1, 3	$-1.06 \pm 0.08$	-1.17	$4.29 \pm 1.22$	...	...	P
060.3-07.3	Hen 1-5	32.0	32.0	$0.35 \pm 0.07$	3	$-3.41 \pm 0.13$	-0.53	$3.84 \pm 1.12$	$3.10 \pm 0.62$	...	P
060.4+01.5	HuDo 1	2.1	2.0	$1.41 \pm 0.17$	1	$-1.50 \pm 0.18$	-1.05	$17.79 \pm 5.41$	...	...	P
060.5-00.3	K 3-45	7.0	7.0	$0.97 \pm 0.38$	1	$-3.05 \pm 0.38$	-0.62	$13.98 \pm 5.51$	...	...	...
060.8-03.6	NGC 6853	475.0	340.0	$0.05 \pm 0.03$	2	$-3.43 \pm 0.07$	-0.52	$0.31 \pm 0.09$	...	$0.35 \pm 0.10$	C
061.0+08.0	K 3-27	16.4	16.4	$0.10 \pm 0.12$	1	$-3.27 \pm 0.13$	-0.56	$6.87 \pm 2.02$	$5.57 \pm 1.12$	...	...
061.4-09.5	NGC 6905	43.3	35.6	$0.14 \pm 0.05$	1, 3	$-2.71 \pm 0.07$	-0.72	$2.01 \pm 0.57$	$1.65 \pm 0.31$	...	C
061.9+41.3	DdDm 1	1.4	1.4	$0.01 \pm 0.03$	3	$-0.86 \pm 0.11$	-1.23	$17.38 \pm 5.04$	...	...	...
062.4+09.5	NGC 6765	40.0	28.0	$0.19 \pm 0.27$	3	$-3.42 \pm 0.29$	-0.52	$3.70 \pm 1.28$	...	...	...
063.1+13.9	NGC 6720	89.0	66.0	$0.04 \pm 0.06$	2	$-2.54 \pm 0.09$	-0.77	$0.92 \pm 0.26$	...	$1.00 \pm 0.29$	C
063.9-01.2	Te 1	146.0	140.0	$0.75 \pm 0.10$	1	$-4.59 \pm 0.11$	-0.20	$1.81 \pm 0.52$	...	...	...
064.6+48.2	NGC 6058	36.0	28.0	$0.01 \pm 0.01$	2	$-3.58 \pm 0.04$	-0.48	$4.31 \pm 1.21$	$3.47 \pm 0.63$	...	P
064.7+05.0	BD+30 3639	6.2	5.6	$0.34 \pm 0.07$	3	$0.12 \pm 0.08$	-1.50	$2.22 \pm 0.63$	...	...	C
065.0-27.3	Ps 1	3.1	2.7	$0.10 \pm 0.04$	3	$-1.69 \pm 0.12$	-1.00	$14.23 \pm 4.13$	...	...	C
065.2-05.6	Hen 1-6	40.5	21.5	$0.44 \pm 0.15$	1	$-3.19 \pm 0.16$	-0.59	$3.62 \pm 1.08$	...	...	...
065.4+03.1	TaWe 2	17.0	15.0	$0.43 \pm 0.18$	1	$-4.25 \pm 0.19$	-0.29	$13.11 \pm 4.03$	...	...	...
065.9+00.5	NGC 6842	55.0	53.0	$0.45 \pm 0.10$	1, 2	$-3.36 \pm 0.12$	-0.54	$2.20 \pm 0.64$	$1.78 \pm 0.35$	...	C
066.5-14.8	Kn 45	145.0	138.0	$0.08 \pm 0.05$	2	$-5.29 \pm 0.06$	-0.01	$2.85 \pm 0.81$	$2.22 \pm 0.41$	...	...
066.7-28.2	NGC 7094	102.5	99.0	$0.12 \pm 0.06$	2	$-4.39 \pm 0.08$	-0.26	$2.27 \pm 0.65$	$1.80 \pm 0.34$	...	C
066.9-07.8	Kn 19	74.0	73.0	$0.52 \pm 0.07$	3	$-4.59 \pm 0.08$	-0.20	$3.53 \pm 1.01$	$2.78 \pm 0.52$	...	...
067.5+01.8	MVP 1	228.0	176.0	$0.21 \pm 0.05$	1	$-5.17 \pm 0.08$	-0.04	$1.87 \pm 0.53$	...	...	...
067.9-00.2	K 3-52	2.5	2.2	$1.13 \pm 0.21$	1	$-1.51 \pm 0.21$	-1.05	$15.70 \pm 4.94$	...	...	...
068.1+11.0	ETHOS 1	19.5	19.0	$0.10 \pm 0.03$	1, 3	$-3.89 \pm 0.05$	-0.39	$8.65 \pm 2.44$	$6.92 \pm 1.27$	...	...
068.3-02.7	Hen 2-459	3.0	2.0	$1.12 \pm 0.48$	1	$-0.34 \pm 0.49$	-1.37	$7.16 \pm 3.31$	$6.16 \pm 2.53$	...	P
068.6+01.1	Hen 1-4	22.0	22.0	$1.14 \pm 0.28$	1	$-1.95 \pm 0.31$	-0.93	$2.21 \pm 0.79$	...	...	...
068.7+01.9	K 4-41	3.0	3.0	$1.14 \pm 0.33$	1	$-1.09 \pm 0.34$	-1.17	$9.38 \pm 3.49$	$7.94 \pm 2.42$	...	...
068.7+03.0	PC 23	5.0	2.0	$1.16 \pm 0.18$	1	$-0.77 \pm 0.21$	-1.25	$7.26 \pm 2.28$	...	...	...
068.8-00.0	M 1-75	63.0	23.0	$1.58 \pm 0.14$	1	$-3.00 \pm 0.17$	-0.64	$2.49 \pm 0.76$	...	$2.77 \pm 0.84$	...

PNG	Name	$a$ ( $''$ )	$b$ ( $''$ )	$E(B - V)$ (mag)	method	$\log S_0(\text{H}\alpha)$ ( $\text{cgs sr}^{-1}$ )	$\log r$ (pc)	$D_{\text{mean}}$ (kpc)	$D_{\text{thin}}$ (kpc)	$D_{\text{thick}}$ (kpc)	Notes
069.2+03.8	K 3-46	36.2	23.5	$0.72 \pm 0.17$	1, 3	$-3.12 \pm 0.18$	-0.61	$3.51 \pm 1.07$	...	$3.93 \pm 1.19$	...
069.4-02.6	NGC 6894	56.4	53.3	$0.56 \pm 0.06$	2	$-2.77 \pm 0.08$	-0.70	$1.50 \pm 0.43$	...	...	C
069.6-03.9	K 3-58	20.0	10.0	$1.05 \pm 0.03$	1, 3	$-2.90 \pm 0.05$	-0.67	$6.27 \pm 1.77$	...	...	...
069.7+00.0	K 3-55	9.0	9.0	$2.73 \pm 0.34$	1	$-1.28 \pm 0.34$	-1.11	$3.54 \pm 1.32$	...	...	...
070.5+11.0	Kn 61	100.0	92.0	$0.15 \pm 0.03$	3	$-5.68 \pm 0.05$	0.10	$5.41 \pm 1.51$	$4.17 \pm 0.75$	...	...
071.6-02.3	M 3-35	4.6	4.0	$1.50 \pm 0.23$	1	$-0.20 \pm 0.24$	-1.41	$3.74 \pm 1.22$	$3.23 \pm 0.79$	...	...
072.1+00.1	K 3-57	6.3	6.3	$1.60 \pm 0.14$	1	$-1.18 \pm 0.14$	-1.14	$4.75 \pm 1.40$	...	...	...
072.7-17.1	Abell 74	828.0	776.0	$0.08 \pm 0.03$	2	$-5.62 \pm 0.19$	0.08	$0.62 \pm 0.19$	...	$0.81 \pm 0.25$	C
074.5+02.1	NGC 6881	10.0	6.0	$1.22 \pm 0.33$	1	$-1.05 \pm 0.33$	-1.18	$3.55 \pm 1.30$	...	...	...
075.5+01.7	Ju 1	240.0	240.0	$0.20 \pm 0.07$	2	$-5.63 \pm 0.08$	0.09	$2.09 \pm 0.60$	...	...	...
075.6+04.3	Anon. 20h02m	28.0	28.0	$0.41 \pm 0.17$	1	$-3.89 \pm 0.18$	-0.39	$5.96 \pm 1.81$	...	...	...
075.7+35.8	Sa 4-1	15.0	15.0	$0.01 \pm 0.32$	3	$-3.65 \pm 0.31$	-0.46	$9.53 \pm 3.41$	$7.67 \pm 2.20$	...	...
075.9+11.6	AMU 1	294.0	105.0	$0.08 \pm 0.04$	2	$-5.30 \pm 0.11$	-0.00	$2.32 \pm 0.67$	$1.81 \pm 0.35$	...	C
076.3+01.1	Abell 69	23.0	21.0	$1.55 \pm 0.24$	1	$-3.34 \pm 0.24$	-0.55	$5.35 \pm 1.74$	...	$6.06 \pm 1.97$	...
076.3+14.1	Pa 5	157.0	154.0	$0.11 \pm 0.03$	2	$-5.08 \pm 0.05$	-0.07	$2.27 \pm 0.64$	$1.77 \pm 0.33$	...	P
076.4+01.8	KjPn 3	3.0	3.0	$0.70 \pm 0.08$	1	$-2.05 \pm 0.09$	-0.90	$17.24 \pm 4.94$	$14.33 \pm 2.72$	...	...
077.5+03.7	KjPn 1	5.6	5.6	$1.15 \pm 0.04$	3	$-1.53 \pm 0.06$	-1.04	$6.64 \pm 1.88$	...	...	...
077.6+14.7	Abell 61	203.0	196.0	$0.05 \pm 0.03$	2	$-5.19 \pm 0.12$	-0.03	$1.91 \pm 0.56$	$1.49 \pm 0.29$	...	C
077.7+03.1	KjPn 2	3.5	3.5	$1.15 \pm 0.26$	1	$-2.03 \pm 0.26$	-0.91	$14.61 \pm 4.86$	...	...	...
078.5+18.7	NGC 6742	33.0	32.0	$0.06 \pm 0.17$	3	$-3.84 \pm 0.20$	-0.41	$4.95 \pm 1.55$	$3.97 \pm 0.90$	...	...
078.6+05.2	Dd 1	20.0	20.0	$0.53 \pm 0.13$	1, 3	$-3.54 \pm 0.20$	-0.49	$6.68 \pm 2.09$	...	...	...
079.8-10.2	Alves 1	270.0	270.0	$0.13 \pm 0.07$	3	$-5.60 \pm 0.08$	0.08	$1.82 \pm 0.52$	...	...	...
080.3-10.4	MWP 1	840.0	505.0	$0.03 \pm 0.02$	2	$-5.61 \pm 0.09$	0.08	$0.76 \pm 0.22$	$0.59 \pm 0.11$	...	C
081.2-14.9	Abell 78	128.0	108.0	$0.14 \pm 0.06$	2	$-4.83 \pm 0.12$	-0.13	$2.58 \pm 0.75$	$2.02 \pm 0.40$	...	C
082.1+07.0	NGC 6884	7.5	7.0	$0.55 \pm 0.07$	3	$-0.79 \pm 0.08$	-1.25	$3.22 \pm 0.92$	...	...	...
082.1-07.8	Kn 24	190.0	190.0	$0.20 \pm 0.06$	3	$-4.87 \pm 0.07$	-0.12	$1.63 \pm 0.46$	...	...	...
082.5+11.3	NGC 6833	0.6	0.5	$0.08 \pm 0.05$	1, 3	$0.58 \pm 0.07$	-1.63	$17.85 \pm 5.06$	$15.64 \pm 2.89$	...	...
082.5-06.2	Kn 25	79.0	57.0	$0.36 \pm 0.05$	3	$-5.07 \pm 0.06$	-0.07	$5.23 \pm 1.47$	$4.09 \pm 0.74$	...	...
083.5+12.7	NGC 6826	27.0	24.0	$0.10 \pm 0.07$	1, 3	$-1.46 \pm 0.08$	-1.06	$1.40 \pm 0.40$	...	...	P
084.2+01.0	K 4-55	71.0	30.0	$1.16 \pm 0.14$	1	$-3.34 \pm 0.17$	-0.55	$2.54 \pm 0.77$	...	$2.88 \pm 0.87$	...
084.2-04.2	K 3-80	6.0	6.0	$1.14 \pm 0.24$	1	$-2.22 \pm 0.24$	-0.85	$9.64 \pm 3.13$	$7.98 \pm 1.95$	...	...
084.6-07.9	Kn 26	110.0	51.0	$0.21 \pm 0.04$	3	$-5.11 \pm 0.06$	-0.06	$4.83 \pm 1.35$	...	...	...
084.9+04.4	Abell 71	168.0	147.0	$0.39 \pm 0.05$	2	$-4.19 \pm 0.09$	-0.31	$1.28 \pm 0.37$	...	$1.53 \pm 0.44$	...
084.9-03.4	NGC 7027	15.6	12.0	$0.94 \pm 0.08$	1	$0.14 \pm 0.09$	-1.50	$0.94 \pm 0.27$	...	$0.87 \pm 0.25$	C
085.3+52.3	Jacoby 1	660.0	660.0	$0.00 \pm 0.01$	2	$-6.06 \pm 0.11$	0.20	$1.00 \pm 0.29$	$0.77 \pm 0.15$	...	C
086.1+05.4	We 1-10	195.0	185.0	$0.20 \pm 0.04$	2	$-5.08 \pm 0.06$	-0.07	$1.86 \pm 0.53$	...	...	...
086.5+01.8	IPHASX J2050+4655	77.0	62.0	$0.73 \pm 0.07$	3	$-4.22 \pm 0.08$	-0.30	$2.98 \pm 0.85$	$2.37 \pm 0.44$	...	...
086.5-08.8	Hu 1-2	8.0	3.0	$0.32 \pm 0.04$	1, 3	$-0.89 \pm 0.08$	-1.22	$5.06 \pm 1.44$	...	...	...
086.9-03.4	Ou 5	16.0	14.0	$0.65 \pm 0.07$	1	$-3.04 \pm 0.04$	-0.63	$6.49 \pm 1.82$	$5.29 \pm 0.95$	...	...
088.7+04.6	K 3-78	6.0	5.0	$1.03 \pm 0.09$	1	$-2.72 \pm 0.10$	-0.72	$14.51 \pm 4.08$	$11.89 \pm 2.16$	...	...
088.7-01.6	NGC 7048	63.0	60.0	$0.44 \pm 0.13$	1	$-3.26 \pm 0.13$	-0.57	$1.81 \pm 0.53$	...	...	C
089.0+00.3	NGC 7026	39.0	18.0	$0.52 \pm 0.07$	1	$-1.80 \pm 0.08$	-0.97	$1.67 \pm 0.48$	...	...	C
089.3-02.2	M 1-77	8.0	7.5	$0.92 \pm 0.44$	1	$-1.34 \pm 0.45$	-1.10	$4.27 \pm 1.85$	...	...	P
089.8-00.6	Sh 1-89	68.0	48.0	$0.68 \pm 0.07$	1, 2	$-3.17 \pm 0.10$	-0.59	$1.85 \pm 0.53$	...	$2.08 \pm 0.60$	C
089.8-05.1	IC 5117	3.5	1.6	$0.86 \pm 0.20$	1	$0.31 \pm 0.20$	-1.55	$4.90 \pm 1.53$	...	...	P
091.6-04.8	K 3-84	8.0	8.0	$0.31 \pm 0.07$	1, 3	$-2.53 \pm 0.08$	-0.77	$8.76 \pm 2.50$	...	...	...
093.3-00.9	K 3-82	24.0	21.5	$1.24 \pm 0.28$	1	$-2.57 \pm 0.29$	-0.76	$3.18 \pm 1.11$	...	...	...
093.3-02.4	M 1-79	46.0	27.0	$0.44 \pm 0.22$	1	$-2.93 \pm 0.22$	-0.66	$2.56 \pm 0.82$	...	...	...
093.4+05.4	NGC 7008	99.0	81.5	$0.41 \pm 0.05$	1, 2	$-2.94 \pm 0.10$	-0.66	$1.02 \pm 0.29$	$0.83 \pm 0.16$	...	C
093.9-00.1	IRAS 21282+5050	6.0	4.5	$1.63 \pm 0.34$	1	$-0.80 \pm 0.34$	-1.24	$4.52 \pm 1.69$	...	...	P
094.0+27.4	K 1-16	123.0	103.0	$0.04 \pm 0.04$	2	$-4.88 \pm 0.08$	-0.12	$2.77 \pm 0.79$	$2.17 \pm 0.41$	...	C
094.5-00.8a	LDu 1	132.0	120.0	$0.53 \pm 0.08$	1	$-5.14 \pm 0.12$	-0.05	$2.93 \pm 0.85$	...	...	...
095.1-02.0	M 2-49	3.0	3.0	$0.88 \pm 0.33$	1	$-1.44 \pm 0.34$	-1.07	$11.73 \pm 4.35$	...	...	...
095.2+00.7	K 3-62	5.0	3.0	$1.14 \pm 0.28$	1	$-1.02 \pm 0.28$	-1.19	$7.08 \pm 2.41$	...	...	...
095.2+07.8	Abell 73	80.0	67.0	$0.84 \pm 0.08$	1, 3	$-4.07 \pm 0.12$	-0.35	$2.54 \pm 0.74$	...	...	...
095.9+03.5	Kn 28	56.0	34.0	$0.94 \pm 0.21$	1	$-4.19 \pm 0.21$	-0.31	$4.62 \pm 1.45$	...	$5.51 \pm 1.73$	...
096.3+02.3	K 3-61	8.0	6.0	$1.16 \pm 0.16$	1	$-2.08 \pm 0.16$	-0.89	$7.65 \pm 2.30$	...	...	...
096.4+29.9	NGC 6543	26.5	23.5	$0.04 \pm 0.03$	3	$-1.12 \pm 0.05$	-1.16	$1.15 \pm 0.32$	...	...	C
097.6-02.4	M 2-50	16.0	7.0	$0.67 \pm 0.12$	1	$-2.46 \pm 0.13$	-0.79	$6.36 \pm 1.86$	$5.24 \pm 1.04$	...	...
098.1+02.4	K 3-63	7.0	7.0	$0.93 \pm 0.27$	1	$-2.20 \pm 0.28$	-0.86	$8.17 \pm 2.79$	$6.76 \pm 1.80$	...	...
098.2+04.9	K 3-60	3.0	2.0	$1.58 \pm 0.16$	1	$-0.40 \pm 0.24$	-1.36	$7.43 \pm 2.43$	...	...	...
099.1+05.7	KTC 1	22.0	16.0	$0.85 \pm 0.08$	3	$-3.66 \pm 0.09$	-0.46	$7.67 \pm 2.20$	$6.17 \pm 1.17$	...	...
099.7-08.8	HaWe 15	295.0	180.0	$0.17 \pm 0.07$	3	$-5.10 \pm 0.13$	-0.06	$1.56 \pm 0.46$	...	...	...
100.0-08.7	Me 2-2	3.1	1.2	$0.16 \pm 0.04$	3	$-0.28 \pm 0.07$	-1.39	$8.75 \pm 2.48$	...	...	...
100.3+02.8	Cr 1	120.0	106.0	$1.38 \pm 0.21$	1, 2	$-3.81 \pm 0.23$	-0.42	$1.40 \pm 0.45$	$1.13 \pm 0.27$	...	...
100.4+04.6	PM 1-333	70.0	45.0	$0.74 \pm 0.14$	1	$-3.73 \pm 0.14$	-0.44	$2.68 \pm 0.79$	...	...	...
100.6-05.4	IC 5217	7.0	7.0	$0.25 \pm 0.03$	1	$-1.30 \pm 0.05$	-1.11	$4.61 \pm 1.30$	...	...	...
101.5-00.6	IPHASX J2211+5528	35.0	29.0	$0.82 \pm 0.10$	1	$-3.93 \pm 0.15$	-0.38	$5.37 \pm 1.60$	...	...	C
101.8+08.7	NGC 7076	67.0	47.0	$0.63 \pm 0.10$	1	$-3.69 \pm 0.15$	-0.45	$2.61 \pm 0.78$	$2.10 \pm 0.43$	...	...
102.8-05.0	Abell 80	169.0	119.0	$0.22 \pm 0.08$	1, 3	$-4.87 \pm 0.14$	-0.12	$2.19 \pm 0.64$	...	...	...
102.9-02.3	Abell 79	59.0	49.0	$0.65 \pm 0.07$	2	$-3.79 \pm 0.13$	-0.42	$2.90 \pm 0.85$	...	$3.38 \pm 0.99$	C
103.2+00.6	M 2-51	64.0	48.0	$0.73 \pm 0.11$	1	$-3.07 \pm 0.12$	-0.62	$1.79 \pm 0.52$	...	$2.00 \pm 0.58$	...
103.7+00.4	M 2-52	16.0	13.0	$1.03 \pm 0.21$	1	$-2.17 \pm 0.21$	-0.87	$3.87 \pm 1.22$	...	$4.09 \pm 1.29$	...
104.1+01.0	Bl 2-1	1.6	1.6	$1.91 \pm 0.11$	1	$0.01 \pm 0.11$	-1.47	$8.77 \pm 2.54$	...	...	...
104.1+07.9	NGC 7139	86.0	67.0	$0.46 \pm 0.04$	1	$-3.70 \pm 0.12$	-0.45	$1.95 \pm 0.56$	...	...	...
104.2-29.6	Jn 1	354.0	298.0	$0.08 \pm 0.03$	2	$-4.95 \pm 0.09$	-0.10	$1.01 \pm 0.29$	...	...	...
104.4-01.6	M 2-53	20.0	15.0	$0.85 \pm 0.10$	1, 3	$-2.87 \pm 0.15$	-0.68	$5.02 \pm 1.49$	...	...	C
106.5-17.6	NGC 7662	30.5	28.0	$0.08 \pm 0.03$	2	$-1.63 \pm 0.06$	-1.02	$1.36 \pm 0.38$	$1.14 \pm 0.21$	...	C
106.6-04.2	K 3-86	9.4	9.4	$0.60 \pm 0.15$	3	$-3.42 \pm 0.15$	-0.52	$13.16 \pm 3.93$	...	...	...
107.0+21.3	K 1-6	198.0	160.0	$0.17 \pm 0.06$	2, 3	$-4.97 \pm 0.07$	-0.10	$1.85 \pm 0.53$	$1.45 \pm 0.27$	...	P
107.4-02.6	K 3-87	6.0	6.0	$0.87 \pm 0.19$	1	$-2.51 \pm 0.19$	-0.78	$11.53 \pm 3.57$	$9.49 \pm 2.12$	...	...

PNG	Name	$a$ ( $''$ )	$b$ ( $''$ )	$E(B - V)$ (mag)	method	$\log S_0(\text{H}\alpha)$ ( $\text{cgs sr}^{-1}$ )	$\log r$ (pc)	$D_{\text{mean}}$ (kpc)	$D_{\text{thin}}$ (kpc)	$D_{\text{thick}}$ (kpc)	Notes
107.6-13.3	Vy 2-3	4.6	4.6	$0.14 \pm 0.06$	1	$-1.53 \pm 0.08$	-1.04	$8.10 \pm 2.31$	$6.80 \pm 1.27$	...	...
107.7+07.8	IsWe 2	950.0	780.0	$0.33 \pm 0.07$	2	$-5.31 \pm 0.13$	-0.00	$0.48 \pm 0.14$	...	$0.61 \pm 0.18$	P
107.7-02.2	M 1-80	8.0	8.0	$0.43 \pm 0.29$	1	$-2.00 \pm 0.29$	-0.91	$6.29 \pm 2.19$	...	...	...
107.8+02.3	NGC 7354	33.0	31.0	$1.17 \pm 0.11$	1	$-1.65 \pm 0.13$	-1.01	$1.26 \pm 0.37$	...	...	P
108.4-76.1	BoBn 1	2.2	1.5	$0.03 \pm 0.02$	3	$-1.69 \pm 0.07$	-1.00	$22.73 \pm 6.46$	...	...	...
109.4+07.7	Kn 31	80.0	80.0	$0.69 \pm 0.25$	1, 2	$-4.91 \pm 0.25$	-0.11	$3.97 \pm 1.11$	$3.11 \pm 0.56$	...	...
110.6-01.2	WeSb 6	82.0	80.0	$1.35 \pm 0.14$	2	$-4.07 \pm 0.17$	-0.34	$2.31 \pm 0.70$	...	...	...
111.8-02.8	Hb 12	10.8	5.0	$0.86 \pm 0.14$	1	$-0.26 \pm 0.15$	-1.39	$2.26 \pm 0.68$	...	...	...
112.9-10.2	Abell 84	146.0	116.0	$0.11 \pm 0.07$	1	$-4.56 \pm 0.09$	-0.21	$1.95 \pm 0.56$	...	...	...
113.6-06.9	Abell 83	47.0	42.0	$0.22 \pm 0.11$	1	$-4.22 \pm 0.17$	-0.30	$4.61 \pm 1.39$	...	...	...
114.0-04.6	Abell 82	133.0	94.0	$0.34 \pm 0.07$	2	$-4.18 \pm 0.14$	-0.31	$1.79 \pm 0.53$	...	...	P
116.2+08.5	M 2-55	58.0	40.0	$0.59 \pm 0.08$	3	$-3.36 \pm 0.10$	-0.54	$2.47 \pm 0.71$	...	$2.80 \pm 0.81$	...
117.5+18.9	IC 1454	34.0	34.0	$0.11 \pm 0.03$	1, 3	$-3.92 \pm 0.10$	-0.39	$4.99 \pm 1.43$	...	...	...
118.0-08.6	Vy 1-1	5.2	5.2	$0.26 \pm 0.06$	1, 3	$-1.46 \pm 0.12$	-1.06	$6.86 \pm 2.00$	$5.76 \pm 1.14$	...	...
118.7+08.2	Abell 86	70.0	70.0	$0.56 \pm 0.04$	1, 3	$-4.31 \pm 0.06$	-0.28	$3.10 \pm 0.87$	...	...	...
118.8-74.7	NGC 246	260.0	227.0	$0.02 \pm 0.01$	2	$-4.08 \pm 0.05$	-0.34	$0.77 \pm 0.22$	$0.62 \pm 0.11$	...	C
119.1+12.4	Kn 50	185.0	167.0	$0.32 \pm 0.05$	3	$-5.44 \pm 0.06$	0.03	$2.54 \pm 0.72$	...	...	...
119.2+04.6	Te 10	13.0	7.0	$1.70 \pm 0.24$	1	$-3.48 \pm 0.24$	-0.51	$13.42 \pm 4.38$	...	...	...
119.3+00.3	BV 5-1	42.0	10.0	$0.61 \pm 0.21$	1	$-2.90 \pm 0.21$	-0.67	$4.35 \pm 1.37$	...	$4.80 \pm 1.51$	P
119.4+06.5	Abell 1	47.0	47.0	$1.18 \pm 0.24$	1, 3	$-3.82 \pm 0.26$	-0.41	$3.39 \pm 1.13$	...	...	...
119.6-06.1	Hu 1-1	8.0	5.0	$0.33 \pm 0.02$	1, 3	$-1.53 \pm 0.05$	-1.04	$5.91 \pm 1.67$	...	...	...
120.0+09.8	NGC 40	56.0	34.0	$0.34 \pm 0.06$	3	$-2.25 \pm 0.08$	-0.85	$1.34 \pm 0.38$	...	...	C
120.2-05.3	Sh 2-176	660.0	600.0	$0.24 \pm 0.02$	2	$-5.33 \pm 0.13$	0.00	$0.66 \pm 0.19$	...	$0.84 \pm 0.25$	E
122.1-04.9	Abell 2	36.5	30.0	$0.43 \pm 0.07$	1, 3	$-3.60 \pm 0.08$	-0.47	$4.18 \pm 1.19$	...	...	...
123.0+04.6	Pa 30	171.0	156.0	$0.62 \pm 0.07$	1	$-5.38 \pm 0.08$	0.02	$2.62 \pm 0.75$	$2.04 \pm 0.38$	...	...
123.6+34.5	IC 3568	17.8	17.8	$0.12 \pm 0.04$	1, 3	$-1.94 \pm 0.06$	-0.93	$2.72 \pm 0.77$	$2.27 \pm 0.42$	...	...
124.3-07.7	WeSb 1	185.0	175.0	$0.37 \pm 0.07$	1, 3	$-5.38 \pm 0.08$	0.02	$2.38 \pm 0.68$	$1.84 \pm 0.35$	...	...
126.3+02.9	K 3-90	10.0	9.0	$0.63 \pm 0.22$	1	$-2.45 \pm 0.22$	-0.79	$7.05 \pm 2.24$	$5.81 \pm 1.36$	...	...
126.6+01.3	IPHASX J0125+6356	22.0	12.0	$1.38 \pm 0.07$	1	$-2.75 \pm 0.09$	-0.71	$4.99 \pm 1.42$	...	$5.46 \pm 1.56$	C
128.0-04.1	Sh 2-188	702.0	610.0	$0.33 \pm 0.03$	2	$-4.66 \pm 0.11$	-0.18	$0.42 \pm 0.12$	...	$0.51 \pm 0.15$	C
129.2-02.0	We 2-5	210.0	165.0	$0.45 \pm 0.07$	1	$-5.16 \pm 0.08$	-0.04	$2.00 \pm 0.57$	...	$2.52 \pm 0.72$	C
129.5+04.5	K 3-91	10.0	10.0	$1.41 \pm 0.14$	1, 3	$-1.51 \pm 0.14$	-1.05	$3.67 \pm 1.09$	...	...	...
129.6+03.4	IPHASX J0156+6528	212.0	198.0	$0.59 \pm 0.07$	2	$-4.70 \pm 0.08$	-0.17	$1.36 \pm 0.39$	...	...	...
129.6-05.6	KLSS 2-8	90.0	75.0	$0.43 \pm 0.07$	1	$-5.12 \pm 0.08$	-0.05	$4.43 \pm 1.24$	$3.46 \pm 0.62$	...	...
130.2+01.3	IC 1747	13.0	13.0	$0.60 \pm 0.23$	1	$-1.64 \pm 0.24$	-1.01	$3.08 \pm 1.00$	$2.58 \pm 0.63$	...	...
130.3-11.7	M 1-1	7.0	6.0	$0.19 \pm 0.21$	3	$-2.11 \pm 0.21$	-0.89	$8.29 \pm 2.61$	$6.88 \pm 1.58$	...	...
130.4+03.1	K 3-92	18.0	12.0	$0.95 \pm 0.07$	1, 3	$-3.01 \pm 0.08$	-0.64	$6.49 \pm 1.85$	...	...	...
130.9-10.5	NGC 650/1	168.0	111.0	$0.14 \pm 0.04$	2	$-3.46 \pm 0.08$	-0.51	$0.93 \pm 0.26$	...	$1.06 \pm 0.30$	...
131.4-05.4	BV 5-3	24.0	24.0	$0.32 \pm 0.07$	3	$-3.51 \pm 0.11$	-0.50	$5.44 \pm 1.57$	...	...	...
131.5+02.6	Abell 3	63.0	57.0	$0.85 \pm 0.08$	1, 2	$-3.70 \pm 0.13$	-0.44	$2.47 \pm 0.73$	...	...	...
132.4+04.7	K 3-93	10.0	10.0	$1.08 \pm 0.07$	1, 3	$-2.87 \pm 0.08$	-0.67	$8.75 \pm 2.49$	...	...	...
135.6+01.0	WeBo 1	65.0	20.0	$0.57 \pm 0.06$	2	$-3.82 \pm 0.07$	-0.41	$4.41 \pm 1.25$	...	...	C
135.9+55.9	SBSS 1150+599	9.2	9.2	$0.03 \pm 0.03$	3	$-4.31 \pm 0.05$	-0.28	$23.55 \pm 6.64$	$18.69 \pm 3.42$	...	C
136.1+04.9	Abell 6	188.0	180.0	$0.83 \pm 0.14$	1	$-4.46 \pm 0.15$	-0.24	$1.30 \pm 0.39$	...	...	...
136.3+05.5	HFG 1	500.0	460.0	$0.43 \pm 0.07$	1, 2	$-4.72 \pm 0.11$	-0.17	$0.59 \pm 0.17$	$0.46 \pm 0.09$	...	C
136.6+61.9	PN G136.7+61.9	420.0	355.0	$0.02 \pm 0.01$	3	$-6.24 \pm 0.11$	0.25	$1.92 \pm 0.55$	$1.46 \pm 0.28$	...	...
136.8-13.2	Kn 58	75.0	52.0	$0.17 \pm 0.04$	3	$-5.09 \pm 0.06$	-0.06	$5.70 \pm 1.60$	$4.45 \pm 0.80$	...	...
138.1+04.1	Sh 2-200	360.0	345.0	$0.52 \pm 0.07$	2	$-4.75 \pm 0.13$	-0.16	$0.82 \pm 0.24$	...	...	...
138.8+02.8	IC 289	46.0	44.0	$0.68 \pm 0.19$	1	$-2.82 \pm 0.20$	-0.69	$1.88 \pm 0.58$	$1.54 \pm 0.35$	...	...
141.7-07.8	Abell 5	136.0	127.0	$0.43 \pm 0.21$	1, 3	$-5.32 \pm 0.24$	-0.00	$3.13 \pm 1.02$	...	$3.99 \pm 1.30$	P
142.1+03.4	K 3-94	10.0	7.0	$0.70 \pm 0.09$	1	$-2.54 \pm 0.10$	-0.76	$8.48 \pm 2.44$	...	...	...
144.1+06.1	NGC 1501	57.0	50.0	$0.67 \pm 0.16$	3	$-2.42 \pm 0.17$	-0.80	$1.23 \pm 0.37$	$1.01 \pm 0.22$	...	C
144.3-15.5	Abell 4	20.0	20.0	$0.08 \pm 0.18$	3	$-3.76 \pm 0.19$	-0.43	$7.65 \pm 2.36$	$6.14 \pm 1.36$	...	...
144.8+65.8	LTNF 1	230.0	215.0	$0.03 \pm 0.01$	3	$-6.22 \pm 0.04$	0.25	$3.29 \pm 0.92$	$2.51 \pm 0.46$	...	P
146.7+07.6	M 4-18	3.7	3.5	$0.52 \pm 0.12$	1, 3	$-1.06 \pm 0.13$	-1.17	$7.68 \pm 2.25$	...	...	P
147.1-09.0	HaWe 3	38.0	36.0	$0.33 \pm 0.04$	1	$-4.69 \pm 0.06$	-0.17	$7.46 \pm 2.11$	...	...	...
147.4-02.3	M 1-4	4.2	4.2	$1.07 \pm 0.14$	1	$-0.68 \pm 0.16$	-1.28	$5.18 \pm 1.55$	$4.42 \pm 0.93$	...	...
147.8+04.1	M 2-2	6.0	6.0	$0.93 \pm 0.10$	1	$-1.25 \pm 0.11$	-1.12	$5.22 \pm 1.51$	$4.40 \pm 0.86$	...	...
148.4+57.0	NGC 3587	208.0	202.0	$0.00 \pm 0.01$	2	$-3.85 \pm 0.06$	-0.41	$0.79 \pm 0.22$	...	...	C
149.1+08.7	Kn 34	60.0	57.0	$0.76 \pm 0.08$	3	$-4.35 \pm 0.09$	-0.27	$3.82 \pm 1.09$	$3.03 \pm 0.57$	...	...
149.4-09.2	HaWe 4	620.0	480.0	$0.24 \pm 0.04$	2	$-5.63 \pm 0.12$	0.09	$0.92 \pm 0.27$	...	...	C
149.7-03.3	IsWe 1	750.0	700.0	$0.22 \pm 0.03$	2	$-5.65 \pm 0.11$	0.09	$0.70 \pm 0.20$	...	...	C
151.4+00.5	K 3-64	7.5	7.5	$0.55 \pm 0.24$	1	$-2.86 \pm 0.24$	-0.68	$11.57 \pm 3.77$	...	...	...
153.7+22.8	Abell 16	148.0	140.0	$0.14 \pm 0.07$	3	$-5.14 \pm 0.10$	-0.05	$2.56 \pm 0.74$	$2.00 \pm 0.38$	...	...
153.7-01.4	K 3-65	5.0	5.0	$1.38 \pm 0.11$	1, 3	$-2.40 \pm 0.12$	-0.80	$12.98 \pm 3.78$	...	...	...
158.6+00.7	Sh 2-216	6000.0	5940.0	$0.04 \pm 0.03$	2	$-5.63 \pm 0.11$	0.08	$0.08 \pm 0.02$	...	$0.11 \pm 0.03$	C
158.8+37.1	Abell 28	330.0	316.0	$0.04 \pm 0.03$	3	$-5.74 \pm 0.11$	0.12	$1.67 \pm 0.48$	$1.29 \pm 0.25$	...	...
158.9+17.8	PuWe 1	1240.0	1180.0	$0.10 \pm 0.02$	2	$-5.55 \pm 0.11$	0.06	$0.39 \pm 0.11$	...	...	C
159.0-15.1	IC 351	7.5	6.0	$0.21 \pm 0.03$	1, 3	$-1.58 \pm 0.05$	-1.03	$5.73 \pm 1.62$	$4.81 \pm 0.88$	...	...
160.5-00.5	We 1-2	104.0	99.0	$0.80 \pm 0.23$	1	$-4.91 \pm 0.25$	-0.11	$3.13 \pm 1.03$	...	...	...
161.2-14.8	IC 2003	10.0	8.1	$0.21 \pm 0.03$	1, 3	$-1.60 \pm 0.05$	-1.02	$4.33 \pm 1.22$	$3.63 \pm 0.66$	...	...
163.1-00.8	We 1-3	123.0	119.0	$0.59 \pm 0.03$	1, 3	$-5.29 \pm 0.09$	-0.01	$3.34 \pm 0.96$	...	$4.25 \pm 1.22$	...
164.8+31.1	JnEr 1	394.0	345.0	$0.02 \pm 0.02$	2	$-5.06 \pm 0.09$	-0.07	$0.95 \pm 0.27$	...	$1.19 \pm 0.34$	P
165.5-15.2	NGC 1514	188.0	182.0	$0.52 \pm 0.09$	1, 2	$-3.44 \pm 0.14$	-0.52	$0.68 \pm 0.20$	...	...	C
166.1+10.4	IC 2149	12.5	8.0	$0.20 \pm 0.05$	1	$-1.08 \pm 0.07$	-1.17	$2.79 \pm 0.79$	$2.37 \pm 0.44$	...	C
167.0-00.9	Abell 8	60.0	60.0	$0.54 \pm 0.17$	1, 2	$-4.25 \pm 0.20$	-0.29	$3.49 \pm 1.09$	...	...	...
167.4-09.1	K 3-66	2.1	2.1	$0.72 \pm 0.14$	1, 3	$-0.26 \pm 0.14$	-1.39	$7.95 \pm 2.35$	...	...	...
170.3+15.8	NGC 2242	20.0	20.0	$0.08 \pm 0.04$	2	$-3.33 \pm 0.12$	-0.55	$5.85 \pm 1.70$	$4.73 \pm 0.93$	...	...
171.3-25.8	Ba 1	54.0	53.0	$0.35 \pm 0.06$	1, 3	$-4.20 \pm 0.07$	-0.31	$3.78 \pm 1.07$	$3.01 \pm 0.56$	...	...
172.1+00.8	Abell 9	40.0	34.0	$0.86 \pm 0.10$	1, 3	$-4.56 \pm 0.13$	-0.21	$6.90 \pm 2.03$	...	...	...
173.5+03.2	Pu 2	22.0	22.0	$1.13 \pm 0.10$	1, 2	$-3.74 \pm 0.11$	-0.44	$6.86 \pm 1.99$	$5.51 \pm 1.07$	...	...

PNG	Name	$a$ ( $''$ )	$b$ ( $''$ )	$E(B - V)$ (mag)	method	$\log S_0(\text{H}\alpha)$ ( $\text{cgs sr}^{-1}$ )	$\log r$ (pc)	$D_{\text{mean}}$ (kpc)	$D_{\text{thin}}$ (kpc)	$D_{\text{thick}}$ (kpc)	Notes
173.7-05.8	K 2-1	126.0	115.0	$0.25 \pm 0.11$	1, 2	$-4.34 \pm 0.14$	-0.27	$1.84 \pm 0.55$	$1.46 \pm 0.30$	...	...
174.2-14.6	H 3-29	23.8	23.0	$0.94 \pm 0.09$	1	$-2.72 \pm 0.11$	-0.72	$3.39 \pm 0.98$	$2.78 \pm 0.54$	...	...
177.0+00.5	Te 2	122.0	117.0	$0.60 \pm 0.07$	1	$-4.63 \pm 0.08$	-0.19	$2.23 \pm 0.63$	...	...	...
178.3-02.5	K 3-68	12.0	12.0	$0.70 \pm 0.09$	1	$-2.90 \pm 0.10$	-0.67	$7.40 \pm 2.12$	$6.04 \pm 1.15$	...	...
181.5+00.9	Pu 1	73.0	57.0	$0.65 \pm 0.13$	1, 3	$-4.62 \pm 0.13$	-0.19	$4.10 \pm 1.20$	...	...	...
183.8+05.5	WeSb 2	160.0	148.0	$0.70 \pm 0.06$	1	$-5.10 \pm 0.17$	-0.06	$2.33 \pm 0.70$	...	...	...
184.0-02.1	M 1-5	2.8	2.3	$0.90 \pm 0.13$	1, 3	$-0.27 \pm 0.13$	-1.39	$6.62 \pm 1.94$	...	...	...
184.6+00.6	K 3-70	2.0	2.0	$1.10 \pm 0.07$	1, 3	$-1.27 \pm 0.13$	-1.12	$15.80 \pm 4.62$	...	$15.85 \pm 4.64$	...
184.8+04.4	K 3-71	3.0	3.0	$0.86 \pm 0.10$	1, 3	$-2.13 \pm 0.14$	-0.88	$18.18 \pm 5.38$	$15.08 \pm 3.08$	...	...
189.1+19.8	NGC 2371-72	48.9	30.6	$0.04 \pm 0.03$	1, 3	$-2.91 \pm 0.11$	-0.66	$2.31 \pm 0.67$	...	...	C
189.1-07.6	Pa 9	53.0	53.0	$0.39 \pm 0.06$	2	$-4.63 \pm 0.07$	-0.19	$5.04 \pm 1.41$	$3.97 \pm 0.71$	...	...
189.8+07.7	M 1-7	11.0	9.0	$0.19 \pm 0.14$	1, 3	$-2.41 \pm 0.15$	-0.80	$6.54 \pm 1.94$	...	...	...
190.3-17.7	J 320	9.4	6.3	$0.13 \pm 0.08$	1, 3	$-1.81 \pm 0.10$	-0.97	$5.78 \pm 1.66$	$4.83 \pm 0.92$	...	...
191.4+33.1	TK 1	2360.0	1690.0	$0.02 \pm 0.02$	2	$-6.63 \pm 0.11$	0.36	$0.47 \pm 0.14$	...	...	C
192.5+07.2	HDW 6	105.0	70.0	$0.17 \pm 0.18$	1, 3	$-5.10 \pm 0.18$	-0.06	$4.18 \pm 1.28$	...	...	...
193.0-04.5	KLSS 1-5	72.0	60.0	$0.37 \pm 0.04$	3	$-4.69 \pm 0.06$	-0.17	$4.21 \pm 1.19$	...	...	...
193.6-09.5	H 3-75	31.0	30.0	$0.31 \pm 0.11$	1, 3	$-3.35 \pm 0.13$	-0.54	$3.89 \pm 1.14$	$3.15 \pm 0.63$	...	C
194.2+02.5	J 900	8.2	7.8	$0.49 \pm 0.12$	1, 3	$-1.30 \pm 0.13$	-1.11	$4.03 \pm 1.18$	...	...	C
196.6-10.9	NGC 2022	27.9	25.5	$0.19 \pm 0.05$	1, 3	$-2.51 \pm 0.07$	-0.77	$2.60 \pm 0.74$	$2.14 \pm 0.40$	...	...
197.2+09.9	Kn 39	111.0	102.0	$0.06 \pm 0.03$	3	$-5.46 \pm 0.05$	0.04	$4.23 \pm 1.19$	...	...	...
197.2-14.2	Abell 10	37.2	36.0	$0.24 \pm 0.08$	1, 3	$-3.70 \pm 0.10$	-0.44	$4.05 \pm 1.17$	...	...	...
197.4-06.4	WeDe 1	1020.0	840.0	$0.09 \pm 0.03$	2	$-5.58 \pm 0.11$	0.07	$0.53 \pm 0.15$	...	$0.68 \pm 0.20$	C
197.8+17.3	NGC 2392	46.0	44.0	$0.09 \pm 0.06$	2	$-2.34 \pm 0.09$	-0.82	$1.38 \pm 0.40$	...	...	C
197.8-03.3	Abell 14	40.0	25.5	$0.65 \pm 0.05$	2	$-4.13 \pm 0.10$	-0.33	$6.07 \pm 1.75$	...	$7.21 \pm 2.08$	C
198.6-06.3	Abell 12	44.1	38.5	$0.34 \pm 0.09$	1, 3	$-3.00 \pm 0.22$	-0.64	$2.30 \pm 0.74$	...	...	...
200.5-13.1	Kn 63	352.0	302.0	$0.20 \pm 0.06$	2	$-6.00 \pm 0.21$	0.19	$1.94 \pm 0.61$	$1.49 \pm 0.35$	...	...
200.7+08.4	Abell 19	75.0	52.0	$0.06 \pm 0.04$	2	$-4.85 \pm 0.10$	-0.13	$4.89 \pm 1.40$	$3.84 \pm 0.73$	...	P
201.9-04.6	We 1-4	41.4	37.6	$0.65 \pm 0.02$	1	$-4.20 \pm 0.08$	-0.31	$5.14 \pm 1.46$	...	$6.13 \pm 1.75$	C
204.0-08.5	Abell 13	170.0	120.0	$0.45 \pm 0.13$	1, 2	$-4.53 \pm 0.15$	-0.22	$1.75 \pm 0.52$	...	$2.13 \pm 0.63$	...
204.8-03.5	K 3-72	22.9	18.0	$0.51 \pm 0.21$	1, 3	$-3.48 \pm 0.22$	-0.51	$6.32 \pm 2.00$	...	$7.22 \pm 2.29$	C
205.1+14.2	Abell 21	750.0	515.0	$0.07 \pm 0.02$	2	$-4.70 \pm 0.06$	-0.17	$0.45 \pm 0.13$	...	$0.55 \pm 0.16$	C
205.8-26.7	MaC 2-1	4.0	4.0	$0.08 \pm 0.29$	3	$-2.06 \pm 0.30$	-0.90	$13.06 \pm 4.58$	$10.85 \pm 3.01$	...	...
206.4-40.5	NGC 1535	33.3	32.1	$0.02 \pm 0.02$	2	$-2.23 \pm 0.06$	-0.85	$1.78 \pm 0.50$	$1.47 \pm 0.27$	...	C
208.5+33.2	Abell 30	127.0	127.0	$0.02 \pm 0.02$	2	$-5.25 \pm 0.06$	-0.02	$3.11 \pm 0.88$	$2.42 \pm 0.45$	...	...
208.9-07.8	TaWe 1	145.0	110.0	$0.28 \pm 0.07$	1	$-4.89 \pm 0.08$	-0.12	$2.49 \pm 0.71$	...	...	...
209.1-08.2	PHR J0615-0025	104.0	102.0	$0.40 \pm 0.07$	3	$-4.97 \pm 0.17$	-0.10	$3.31 \pm 1.00$	$2.59 \pm 0.55$	...	...
210.0+03.9	We 2-34	345.0	247.0	$0.37 \pm 0.07$	2	$-5.88 \pm 0.13$	0.15	$2.01 \pm 0.59$	...	$2.65 \pm 0.78$	...
210.3+01.9	M 1-8	21.0	16.0	$0.56 \pm 0.23$	1	$-2.81 \pm 0.23$	-0.69	$4.57 \pm 1.47$	...	...	...
211.2-03.5	M 1-6	4.0	2.7	$1.25 \pm 0.31$	3	$-0.30 \pm 0.31$	-1.38	$5.18 \pm 1.85$	...	...	...
211.4+18.4	HaWe 10	105.0	105.0	$0.02 \pm 0.16$	3	$-5.31 \pm 0.19$	-0.00	$3.90 \pm 1.21$	$3.04 \pm 0.68$	...	...
212.0+04.3	M 1-9	2.7	2.7	$0.39 \pm 0.11$	1	$-0.83 \pm 0.12$	-1.24	$8.88 \pm 2.59$	...	...	...
212.2-04.7	PHR J0633-0135	60.0	60.0	$0.91 \pm 0.10$	3	$-4.92 \pm 0.10$	-0.11	$5.35 \pm 1.54$	...	...	...
212.6-00.0	PHR J0650+0013	40.0	25.0	$0.52 \pm 0.23$	1	$-3.72 \pm 0.24$	-0.44	$4.72 \pm 1.54$	...	$5.47 \pm 1.78$	...
214.9+07.8	Abell 20	67.3	60.5	$0.10 \pm 0.07$	1	$-4.33 \pm 0.09$	-0.27	$3.46 \pm 0.99$	$2.74 \pm 0.52$	...	C
215.2-24.2	IC 418	14.0	11.0	$0.20 \pm 0.07$	3	$-0.27 \pm 0.09$	-1.39	$1.35 \pm 0.39$	...	...	C
215.5-30.8	Abell 7	790.0	776.0	$0.04 \pm 0.02$	2	$-5.48 \pm 0.07$	0.05	$0.58 \pm 0.17$	...	...	...
215.6+03.6	NGC 2346	124.0	59.0	$0.25 \pm 0.28$	3	$-3.55 \pm 0.28$	-0.49	$1.57 \pm 0.54$	...	...	C
215.6+11.1	Abell 22	125.0	82.0	$0.08 \pm 0.02$	3	$-4.71 \pm 0.10$	-0.17	$2.76 \pm 0.79$	...	...	...
215.7-03.9	BMP J0642-0417	700.0	540.0	$0.40 \pm 0.07$	2	$-6.10 \pm 0.14$	0.21	$1.10 \pm 0.33$	...	...	...
216.0+07.4	PHR J0723+0036	80.0	60.0	$0.39 \pm 0.06$	3	$-4.84 \pm 0.16$	-0.13	$4.38 \pm 1.32$	$3.44 \pm 0.72$	...	P
216.0-00.2	Abell 18	80.0	67.0	$0.96 \pm 0.15$	1	$-4.12 \pm 0.18$	-0.33	$2.64 \pm 0.81$	...	...	...
216.3-04.4	We 1-5	24.0	24.0	$0.68 \pm 0.44$	1	$-3.53 \pm 0.45$	-0.49	$5.51 \pm 2.41$	$4.44 \pm 1.70$	...	...
217.1+14.7	Abell 24	396.0	360.0	$0.04 \pm 0.03$	3	$-5.04 \pm 0.06$	-0.08	$0.91 \pm 0.26$	...	$1.15 \pm 0.32$	P
219.1+03.0	MPA J0713-0405	66.0	55.0	$0.32 \pm 0.06$	3	$-4.71 \pm 0.12$	-0.17	$4.66 \pm 1.36$	...	...	...
219.1+31.2	Abell 31	970.0	890.0	$0.04 \pm 0.03$	2	$-5.36 \pm 0.07$	0.01	$0.46 \pm 0.13$	...	$0.58 \pm 0.17$	C
219.2+07.5	RWT 152	27.5	22.0	$0.10 \pm 0.05$	3	$-4.47 \pm 0.06$	-0.23	$9.77 \pm 2.77$	...	...	P
219.3+01.1	K 1-9	48.0	28.0	$0.41 \pm 0.08$	1	$-4.41 \pm 0.16$	-0.25	$6.30 \pm 1.88$	...	$7.61 \pm 2.28$	...
220.3-53.9	NGC 1360	420.0	266.0	$0.01 \pm 0.01$	2	$-4.09 \pm 0.05$	-0.34	$0.56 \pm 0.16$	$0.45 \pm 0.08$	...	C
221.3-12.3	IC 2165	9.3	8.9	$0.34 \pm 0.09$	1	$-1.14 \pm 0.10$	-1.15	$3.21 \pm 0.92$	$2.71 \pm 0.52$	...	...
221.6+46.4	EGB 6	780.0	660.0	$0.03 \pm 0.02$	2	$-5.97 \pm 0.07$	0.18	$0.87 \pm 0.25$	...	...	C
221.7+05.3	M 3-3	16.6	15.8	$0.22 \pm 0.07$	1, 3	$-3.23 \pm 0.09$	-0.58	$6.75 \pm 1.93$	...	$7.61 \pm 2.18$	...
222.1+03.9	PFP 1	1150.0	1100.0	$0.03 \pm 0.02$	2	$-6.04 \pm 0.17$	0.20	$0.58 \pm 0.17$	...	...	...
222.5+02.9	WHI B0717-07	70.0	66.0	$0.28 \pm 0.04$	3	$-4.85 \pm 0.06$	-0.13	$4.51 \pm 1.26$	...	...	...
222.8-04.2	PM 1-23	27.0	16.0	$0.90 \pm 0.37$	1	$-3.21 \pm 0.38$	-0.58	$5.19 \pm 2.04$	$4.21 \pm 1.38$	...	...
224.3+15.3	Abell 25	176.0	156.0	$0.03 \pm 0.02$	3	$-5.62 \pm 0.10$	0.08	$3.02 \pm 0.87$	...	...	...
224.3-05.5	PHR J0652-1240	187.0	180.0	$0.62 \pm 0.07$	1	$-4.82 \pm 0.11$	-0.14	$1.64 \pm 0.48$	...	...	...
224.9+01.0	We 1-6	95.0	62.0	$0.28 \pm 0.07$	1	$-4.40 \pm 0.10$	-0.25	$3.01 \pm 0.87$	$2.38 \pm 0.46$	...	...
225.4+00.4	We 2-37	104.5	71.0	$0.72 \pm 0.21$	1	$-4.42 \pm 0.21$	-0.25	$2.71 \pm 0.85$	...	$3.28 \pm 1.03$	...
226.4-03.7	PB 1	10.6	9.5	$0.53 \pm 0.07$	1, 3	$-2.28 \pm 0.11$	-0.84	$5.96 \pm 1.72$	$4.93 \pm 0.95$	...	...
226.7+05.6	M 1-16	7.7	5.5	$0.50 \pm 0.20$	1	$-1.65 \pm 0.21$	-1.01	$6.17 \pm 1.94$	...	$6.33 \pm 1.99$	...
227.1+00.5	PHR J0719-1222	193.0	188.0	$0.26 \pm 0.06$	1, 2	$-5.56 \pm 0.12$	0.07	$2.52 \pm 0.73$	...	...	P
227.3+12.9	Fr 2-25	1010.0	840.0	$0.03 \pm 0.03$	2	$-6.36 \pm 0.10$	0.29	$0.87 \pm 0.25$	$0.66 \pm 0.13$	...	...
228.2-22.1	LoTr 1	142.0	142.0	$0.04 \pm 0.04$	2, 3	$-5.40 \pm 0.11$	0.02	$3.06 \pm 0.88$	$2.37 \pm 0.46$	...	C
228.5-11.4	KLSS 1-7	34.0	30.0	$0.22 \pm 0.03$	3	$-4.56 \pm 0.05$	-0.21	$7.96 \pm 2.23$	...	...	...
228.8+05.3	M 1-17	3.8	3.8	$0.53 \pm 0.15$	1	$-1.26 \pm 0.16$	-1.12	$8.25 \pm 2.47$	...	...	...
229.6-02.7	K 1-10	62.0	48.0	$0.52 \pm 0.01$	1	$-4.66 \pm 0.07$	-0.18	$4.97 \pm 1.41$	...	$6.09 \pm 1.73$	C
231.1+03.9	BMP J0739-1418	153.0	150.0	$0.30 \pm 0.07$	2	$-5.65 \pm 0.08$	0.09	$3.35 \pm 0.95$	$2.59 \pm 0.49$	...	...
231.4+04.3	M 1-18	34.9	32.9	$0.21 \pm 0.21$	1	$-3.93 \pm 0.22$	-0.38	$5.05 \pm 1.60$	...	...	...
231.8+04.1	NGC 2438	80.7	78.3	$0.17 \pm 0.06$	1	$-3.40 \pm 0.08$	-0.53	$1.54 \pm 0.44$	...	$1.75 \pm 0.50$	C
232.0+05.7	SaSt 2-3	2.5	2.0	$0.17 \pm 0.07$	3	$-1.35 \pm 0.09$	-1.09	$14.86 \pm 4.26$	...	...	...
232.4-01.8	M 1-13	18.6	11.6	$0.52 \pm 0.07$	1	$-2.24 \pm 0.09$	-0.85	$3.98 \pm 1.14$	...	...	...

PNG	Name	$a$ ( $''$ )	$b$ ( $''$ )	$E(B - V)$ (mag)	method	$\log S_0(\text{H}\alpha)$ ( $\text{cgs sr}^{-1}$ )	$\log r$ (pc)	$D_{\text{mean}}$ (kpc)	$D_{\text{thin}}$ (kpc)	$D_{\text{thick}}$ (kpc)	Notes
232.6-01.0	PHR J0724-1757	171.0	168.0	0.73 ± 0.28	1	-5.80 ± 0.34	0.13	3.31 ± 0.93	...	4.34 ± 1.21	...
232.8-04.7	M 1-11	5.2	5.1	1.01 ± 0.18	1, 3	-0.52 ± 0.19	-1.32	3.82 ± 1.18	3.27 ± 0.72	...	...
233.5-16.3	Abell 15	36.6	34.7	0.04 ± 0.04	2	-4.23 ± 0.10	-0.30	5.79 ± 1.85	4.61 ± 1.10	...	C
234.3-07.2	MPA J0704-2221	190.0	190.0	0.39 ± 0.07	3	-5.54 ± 0.08	0.06	2.49 ± 0.71	...	...	...
234.8+02.4	NGC 2440	58.9	25.1	0.32 ± 0.08	1	-1.99 ± 0.10	-0.92	1.29 ± 0.37	...	1.35 ± 0.39	C
234.9-01.4	M 1-14	5.7	5.2	0.64 ± 0.10	1	-0.93 ± 0.12	-1.21	4.68 ± 1.36	...	...	...
234.9-09.7	MPA J0656-2356	170.0	168.0	0.20 ± 0.07	3	-5.52 ± 0.08	0.06	2.78 ± 0.79	2.15 ± 0.40	...	...
235.3-03.9	M 1-12	1.8	1.8	0.59 ± 0.22	1	-0.11 ± 0.23	-1.44	8.41 ± 2.70	...	...	...
235.7+07.1	PHR J0800-1635	157.0	150.0	0.10 ± 0.02	3	-5.58 ± 0.11	0.07	3.18 ± 0.92	...	...	...
236.0-10.6	HaWe 9	210.0	185.0	0.26 ± 0.03	3	-5.18 ± 0.10	-0.04	1.91 ± 0.55	...	...	...
236.5+02.0	PHR J0743-1951	402.0	355.0	0.60 ± 0.07	2	-5.25 ± 0.11	-0.02	1.04 ± 0.30	...	1.32 ± 0.38	...
236.7+03.5	K 1-12	44.1	36.4	0.34 ± 0.06	1	-4.25 ± 0.11	-0.29	5.23 ± 1.51	...	...	...
237.0+00.7	PHR J0740-2055	240.0	240.0	0.20 ± 0.07	1	-5.74 ± 0.14	0.12	2.24 ± 0.66	...	...	...
237.3-08.4	BMP J0705-2528	124.0	45.0	0.21 ± 0.04	3	-5.31 ± 0.06	-0.00	5.48 ± 1.55	...	...	...
237.4-09.6	BMP J0700-2607	204.0	200.0	0.30 ± 0.07	3	-6.07 ± 0.08	0.21	3.30 ± 0.94	2.52 ± 0.47	...	...
238.0+34.8	Abell 33	272.0	268.0	0.03 ± 0.01	2	-5.23 ± 0.04	-0.03	1.44 ± 0.41	1.12 ± 0.20	...	C
238.5+01.7	PHR J0747-2146	143.0	140.0	0.21 ± 0.05	1	-5.62 ± 0.14	0.08	3.52 ± 0.99	...	...	...
238.9+07.3	Sa 2-21	40.3	34.4	0.07 ± 0.11	1	-3.83 ± 0.13	-0.41	4.31 ± 1.26	...	...	...
239.6+13.9	NGC 2610	49.7	47.6	0.05 ± 0.02	3	-3.45 ± 0.06	-0.51	2.59 ± 0.73	2.10 ± 0.39	...	C
239.6-12.0	ESO 427-19	24.5	24.5	0.14 ± 0.10	3	-3.97 ± 0.10	-0.37	7.16 ± 2.06	5.72 ± 1.10	...	...
240.3-07.6	M 3-2	12.3	9.1	0.27 ± 0.09	1, 3	-3.13 ± 0.12	-0.60	9.72 ± 2.83	...	10.88 ± 3.17	...
241.0+02.3	M 3-4	33.0	30.0	0.17 ± 0.07	1	-3.55 ± 0.09	-0.49	4.27 ± 1.22	...	...	...
242.3-02.4	FP J0739-2709	365.0	350.0	0.24 ± 0.07	2	-5.46 ± 0.10	0.04	1.26 ± 0.36	...	1.63 ± 0.47	...
242.5-05.9	PHR J0726-2858	32.0	32.0	0.26 ± 0.07	1	-4.78 ± 0.08	-0.15	9.14 ± 2.60	...	...	...
242.6-11.6	M 3-1	12.6	10.8	0.14 ± 0.06	1, 3	-2.06 ± 0.08	-0.90	4.47 ± 1.27	...	...	...
243.3-01.0	NGC 2452	18.3	12.4	0.43 ± 0.05	1	-1.99 ± 0.07	-0.92	3.32 ± 0.94	...	...	...
243.8-37.1	PRTM 1	21.3	20.5	0.02 ± 0.01	1, 3	-3.91 ± 0.08	-0.39	8.05 ± 2.29	6.44 ± 1.20	...	...
244.5+12.5	Abell 29	455.0	385.0	0.11 ± 0.04	3	-5.44 ± 0.07	0.03	1.06 ± 0.30	...	1.37 ± 0.39	...
245.0+02.2	BMP J0803-2706	230.0	190.0	0.32 ± 0.07	1	-5.56 ± 0.13	0.07	2.30 ± 0.67	...	...	...
245.1-05.5	BMP J0733-3108	697.0	492.0	0.32 ± 0.07	3	-5.90 ± 0.11	0.16	1.02 ± 0.30	...	1.34 ± 0.39	...
245.4+01.6	M 3-5	8.3	7.3	0.50 ± 0.13	1, 3	-1.99 ± 0.14	-0.92	6.41 ± 1.90	...	...	...
247.5-04.7	HFG 2	180.5	153.0	0.10 ± 0.03	2	-5.14 ± 0.08	-0.05	2.21 ± 0.63	1.72 ± 0.32	...	C
247.8+04.9	FP J0821-2755	305.0	240.0	0.21 ± 0.04	1, 3	-6.17 ± 0.12	0.23	2.61 ± 0.73	...	3.50 ± 0.98	...
248.5+10.5	PHR J0843-2514	83.5	79.0	0.11 ± 0.04	3	-5.48 ± 0.06	0.04	5.61 ± 1.58	...	...	...
248.7+29.5	Abell 34	290.0	284.0	0.03 ± 0.02	2	-5.47 ± 0.09	0.04	1.58 ± 0.45	1.22 ± 0.23	...	C
248.8-08.5	M 4-2	8.2	7.1	0.32 ± 0.10	1, 3	-2.07 ± 0.12	-0.89	6.89 ± 2.01	5.72 ± 1.13	...	...
249.3-05.4	Abell 23	69.0	63.0	0.65 ± 0.14	1	-4.12 ± 0.17	-0.33	2.92 ± 0.88	...	...	...
249.8+07.1	PHR J0834-2819	161.5	142.0	0.12 ± 0.04	3	-5.60 ± 0.14	0.08	3.26 ± 0.97	...	...	...
249.8-02.7	PHR J0755-3346	100.0	90.0	0.50 ± 0.10	1, 2	-4.96 ± 0.17	-0.10	3.47 ± 0.97	...	...	...
250.3+00.1	Abell 26	37.5	36.7	1.05 ± 0.14	1	-3.61 ± 0.17	-0.47	3.76 ± 1.13	...	...	...
250.4-01.3	NeVe 3-3	60.0	50.0	0.60 ± 0.22	1	-4.22 ± 0.23	-0.30	3.75 ± 1.20	...	4.48 ± 1.44	...
250.6+09.3	BMP J0844-2737	120.0	118.0	0.11 ± 0.02	3	-5.52 ± 0.04	0.05	3.93 ± 1.11	3.04 ± 0.56	...	...
251.1-01.5	K 1-21	28.0	28.0	0.88 ± 0.09	1, 3	-3.34 ± 0.13	-0.55	4.20 ± 1.23	...	...	...
252.6+04.4	K 1-1	51.3	47.5	0.22 ± 0.04	1, 3	-4.44 ± 0.08	-0.24	4.78 ± 1.36	...	...	...
253.5+10.7	K 1-2	110.0	50.0	0.15 ± 0.03	3	-4.64 ± 0.08	-0.19	3.61 ± 1.03	2.84 ± 0.53	...	...
253.9+05.7	M 3-6	11.0	8.2	0.17 ± 0.10	1	-1.41 ± 0.11	-1.08	3.63 ± 1.05	3.05 ± 0.60	...	...
254.7-18.2	Fr 2-24	825.0	670.0	0.08 ± 0.04	3	-5.63 ± 0.21	0.09	0.68 ± 0.21	...	...	...
255.3-59.6	Lo 1	451.0	385.0	0.00 ± 0.01	2	-5.65 ± 0.07	0.09	1.22 ± 0.35	0.94 ± 0.17	...	C
255.7+03.3	Wray 16-22	20.0	20.0	0.19 ± 0.11	1	-3.65 ± 0.14	-0.46	7.15 ± 2.10	...	...	...
255.8+10.9	FP J0905-3033	882.0	660.0	0.06 ± 0.03	2	-5.54 ± 0.07	0.06	0.62 ± 0.18	...	...	...
257.5+00.6	RCW 21	114.0	80.0	0.48 ± 0.21	1	-4.27 ± 0.22	-0.29	2.22 ± 0.70	...	2.66 ± 0.84	...
257.8-06.9	PHR J0758-4243	25.0	25.0	0.61 ± 0.09	3	-4.96 ± 0.10	-0.10	13.11 ± 3.76	...	...	...
258.0-15.7	Lo 3	108.0	80.0	0.15 ± 0.03	2	-4.28 ± 0.08	-0.29	2.30 ± 0.66	1.83 ± 0.34	...	...
258.1-00.3	Hen 2-9	5.9	4.7	1.47 ± 0.15	1	-0.34 ± 0.16	-1.37	3.32 ± 0.99	...	...	...
258.5-01.3	RCW 24	720.0	365.0	0.38 ± 0.06	2	-5.21 ± 0.08	-0.03	0.75 ± 0.21	...	0.95 ± 0.27	...
259.1+00.9	Hen 2-11	121.7	64.0	1.58 ± 0.11	1, 2	-2.54 ± 0.13	-0.76	0.80 ± 0.24	0.66 ± 0.13	...	C
260.1+00.2	Vo 3	14.0	13.0	2.03 ± 0.21	1	-1.86 ± 0.21	-0.95	3.41 ± 1.07	2.84 ± 0.65	...	...
261.0+32.0	NGC 3242	45.0	39.0	0.05 ± 0.02	2, 3	-1.76 ± 0.06	-0.98	1.03 ± 0.29	0.86 ± 0.16	...	C
261.6+03.0	Hen 2-15	32.0	20.0	1.08 ± 0.16	1	-2.21 ± 0.17	-0.86	2.27 ± 0.69	...	2.41 ± 0.73	...
261.9+08.5	NGC 2818	56.2	46.0	0.17 ± 0.08	1	-3.24 ± 0.10	-0.57	2.16 ± 0.62	...	2.44 ± 0.70	C
262.6-04.6	Wray 17-18	17.2	16.8	0.75 ± 0.21	1	-2.98 ± 0.22	-0.64	5.50 ± 1.76	4.49 ± 1.06	...	...
263.0-05.5	PB 2	3.0	3.0	0.65 ± 0.11	1, 3	-1.16 ± 0.14	-1.15	9.83 ± 2.89	...	...	...
264.1-08.1	Hen 2-7	22.0	15.0	0.34 ± 0.08	1	-2.27 ± 0.10	-0.84	3.29 ± 0.95	...	...	...
264.4-12.7	Hen 2-5	3.8	3.6	0.24 ± 0.09	1	-0.91 ± 0.11	-1.21	6.81 ± 1.96	...	...	...
264.6+03.8	BMP J0907-4146	280.0	280.0	0.67 ± 0.10	3	-5.20 ± 0.11	-0.03	1.37 ± 0.40	...	...	...
265.1-04.2	LoTr 3	28.0	28.0	0.48 ± 0.15	1	-3.44 ± 0.18	-0.52	4.48 ± 1.37	...	...	...
265.7+04.1	NGC 2792	17.9	16.4	0.41 ± 0.13	1, 2	-1.99 ± 0.14	-0.92	2.92 ± 0.86	2.43 ± 0.50	...	P
268.4+02.4	PB 5	1.7	1.6	1.45 ± 0.07	1, 3	0.34 ± 0.09	-1.56	6.91 ± 1.98	...	...	...
268.9-00.4	Bran 229	147.0	124.0	0.59 ± 0.10	1, 2	-4.65 ± 0.14	-0.18	2.00 ± 0.59	...	...	P
269.7-03.6	PB 3	8.0	7.0	0.88 ± 0.20	1	-1.52 ± 0.21	-1.05	4.93 ± 1.56	...	...	...
270.1+24.8	K 1-28	54.0	47.0	0.05 ± 0.03	3	-4.87 ± 0.11	-0.12	6.16 ± 1.79	4.83 ± 0.94	...	...
270.1-02.9	Wray 17-23	10.0	8.0	0.83 ± 0.08	...	-2.46 ± 0.16	-0.79	7.51 ± 2.24	...	...	...
272.1+12.3	NGC 3132	86.0	60.0	0.07 ± 0.03	2	-2.75 ± 0.06	-0.71	1.12 ± 0.32	...	1.23 ± 0.35	C
272.4-05.9	MeWe 1-1	148.0	133.0	0.14 ± 0.07	1	-4.84 ± 0.09	-0.13	2.17 ± 0.62	...	...	...
273.2-03.7	Hen 2-18	16.4	13.7	0.74 ± 0.14	1, 3	-2.53 ± 0.15	-0.77	4.68 ± 1.40	...	...	...
274.3+09.1	Lo 4	41.6	38.9	0.14 ± 0.07	1, 3	-4.37 ± 0.14	-0.26	5.61 ± 1.65	4.45 ± 0.90	...	P
274.6+02.1	Hen 2-35	4.0	3.6	0.61 ± 0.19	1	-1.18 ± 0.20	-1.14	7.87 ± 2.44	6.65 ± 1.49	...	...
274.6+03.5	Hen 2-37	26.1	22.1	0.54 ± 0.17	1, 3	-3.03 ± 0.18	-0.63	4.01 ± 1.22	...	...	...
274.8-05.7	PHR J0905-5548	50.0	43.0	0.24 ± 0.09	1	-4.96 ± 0.10	-0.10	7.08 ± 2.03	...	...	...
275.0-04.1	PB 4	12.2	10.2	0.68 ± 0.25	1	-1.65 ± 0.25	-1.01	3.60 ± 1.19	...	...	...
275.2-02.9	Hen 2-28	10.8	10.0	0.76 ± 0.12	1	-2.27 ± 0.14	-0.84	5.72 ± 1.68	...	...	...

PNG	Name	$a$ ( $''$ )	$b$ ( $''$ )	$E(B - V)$ (mag)	method	$\log S_0(\text{H}\alpha)$ ( $\text{cgs sr}^{-1}$ )	$\log r$ (pc)	$D_{\text{mean}}$ (kpc)	$D_{\text{thin}}$ (kpc)	$D_{\text{thick}}$ (kpc)	Notes
275.3-04.7	Hen 2-21	3.0	2.6	$0.37 \pm 0.14$	1	$-1.22 \pm 0.16$	-1.13	$10.94 \pm 3.28$	$9.25 \pm 1.93$	...	...
275.5-01.3	Pe 2-4	7.0	7.0	$1.57 \pm 0.30$	1	$-1.10 \pm 0.31$	-1.16	$4.05 \pm 1.43$	...	...	...
275.8-02.9	Hen 2-29	16.0	11.8	$0.69 \pm 0.11$	1	$-2.26 \pm 0.12$	-0.84	$4.32 \pm 1.26$	...	...	...
275.9-01.0	NeVe 3-1	40.0	40.0	$0.76 \pm 0.14$	1	$-4.04 \pm 0.18$	-0.35	$4.59 \pm 1.40$	...	...	...
276.2+00.4	PHR J0942-5220	165.0	150.0	$0.75 \pm 0.14$	2	$-4.50 \pm 0.17$	-0.23	$1.56 \pm 0.47$	...	...	...
276.2-06.6	PHR J0907-5722	241.0	234.0	$0.32 \pm 0.07$	3	$-5.29 \pm 0.08$	-0.01	$1.70 \pm 0.48$	...	$2.17 \pm 0.62$	...
277.1-03.8	NGC 2899	68.5	59.8	$0.48 \pm 0.06$	1, 2	$-2.96 \pm 0.08$	-0.65	$1.44 \pm 0.41$	...	$1.60 \pm 0.45$	...
277.7-03.5	Wray 17-31	149.0	144.0	$0.24 \pm 0.04$	2	$-4.56 \pm 0.07$	-0.21	$1.74 \pm 0.49$	...	$2.12 \pm 0.60$	...
278.1-05.9	NGC 2867	14.4	13.9	$0.32 \pm 0.04$	1	$-1.27 \pm 0.07$	-1.12	$2.23 \pm 0.63$	...	...	C
278.6-06.7	My 47	2.5	2.5	$0.25 \pm 0.20$	3	$-0.70 \pm 0.21$	-1.27	$8.83 \pm 2.78$	...	...	...
278.8+04.9	PB 6	12.0	11.0	$0.29 \pm 0.15$	1	$-2.34 \pm 0.16$	-0.82	$5.42 \pm 1.63$	...	$5.79 \pm 1.74$	...
279.6-03.1	Hen 2-36	24.8	15.3	$0.63 \pm 0.07$	1, 2	$-2.08 \pm 0.09$	-0.89	$2.71 \pm 0.77$	$2.25 \pm 0.43$	...	...
280.0+02.9	Sa 2-56	10.0	10.0	$0.68 \pm 0.06$	1	$-2.44 \pm 0.10$	-0.79	$6.65 \pm 1.92$	$5.48 \pm 1.05$	...	...
280.1-05.1	BMP J0936-5905	138.0	131.0	$0.59 \pm 0.07$	3	$-5.25 \pm 0.08$	-0.02	$2.93 \pm 0.83$	...	...	...
280.5+01.8	KLSS 1-12	41.0	36.0	$0.76 \pm 0.28$	1	$-3.69 \pm 0.28$	-0.45	$3.81 \pm 1.31$	...	...	...
281.0-05.6	IC 2501	8.0	8.0	$0.34 \pm 0.09$	1	$-0.77 \pm 0.10$	-1.25	$2.88 \pm 0.83$	...	...	...
283.3+03.9	Hen 2-50	13.5	11.8	$0.41 \pm 0.13$	1	$-2.42 \pm 0.14$	-0.80	$5.20 \pm 1.54$	...	...	...
283.4-01.3	MeWe 1-2	263.0	253.0	$0.30 \pm 0.05$	2	$-5.14 \pm 0.13$	-0.05	$1.43 \pm 0.42$	...	...	...
283.6+25.3	K 1-22	200.0	186.0	$0.06 \pm 0.03$	2	$-4.59 \pm 0.07$	-0.20	$1.34 \pm 0.38$	...	...	C
283.8+02.2	My 60	10.1	10.1	$0.65 \pm 0.10$	1	$-1.65 \pm 0.12$	-1.01	$3.98 \pm 1.16$	$3.33 \pm 0.66$	...	...
283.8-04.2	Hen 2-39	12.4	12.2	$0.37 \pm 0.22$	1	$-2.67 \pm 0.23$	-0.73	$6.23 \pm 2.01$	...	...	C
283.9+09.7	DS 1	354.0	315.0	$0.15 \pm 0.03$	2	$-4.66 \pm 0.06$	-0.18	$0.81 \pm 0.23$	$0.64 \pm 0.12$	...	C
283.9-01.8	Hf 4	29.1	21.0	$1.58 \pm 0.22$	1	$-2.44 \pm 0.24$	-0.79	$2.68 \pm 0.87$	...	$2.88 \pm 0.94$	...
284.5+03.8	PHR J1040-5417	182.0	166.0	$0.15 \pm 0.07$	1	$-5.16 \pm 0.12$	-0.04	$2.14 \pm 0.62$	...	...	...
285.4+01.2	Pe 1-2	4.0	3.1	$1.45 \pm 0.52$	1	$-0.47 \pm 0.52$	-1.34	$5.40 \pm 2.61$	$4.63 \pm 2.01$	...	...
285.4+01.5	Pe 1-1	3.0	3.0	$1.23 \pm 0.25$	1	$-0.21 \pm 0.27$	-1.41	$5.39 \pm 1.82$	...	...	...
285.4+02.2	Pe 2-7	5.6	4.4	$0.89 \pm 0.16$	1	$-1.55 \pm 0.19$	-1.04	$7.61 \pm 2.36$	$6.38 \pm 1.43$	...	...
285.4-05.3	IC 2553	11.5	7.4	$0.24 \pm 0.05$	1	$-1.22 \pm 0.08$	-1.13	$3.31 \pm 0.94$	...	...	...
285.6-02.7	My 59	4.9	4.4	$0.60 \pm 0.32$	1	$-0.34 \pm 0.32$	-1.37	$3.78 \pm 1.37$	...	...	P
285.7-14.9	IC 2448	22.0	22.0	$0.07 \pm 0.03$	1, 2	$-2.25 \pm 0.07$	-0.84	$2.68 \pm 0.76$	$2.22 \pm 0.41$	...	C
286.0-06.5	Hen 2-41	4.0	3.5	$0.28 \pm 0.14$	1, 3	$-1.35 \pm 0.15$	-1.09	$8.88 \pm 2.64$	...	...	...
286.2-06.9	Wray 17-40	74.0	72.0	$0.19 \pm 0.07$	3	$-4.09 \pm 0.09$	-0.34	$2.59 \pm 0.74$	...	...	...
286.3+02.8	Hen 2-55	18.0	18.0	$0.43 \pm 0.27$	1	$-2.94 \pm 0.28$	-0.66	$5.06 \pm 1.73$	$4.13 \pm 1.10$	...	...
286.3-04.8	NGC 3211	16.1	15.9	$0.21 \pm 0.09$	1	$-1.99 \pm 0.11$	-0.92	$3.12 \pm 0.90$	$2.59 \pm 0.50$	...	...
286.5+11.6	Lo 5	152.0	150.0	$0.04 \pm 0.03$	2	$-4.61 \pm 0.07$	-0.19	$1.74 \pm 0.50$	...	...	...
286.8-29.5	K 1-27	61.0	47.0	$0.06 \pm 0.03$	2	$-4.75 \pm 0.13$	-0.16	$5.36 \pm 1.57$	$4.22 \pm 0.84$	...	P
287.9-04.4	PHR J1032-6310	180.0	175.0	$0.21 \pm 0.07$	1	$-5.06 \pm 0.11$	-0.07	$1.97 \pm 0.57$	...	...	...
288.4+00.3	Hf 38	35.0	27.0	$0.85 \pm 0.24$	1	$-2.51 \pm 0.25$	-0.77	$2.25 \pm 0.74$	...	$2.43 \pm 0.80$	...
288.4-02.4	Pe 1-3	10.9	8.8	$0.41 \pm 0.22$	1	$-2.53 \pm 0.25$	-0.77	$7.18 \pm 2.36$	...	...	...
288.7+08.1	ESO 216-2	36.0	28.0	$0.21 \pm 0.04$	3	$-4.39 \pm 0.13$	-0.26	$7.20 \pm 2.12$	$5.70 \pm 1.15$	...	...
288.8-05.2	Hen 2-51	9.0	9.0	$0.76 \pm 0.10$	1, 3	$-1.99 \pm 0.12$	-0.92	$5.53 \pm 1.61$	...	...	...
289.0+03.3	PHR J1107-5642	188.0	170.0	$0.43 \pm 0.07$	3	$-4.86 \pm 0.18$	-0.13	$1.72 \pm 0.52$	...	...	...
289.8+07.7	Hen 2-63	3.0	3.0	$0.23 \pm 0.26$	1	$-1.76 \pm 0.27$	-0.98	$14.38 \pm 4.83$	$12.02 \pm 3.11$	...	...
290.1-00.4	Hf 48	22.0	19.0	$1.19 \pm 0.26$	1	$-2.65 \pm 0.29$	-0.74	$3.70 \pm 1.28$	...	$4.03 \pm 1.39$	...
290.5+07.9	Fg 1	55.0	40.0	$0.21 \pm 0.02$	1, 3	$-2.89 \pm 0.06$	-0.67	$1.88 \pm 0.53$	$1.54 \pm 0.28$	...	...
291.3+08.4	PHR J1134-5243	42.0	36.0	$0.25 \pm 0.04$	3	$-4.53 \pm 0.13$	-0.22	$6.43 \pm 1.88$	$5.08 \pm 1.01$	...	...
291.4+08.5	PHR J1136-5235	268.0	205.0	$0.21 \pm 0.07$	3	$-5.27 \pm 0.11$	-0.01	$1.71 \pm 0.49$	...	...	...
291.4+19.2	LoTr 4	30.4	27.2	$0.17 \pm 0.15$	2	$-4.14 \pm 0.18$	-0.32	$6.79 \pm 2.08$	$5.41 \pm 1.18$	...	C
291.6-04.8	IC 2621	4.0	3.6	$0.61 \pm 0.13$	1, 3	$-0.38 \pm 0.14$	-1.36	$4.73 \pm 1.40$	...	...	...
291.7+03.7	Hen 2-64	9.1	8.3	$0.36 \pm 0.14$	1	$-2.44 \pm 0.16$	-0.79	$7.62 \pm 2.29$	...	...	...
292.4+04.1	PB 8	6.6	6.5	$0.28 \pm 0.06$	1	$-1.44 \pm 0.08$	-1.07	$5.36 \pm 1.53$	$4.51 \pm 0.85$	...	P
292.5+03.9	PHR J1133-5721	208.0	198.0	$0.37 \pm 0.07$	3	$-5.52 \pm 0.08$	0.06	$2.31 \pm 0.66$	...	...	...
292.6+01.2	NGC 3699	47.0	37.0	$0.31 \pm 0.10$	1	$-2.94 \pm 0.12$	-0.66	$2.19 \pm 0.64$	...	$2.42 \pm 0.70$	...
292.7+01.9	Wray 16-93	11.0	8.0	$0.82 \pm 0.14$	1	$-2.64 \pm 0.22$	-0.74	$8.04 \pm 2.56$	$6.60 \pm 1.55$	...	...
292.8+01.1	Hen 2-67	5.2	2.8	$0.96 \pm 0.18$	1	$-0.54 \pm 0.19$	-1.32	$5.20 \pm 1.60$	...	...	...
293.6+01.2	Hen 2-70	34.6	13.6	$0.83 \pm 0.08$	1	$-2.52 \pm 0.10$	-0.77	$3.22 \pm 0.93$	...	$3.48 \pm 1.00$	P
293.6+10.9	BlDz 1	94.0	94.0	$0.15 \pm 0.07$	1, 3	$-4.10 \pm 0.09$	-0.34	$2.03 \pm 0.58$	...	...	...
294.1+14.4	Lo 6	77.0	74.4	$0.10 \pm 0.05$	1, 3	$-4.65 \pm 0.08$	-0.18	$3.56 \pm 1.01$	...	...	...
294.1+43.6	NGC 4361	119.0	115.0	$0.02 \pm 0.02$	2	$-3.47 \pm 0.06$	-0.51	$1.09 \pm 0.31$	$0.88 \pm 0.16$	...	C
294.6+04.7	NGC 3918	18.7	17.1	$0.21 \pm 0.07$	1	$-1.07 \pm 0.09$	-1.17	$1.55 \pm 0.44$	...	...	C
294.9-00.6	Hf 69	65.0	62.0	$0.80 \pm 0.14$	1	$-3.23 \pm 0.15$	-0.58	$1.73 \pm 0.52$	...	$1.95 \pm 0.58$	...
294.9-04.3	Hen 2-68	2.5	2.5	$0.59 \pm 0.04$	1	$-0.57 \pm 0.07$	-1.31	$8.09 \pm 2.30$	...	...	...
295.3-09.3	Hen 2-62	3.0	3.0	$0.21 \pm 0.07$	1, 3	$-1.33 \pm 0.09$	-1.10	$10.93 \pm 3.13$	...	...	...
296.0-06.2	MPA J1137-6806	182.0	150.0	$0.34 \pm 0.07$	3	$-5.47 \pm 0.08$	0.04	$2.74 \pm 0.78$	...	...	...
296.3+03.1	KFR 1	98.0	83.0	$0.34 \pm 0.06$	1	$-4.54 \pm 0.17$	-0.21	$2.80 \pm 0.78$	...	$3.41 \pm 0.96$	...
296.3-03.0	Hen 2-73	3.3	2.5	$0.89 \pm 0.20$	1	$-0.38 \pm 0.20$	-1.36	$6.27 \pm 1.96$	...	...	...
296.4-06.9	Hen 2-71	5.0	4.5	$0.35 \pm 0.15$	3	$-1.28 \pm 0.16$	-1.11	$6.71 \pm 2.01$	...	...	...
296.5+02.7	NeVe 3-7	23.0	22.0	$1.07 \pm 0.23$	1	$-3.41 \pm 0.28$	-0.53	$5.45 \pm 1.85$	...	...	...
296.6-20.0	NGC 3195	39.5	33.8	$0.11 \pm 0.04$	1	$-2.70 \pm 0.07$	-0.72	$2.15 \pm 0.61$	...	...	...
297.0+06.5	BMP J1209-5553	21.0	11.0	$0.39 \pm 0.07$	3	$-4.25 \pm 0.08$	-0.30	$13.76 \pm 3.92$	$10.93 \pm 2.05$	...	...
297.0-04.9	PHR J1150-6704	59.0	35.0	$0.48 \pm 0.07$	1, 3	$-4.31 \pm 0.13$	-0.28	$4.77 \pm 1.40$	...	...	...
297.4+03.7	Hen 2-78	3.5	3.5	$0.69 \pm 0.22$	3	$-1.95 \pm 0.26$	-0.93	$13.94 \pm 4.66$	...	...	...
297.5+01.0	PHR J1206-6122	12.0	11.0	$0.80 \pm 0.15$	1	$-3.60 \pm 0.16$	-0.47	$12.04 \pm 3.60$	...	...	...
298.2-01.7	Hen 2-76	20.5	16.0	$1.03 \pm 0.14$	1	$-2.59 \pm 0.15$	-0.75	$4.02 \pm 1.19$	...	$4.36 \pm 1.30$	...
298.3-04.8	NGC 4071	72.4	52.7	$0.43 \pm 0.07$	3	$-3.38 \pm 0.09$	-0.54	$1.95 \pm 0.56$	...	...	...
298.5+02.3	KFR 2	40.0	30.0	$1.27 \pm 0.11$	1	$-3.66 \pm 0.12$	-0.46	$4.16 \pm 1.21$	...	$4.81 \pm 1.40$	...
298.7-07.5	PHR J1202-7000	317.0	220.0	$0.25 \pm 0.05$	3	$-5.66 \pm 0.09$	0.09	$1.94 \pm 0.56$	...	$2.53 \pm 0.73$	...
299.0+18.4	K 1-23	64.3	56.4	$0.07 \pm 0.02$	3	$-3.98 \pm 0.08$	-0.37	$2.93 \pm 0.83$	...	...	...
299.2+01.0	PHR J1220-6134	10.0	9.0	$1.81 \pm 0.19$	1	$-2.84 \pm 0.20$	-0.68	$9.01 \pm 2.80$	...	...	...
299.4-04.1	HaTr 1	70.0	67.0	$0.50 \pm 0.14$	3	$-3.99 \pm 0.15$	-0.37	$2.59 \pm 0.77$	...	...	...
299.5+02.4	Hen 2-82	31.8	25.4	$0.73 \pm 0.34$	1	$-3.05 \pm 0.35$	-0.62	$3.44 \pm 1.29$	...	...	...

PNG	Name	$a$ ( $''$ )	$b$ ( $''$ )	$E(B - V)$ (mag)	method	$\log S_0(\text{H}\alpha)$ ( $\text{cgs sr}^{-1}$ )	$\log r$ (pc)	$D_{\text{mean}}$ (kpc)	$D_{\text{thin}}$ (kpc)	$D_{\text{thick}}$ (kpc)	Notes
299.8-01.3	Hen 2-81	7.3	6.5	$1.63 \pm 0.16$	1	$-1.72 \pm 0.19$	-0.99	$6.11 \pm 1.88$	...	...	...
300.2+00.6	Hen 2-83	4.7	4.5	$1.52 \pm 0.28$	1	$-0.86 \pm 0.29$	-1.23	$5.31 \pm 1.84$	...	...	...
300.4-00.9	Hen 2-84	35.8	23.7	$0.88 \pm 0.24$	1	$-3.09 \pm 0.25$	-0.61	$3.44 \pm 1.14$	...	$3.84 \pm 1.27$	...
300.5-01.1	Hen 2-85	9.2	7.9	$1.31 \pm 0.11$	1	$-1.33 \pm 0.13$	-1.10	$3.86 \pm 1.13$	...	...	...
300.7-02.0	Hen 2-86	3.2	3.2	$1.38 \pm 0.25$	1	$-0.07 \pm 0.25$	-1.45	$4.62 \pm 1.53$	...	...	...
302.1+00.3	RCW 69	248.0	218.0	$0.34 \pm 0.13$	2	$-4.62 \pm 0.14$	-0.19	$1.14 \pm 0.34$	...	$1.40 \pm 0.41$	...
302.2+02.5	Wray 16-120	15.5	12.5	$1.03 \pm 0.26$	1, 3	$-2.56 \pm 0.30$	-0.76	$5.14 \pm 1.80$	$4.23 \pm 1.16$	...	...
302.6-00.9	Wray 16-121	65.0	42.0	$1.27 \pm 0.21$	1	$-2.89 \pm 0.21$	-0.67	$1.69 \pm 0.53$	...	$1.87 \pm 0.59$	...
304.2+05.9	Wray 16-122	36.0	36.0	$0.40 \pm 0.36$	1, 3	$-3.79 \pm 0.37$	-0.42	$4.35 \pm 1.68$	$3.49 \pm 1.12$	...	...
304.5-04.8	IC 4191	5.3	4.5	$0.48 \pm 0.02$	1, 3	$-0.48 \pm 0.05$	-1.33	$3.93 \pm 1.11$	...	...	...
304.8+05.1	Hen 2-88	1.7	1.7	$0.38 \pm 0.21$	3	$-1.15 \pm 0.21$	-1.15	$17.26 \pm 5.43$	$14.60 \pm 3.36$	...	...
305.3-03.1	PHR J1315-6555	11.2	10.5	$0.83 \pm 0.08$	1	$-2.97 \pm 0.09$	-0.65	$8.57 \pm 2.45$	...	$9.51 \pm 2.71$	C
305.6-00.9	MPA J1315-6338	6.0	6.0	$2.29 \pm 0.28$	1	$-2.06 \pm 0.28$	-0.90	$8.68 \pm 2.95$	...	...	...
305.6-13.1	ESO 40-11	70.0	60.0	$0.18 \pm 0.09$	3	$-4.48 \pm 0.11$	-0.23	$3.74 \pm 1.08$	$2.96 \pm 0.58$	...	...
306.4-00.6	Th 2-A	27.3	24.8	$0.74 \pm 0.14$	1, 2	$-2.50 \pm 0.16$	-0.78	$2.65 \pm 0.79$	...	...	...
306.7+06.6	PHR J1318-5601	155.0	141.0	$0.70 \pm 0.10$	3	$-5.24 \pm 0.18$	-0.02	$2.66 \pm 0.81$	...	...	...
307.2-03.4	NGC 5189	163.0	108.0	$0.36 \pm 0.08$	1, 2	$-3.14 \pm 0.10$	-0.60	$0.78 \pm 0.22$	...	$0.87 \pm 0.25$	C
307.2-09.0	Hen 2-97	2.3	2.3	$0.34 \pm 0.17$	1, 3	$-0.42 \pm 0.18$	-1.35	$8.01 \pm 2.44$	...	...	...
307.3+02.0	PHR J1327-6032	210.0	180.0	$0.40 \pm 0.10$	1	$-4.94 \pm 0.13$	-0.10	$1.67 \pm 0.49$	...	$2.08 \pm 0.61$	C
307.5-04.9	MyCn 18	17.3	9.8	$0.48 \pm 0.05$	1, 3	$-1.47 \pm 0.08$	-1.06	$2.75 \pm 0.78$	...	...	...
308.2+07.7	MeWe 1-3	19.0	19.0	$0.37 \pm 0.07$	1, 3	$-3.68 \pm 0.14$	-0.45	$7.69 \pm 2.28$	$6.18 \pm 1.26$	...	...
308.6-12.2	Hen 2-105	41.5	40.7	$0.12 \pm 0.10$	1, 3	$-3.37 \pm 0.12$	-0.54	$2.92 \pm 0.85$	$2.36 \pm 0.46$	...	...
309.0+00.8	Hen 2-96	2.8	2.8	$1.32 \pm 0.09$	1	$-0.21 \pm 0.11$	-1.41	$5.75 \pm 1.66$	...	...	...
309.0-04.2	Hen 2-99	27.9	23.4	$0.45 \pm 0.07$	3	$-2.72 \pm 0.09$	-0.72	$3.11 \pm 0.89$	...	...	...
309.1-04.3	NGC 5315	10.7	9.2	$0.45 \pm 0.10$	1	$-0.56 \pm 0.12$	-1.31	$2.03 \pm 0.59$	...	...	C?
309.6-04.8	MPA J1400-6647	98.0	84.0	$0.56 \pm 0.08$	3	$-5.33 \pm 0.09$	0.00	$4.58 \pm 1.31$	...	...	...
310.3+24.7	Lo 8	132.0	110.0	$0.03 \pm 0.02$	2	$-5.21 \pm 0.11$	-0.03	$3.19 \pm 0.92$	$2.49 \pm 0.48$	...	C
310.7-02.9	Hen 2-103	22.1	20.9	$0.66 \pm 0.20$	1	$-2.59 \pm 0.21$	-0.75	$3.39 \pm 1.07$	...	...	...
311.0+02.4	SuWt 2	86.5	43.4	$0.40 \pm 0.04$	2	$-4.14 \pm 0.13$	-0.33	$3.18 \pm 0.93$	...	$3.78 \pm 1.11$	C
311.4+02.8	Hen 2-102	11.7	11.3	$0.76 \pm 0.10$	1	$-1.97 \pm 0.12$	-0.92	$4.28 \pm 1.25$	$3.56 \pm 0.70$	...	...
311.7+07.3	PHR J1351-5429	36.0	35.0	$0.41 \pm 0.07$	3	$-4.63 \pm 0.08$	-0.19	$7.49 \pm 2.13$	$5.91 \pm 1.11$	...	...
312.1+00.3	PHR J1408-6106	307.0	264.0	$0.46 \pm 0.07$	2	$-5.06 \pm 0.11$	-0.07	$1.23 \pm 0.35$	...	...	...
312.3+10.5	NGC 5307	18.8	12.9	$0.28 \pm 0.05$	1, 2	$-1.97 \pm 0.08$	-0.92	$3.16 \pm 0.90$	$2.63 \pm 0.49$	...	...
312.6-01.8	Hen 2-107	10.7	8.3	$1.02 \pm 0.18$	1	$-1.47 \pm 0.18$	-1.06	$3.80 \pm 1.17$	...	...	P
313.4+06.2	MPA J1405-5507	8.0	8.0	$0.34 \pm 0.06$	3	$-3.53 \pm 0.07$	-0.49	$16.59 \pm 4.70$	$13.38 \pm 2.48$	...	...
313.8+10.3	Fr 2-8	115.0	110.0	$0.32 \pm 0.07$	3	$-4.46 \pm 0.09$	-0.24	$2.12 \pm 0.61$	$1.68 \pm 0.32$	...	...
313.8-05.7	BMP J1442-6615	117.0	88.0	$0.39 \pm 0.07$	3	$-5.60 \pm 0.12$	0.08	$4.85 \pm 1.36$	...	...	...
313.8-12.6	LoTr 11	117.0	109.0	$0.11 \pm 0.03$	3	$-5.11 \pm 0.09$	-0.06	$3.20 \pm 0.92$	...	...	...
314.0+10.6	MeWe 2-4	422.0	366.0	$0.14 \pm 0.04$	2	$-5.80 \pm 0.09$	0.13	$1.43 \pm 0.41$	...	...	...
314.5-01.0	PHR J1432-6138	265.0	232.0	$0.26 \pm 0.06$	2	$-4.99 \pm 0.09$	-0.09	$1.35 \pm 0.39$	...	...	...
315.0-00.3	Hen 2-111	29.4	14.5	$1.05 \pm 0.26$	1	$-1.76 \pm 0.27$	-0.98	$2.09 \pm 0.70$	...	$2.16 \pm 0.73$	C
315.1-13.0	Hen 2-131	10.0	9.6	$0.16 \pm 0.10$	1, 3	$-0.69 \pm 0.11$	-1.27	$2.24 \pm 0.65$	...	...	C
315.4+05.2	Hen 2-109	11.0	7.5	$0.60 \pm 0.20$	1	$-2.50 \pm 0.22$	-0.78	$7.60 \pm 2.42$	...	...	...
315.4-08.4	PHR J1510-6754	215.0	210.0	$0.14 \pm 0.06$	2, 3	$-5.48 \pm 0.09$	0.05	$2.16 \pm 0.62$	$1.67 \pm 0.32$	...	...
315.7+05.5	LoTr 8	28.4	25.1	$0.62 \pm 0.17$	1, 3	$-3.87 \pm 0.22$	-0.40	$6.17 \pm 1.97$	$4.94 \pm 1.17$	...	...
315.7-01.1	MPA J1441-6114	7.0	6.0	$2.10 \pm 0.24$	1	$-1.81 \pm 0.24$	-0.97	$6.85 \pm 2.24$	...	...	...
315.8-05.5	PHR J1459-6511	37.0	33.0	$0.52 \pm 0.08$	3	$-4.74 \pm 0.09$	-0.16	$8.19 \pm 2.34$	...	...	...
315.9+00.3	PHR J1437-5949	103.0	63.0	$1.81 \pm 0.23$	1	$-4.02 \pm 0.27$	-0.36	$2.24 \pm 0.76$	...	$2.65 \pm 0.90$	...
315.9+08.2	MeWe 1-4	133.0	113.0	$0.41 \pm 0.07$	3	$-4.63 \pm 0.13$	-0.19	$2.17 \pm 0.63$	...	...	...
316.1+08.4	Hen 2-108	13.6	12.3	$0.40 \pm 0.07$	3	$-1.90 \pm 0.09$	-0.94	$3.63 \pm 1.04$	...	...	C
316.2+00.8	GLMP 387	6.0	6.0	$2.82 \pm 0.41$	1	$-1.23 \pm 0.41$	-1.13	$5.15 \pm 2.12$	...	...	...
316.3+08.8	PHR J1418-5144	404.0	375.0	$0.27 \pm 0.07$	2	$-5.57 \pm 0.11$	0.07	$1.24 \pm 0.36$	...	...	...
316.7-05.8	MPA J1508-6455	13.5	10.5	$0.41 \pm 0.07$	1	$-3.09 \pm 0.17$	-0.62	$8.40 \pm 2.53$	$6.83 \pm 1.45$	...	...
317.1-05.7	NGC 5844	118.0	63.0	$0.52 \pm 0.15$	1	$-3.48 \pm 0.16$	-0.51	$1.49 \pm 0.45$	...	...	...
317.2+08.6	PHR J1424-5138	119.0	117.0	$0.10 \pm 0.07$	1, 2	$-5.17 \pm 0.13$	-0.04	$3.18 \pm 0.93$	$2.48 \pm 0.49$	...	...
317.8+03.3	VBRC 6	67.0	52.0	$0.92 \pm 0.09$	1	$-3.73 \pm 0.11$	-0.44	$2.56 \pm 0.74$	...	$2.97 \pm 0.86$	...
318.3-02.0	Hen 2-114	26.1	21.4	$0.54 \pm 0.27$	1	$-2.75 \pm 0.28$	-0.71	$3.41 \pm 1.16$	...	...	...
318.3-02.5	Hen 2-116	47.9	46.7	$0.80 \pm 0.13$	1	$-3.32 \pm 0.14$	-0.55	$2.45 \pm 0.72$	...	$2.77 \pm 0.82$	...
318.4+41.4	Abell 36	450.0	315.0	$0.04 \pm 0.03$	2	$-4.79 \pm 0.06$	-0.15	$0.78 \pm 0.22$	...	...	C
319.2+06.8	Hen 2-112	6.9	6.3	$0.70 \pm 0.19$	3	$-1.38 \pm 0.19$	-1.09	$5.13 \pm 1.59$	...	...	...
319.5-01.0	PHR J1507-5925	26.0	17.0	$1.89 \pm 0.45$	1	$-2.74 \pm 0.45$	-0.71	$3.82 \pm 1.67$	$3.13 \pm 1.19$	...	...
319.6+15.7	IC 4406	46.4	29.9	$0.10 \pm 0.04$	1	$-2.47 \pm 0.07$	-0.79	$1.81 \pm 0.51$	...	...	...
320.1-09.6	Hen 2-138	6.7	6.0	$0.12 \pm 0.13$	3	$-0.88 \pm 0.14$	-1.22	$3.89 \pm 1.14$	...	...	P
320.3-28.8	Hen 2-434	7.4	5.1	$0.08 \pm 0.13$	3	$-1.69 \pm 0.14$	-1.00	$6.71 \pm 1.99$	$5.61 \pm 1.15$	...	...
320.6-04.8	PHR J1532-6203	15.5	16.0	$0.46 \pm 0.07$	3	$-3.82 \pm 0.08$	-0.41	$10.15 \pm 2.89$	$8.13 \pm 1.52$	...	...
320.9+02.0	Hen 2-117	5.4	4.4	$1.96 \pm 0.26$	1	$0.17 \pm 0.26$	-1.51	$2.61 \pm 0.87$	...	...	...
321.0+03.9	Hen 2-113	1.5	1.3	$0.86 \pm 0.07$	1, 2, 3	$0.45 \pm 0.08$	-1.59	$7.60 \pm 2.17$	...	...	P
321.1-05.1	PHR J1537-6159	166.0	64.0	$0.54 \pm 0.07$	3	$-4.76 \pm 0.17$	-0.15	$2.81 \pm 0.84$	...	...	...
321.3+02.8	Hen 2-115	3.4	2.4	$1.41 \pm 0.10$	1	$-0.02 \pm 0.12$	-1.46	$5.01 \pm 1.46$	...	...	...
321.3-16.7	Hen 2-185	2.9	2.5	$0.09 \pm 0.08$	1, 3	$-1.04 \pm 0.09$	-1.18	$10.12 \pm 2.90$	$8.58 \pm 1.63$	...	...
321.6+02.2	CVMP 1	258.0	135.0	$0.85 \pm 0.14$	1	$-4.47 \pm 0.15$	-0.23	$1.29 \pm 0.38$	...	$1.56 \pm 0.47$	C
321.8+01.9	Hen 2-120	36.1	26.5	$0.96 \pm 0.27$	1	$-2.54 \pm 0.28$	-0.77	$2.29 \pm 0.78$	...	$2.47 \pm 0.84$	...
322.1-06.6	Hen 2-136	7.3	4.8	$0.27 \pm 0.07$	1, 3	$-1.64 \pm 0.09$	-1.01	$6.75 \pm 1.93$	$5.65 \pm 1.07$	...	...
322.2-00.4	BMP J1522-5729	13.0	11.0	$1.56 \pm 0.28$	1	$-2.38 \pm 0.28$	-0.81	$5.36 \pm 1.50$	...	...	...
322.2-00.7	PM 1-90	7.0	7.0	$2.43 \pm 0.34$	1	$-1.76 \pm 0.34$	-0.98	$6.17 \pm 2.30$	...	...	...
322.4-00.1a	MPA J1523-5710	35.0	6.5	$2.46 \pm 0.38$	1	$-2.60 \pm 0.38$	-0.75	$4.86 \pm 1.90$	...	$5.27 \pm 2.06$	...
322.4-02.6	Mz 1	49.3	35.3	$0.43 \pm 0.13$	1	$-2.72 \pm 0.14$	-0.72	$1.90 \pm 0.56$	...	$2.07 \pm 0.61$	C
322.5-05.2	NGC 5979	20.2	19.1	$0.25 \pm 0.04$	1, 2	$-2.26 \pm 0.07$	-0.84	$3.01 \pm 0.85$	$2.49 \pm 0.46$	...	C
323.1-02.5	Hen 2-132	20.8	18.9	$0.86 \pm 0.14$	1	$-2.50 \pm 0.26$	-0.78	$3.48 \pm 1.16$	$2.86 \pm 0.74$	...	...
323.9+02.4	Hen 2-123	6.9	6.6	$1.14 \pm 0.10$	1	$-0.87 \pm 0.12$	-1.23	$3.63 \pm 1.06$	...	...	...
324.1+09.0	ESO 223-10	18.0	17.0	$0.23 \pm 0.23$	3	$-3.84 \pm 0.23$	-0.41	$9.21 \pm 2.98$	$7.38 \pm 1.79$	...	...

PNG	Name	$a$ ( $''$ )	$b$ ( $''$ )	$E(B - V)$ (mag)	method	$\log S_0(\text{H}\alpha)$ ( $\text{cgs sr}^{-1}$ )	$\log r$ (pc)	$D_{\text{mean}}$ (kpc)	$D_{\text{thin}}$ (kpc)	$D_{\text{thick}}$ (kpc)	Notes
324.2+02.5	Hen 2-125	3.8	2.9	$1.07 \pm 0.14$	1, 3	$-0.81 \pm 0.15$	-1.24	$7.13 \pm 2.12$	...	...	...
325.0+03.2	Hen 2-129	2.9	2.9	$1.17 \pm 0.20$	1, 3	$-0.58 \pm 0.21$	-1.30	$7.05 \pm 2.22$	...	...	...
325.3-02.9	PHR J1553-5738	133.0	127.0	$0.50 \pm 0.17$	1	$-4.22 \pm 0.20$	-0.30	$2.07 \pm 0.65$	$1.65 \pm 0.37$	...	...
325.4-04.0	Hen 2-141	13.0	10.8	$0.49 \pm 0.13$	1, 3	$-1.92 \pm 0.14$	-0.94	$4.04 \pm 1.19$	...	...	...
325.6-01.8	FP J1550-5639	7.5	7.0	$1.24 \pm 0.21$	1	$-3.09 \pm 0.23$	-0.61	$13.86 \pm 4.47$	...	...	...
325.8-12.8	Hen 2-182	3.1	2.8	$0.14 \pm 0.05$	1, 3	$-0.48 \pm 0.07$	-1.33	$6.49 \pm 1.84$	...	...	...
325.9-01.7	vBe 2	66.0	36.0	$0.66 \pm 0.28$	1	$-4.26 \pm 0.30$	-0.29	$4.31 \pm 1.52$	...	$5.16 \pm 1.82$	...
326.0-02.4	FP J1554-5651	62.0	52.0	$0.62 \pm 0.28$	1	$-3.96 \pm 0.28$	-0.37	$3.07 \pm 0.86$	...	$3.61 \pm 1.01$	...
326.0-06.5	Hen 2-151	1.8	1.7	$0.22 \pm 0.10$	3	$-0.71 \pm 0.12$	-1.27	$12.70 \pm 3.69$	...	...	...
326.1-01.9	vBe 3	12.0	10.0	$0.83 \pm 0.15$	1	$-2.89 \pm 0.15$	-0.67	$8.06 \pm 2.40$	$6.58 \pm 1.36$	...	...
326.4+07.0	NeVe 3-2	36.0	30.0	$0.24 \pm 0.14$	1, 3	$-3.40 \pm 0.15$	-0.53	$3.72 \pm 1.11$	$3.00 \pm 0.62$	...	...
326.6+42.2	IC 972	47.0	47.0	$0.08 \pm 0.03$	2	$-4.09 \pm 0.09$	-0.34	$4.02 \pm 1.15$	...	...	P
327.1-01.8	Hen 2-140	4.1	4.1	$1.38 \pm 0.38$	1	$-0.42 \pm 0.38$	-1.35	$4.51 \pm 1.78$	...	...	...
327.1-02.2	Hen 2-142	4.2	3.1	$1.02 \pm 0.25$	1	$-0.24 \pm 0.25$	-1.40	$4.55 \pm 1.51$	...	...	P
327.5+13.3	Hen 2-118	1.3	1.3	$0.12 \pm 0.11$	3	$-0.53 \pm 0.12$	-1.32	$15.19 \pm 4.43$	$13.01 \pm 2.57$	...	...
327.7-05.4	KoRe 1	14.2	14.2	$0.34 \pm 0.10$	3	$-4.38 \pm 0.15$	-0.26	$16.04 \pm 4.77$	$12.71 \pm 2.62$	...	...
327.8+10.0	NGC 5882	15.6	12.9	$0.26 \pm 0.03$	1	$-1.08 \pm 0.06$	-1.17	$1.98 \pm 0.56$	$1.67 \pm 0.31$	...	C
327.8-01.6	Hen 2-143	3.7	3.7	$1.52 \pm 0.28$	1	$-0.63 \pm 0.29$	-1.29	$5.68 \pm 1.96$	...	...	...
327.8-06.1	Hen 2-158	2.0	2.0	$0.26 \pm 0.06$	3	$-1.09 \pm 0.09$	-1.16	$14.13 \pm 4.04$	...	...	...
327.8-07.2	Hen 2-163	22.1	21.8	$0.23 \pm 0.24$	1, 3	$-3.18 \pm 0.24$	-0.59	$4.85 \pm 1.58$	...	...	...
328.2+14.3	Mu 1	110.0	107.0	$0.10 \pm 0.04$	3	$-5.48 \pm 0.13$	0.04	$4.21 \pm 1.24$	...	...	...
328.5+06.0	PHR J1533-4834	162.0	160.0	$0.24 \pm 0.14$	1	$-5.84 \pm 0.14$	0.14	$3.57 \pm 1.00$	...	...	...
328.5+06.2	PHR J1533-4824	200.0	190.0	$0.14 \pm 0.10$	1, 2	$-5.71 \pm 0.15$	0.11	$2.71 \pm 0.80$	...	...	...
328.8+13.5	Pa 33	166.0	155.0	$0.08 \pm 0.02$	3	$-6.04 \pm 0.04$	0.20	$4.07 \pm 1.15$	$3.12 \pm 0.57$	...	...
329.0+01.9	Sp 1	72.0	72.0	$0.56 \pm 0.13$	2	$-3.17 \pm 0.14$	-0.59	$1.46 \pm 0.43$	$1.19 \pm 0.24$	...	...
329.3-02.8	Mz 2	46.0	28.0	$0.71 \pm 0.18$	1, 2	$-2.60 \pm 0.19$	-0.75	$2.05 \pm 0.63$	...	...	C
329.5+01.7	VBRC 7	119.0	115.0	$0.83 \pm 0.14$	1	$-4.07 \pm 0.16$	-0.35	$1.59 \pm 0.48$	...	...	...
329.5-00.8	MPA J1605-5319	8.0	6.0	$2.37 \pm 0.34$	1	$-2.11 \pm 0.34$	-0.88	$7.76 \pm 2.89$	...	...	...
329.5-02.2	HeFa 1	22.0	22.0	$0.54 \pm 0.14$	1	$-3.90 \pm 0.15$	-0.39	$7.64 \pm 2.27$	$6.11 \pm 1.26$	...	...
329.7+01.4	PHR J1557-5128	59.0	52.0	$1.29 \pm 0.34$	1	$-4.48 \pm 0.34$	-0.23	$4.38 \pm 1.63$	...	$5.31 \pm 1.98$	...
329.8-02.1	BMP J1613-5406	335.0	215.0	$0.25 \pm 0.06$	1, 2	$-5.48 \pm 0.11$	0.04	$1.70 \pm 0.49$	...	$2.19 \pm 0.63$	C
329.8-03.0	PHR J1617-5445	15.0	12.0	$0.76 \pm 0.07$	3	$-3.07 \pm 0.08$	-0.62	$7.39 \pm 2.11$	...	...	...
330.6-02.1	Hen 2-153	18.9	13.1	$0.49 \pm 0.08$	1	$-2.50 \pm 0.35$	-0.78	$4.39 \pm 1.66$	...	$4.74 \pm 1.79$	...
330.6-03.6	Hen 2-159	18.0	13.0	$0.52 \pm 0.13$	3	$-2.56 \pm 0.15$	-0.76	$4.69 \pm 1.39$	$3.86 \pm 0.79$	...	...
330.9+04.3	Wray 16-189	20.0	11.0	$0.80 \pm 0.30$	1	$-2.59 \pm 0.30$	-0.75	$4.92 \pm 1.73$	$4.04 \pm 1.13$	...	...
331.0-02.7	Hen 2-157	3.0	3.0	$0.83 \pm 0.32$	1	$-0.90 \pm 0.33$	-1.22	$8.35 \pm 3.04$	...	...	...
331.3+16.8	NGC 5873	7.1	5.1	$0.08 \pm 0.03$	1	$-1.31 \pm 0.06$	-1.10	$5.40 \pm 1.53$	$4.55 \pm 0.84$	...	...
331.3-12.1	Hen 3-1357	4.0	3.3	$0.10 \pm 0.03$	1, 3	$-0.64 \pm 0.06$	-1.29	$5.85 \pm 1.66$	$5.00 \pm 0.92$	...	...
331.5-02.7	Hen 2-161	16.3	9.7	$0.83 \pm 0.13$	1	$-1.94 \pm 0.14$	-0.93	$3.85 \pm 1.14$	...	...	...
331.5-03.9	Hen 2-165	56.4	46.3	$0.41 \pm 0.10$	1	$-3.44 \pm 0.11$	-0.52	$2.46 \pm 0.71$	...	$2.80 \pm 0.81$	...
332.0-03.3	Hen 2-164	17.0	15.3	$0.71 \pm 0.16$	1	$-2.27 \pm 0.17$	-0.84	$3.70 \pm 1.12$	$3.06 \pm 0.66$	...	...
332.2+03.5	Wray 16-199	13.0	11.0	$1.41 \pm 0.07$	1	$-1.86 \pm 0.10$	-0.95	$3.84 \pm 1.11$	$3.20 \pm 0.62$	...	...
332.3+07.0	PHR J1547-4533	123.0	115.0	$0.38 \pm 0.07$	3	$-4.88 \pm 0.14$	-0.12	$2.63 \pm 0.78$	...	...	...
332.3-00.9	PHR J1619-5131	11.0	11.0	$2.10 \pm 0.41$	1	$-2.43 \pm 0.41$	-0.79	$6.02 \pm 2.47$	$4.96 \pm 1.74$	...	...
332.3-04.2	Hen 2-170	1.3	1.3	$0.43 \pm 0.09$	1, 3	$-0.37 \pm 0.11$	-1.36	$13.76 \pm 3.98$	...	...	...
332.5-16.9	HaTr 7	188.0	180.0	$0.08 \pm 0.03$	3	$-5.01 \pm 0.09$	-0.08	$1.85 \pm 0.53$	$1.44 \pm 0.27$	...	C
332.8-16.4	HaTr 6	42.0	35.0	$0.08 \pm 0.07$	3	$-4.99 \pm 0.08$	-0.09	$8.72 \pm 2.48$	$6.82 \pm 1.28$	...	...
332.9-09.9	Hen 3-1333	3.2	2.8	$0.65 \pm 0.28$	1	$-1.16 \pm 0.28$	-1.15	$9.84 \pm 3.36$	...	...	P
333.4+01.1	Pe 1-5	9.3	8.0	$1.28 \pm 0.07$	1	$-0.87 \pm 0.09$	-1.23	$2.84 \pm 0.81$	...	$2.78 \pm 0.80$	...
333.4-04.3	PHR J1641-5302	20.5	20.5	$0.52 \pm 0.14$	1	$-3.98 \pm 0.14$	-0.37	$8.60 \pm 2.54$	$6.87 \pm 1.40$	...	...
333.8-11.2	Fr 2-12	420.0	360.0	$0.18 \pm 0.07$	3	$-5.31 \pm 0.10$	-0.00	$1.06 \pm 0.30$	...	...	...
334.3-09.3	IC 4642	24.1	21.7	$0.17 \pm 0.11$	2, 3	$-2.59 \pm 0.12$	-0.75	$3.20 \pm 0.93$	$2.63 \pm 0.52$	...	...
334.8-07.4	SaSt 2-12	15.9	11.9	$0.28 \pm 0.12$	1, 3	$-2.10 \pm 0.14$	-0.89	$3.89 \pm 1.15$	...	...	P
335.2-03.6	HaTr 4	26.0	23.0	$0.83 \pm 0.14$	1	$-2.94 \pm 0.16$	-0.66	$3.72 \pm 1.11$	$3.04 \pm 0.63$	...	...
335.4+09.2	K 1-31	30.8	28.8	$0.41 \pm 0.14$	3	$-4.03 \pm 0.16$	-0.36	$6.10 \pm 1.84$	...	...	...
335.4-01.1	Hen 2-169	33.0	19.0	$1.69 \pm 0.21$	1	$-1.91 \pm 0.22$	-0.94	$1.89 \pm 0.60$	...	$1.97 \pm 0.63$	...
335.4-01.9	PHR J1637-4957	23.0	16.0	$1.76 \pm 0.31$	1	$-2.34 \pm 0.34$	-0.82	$3.25 \pm 1.20$	...	...	...
335.5+12.4	DS 2	186.0	186.0	$0.20 \pm 0.04$	2	$-5.15 \pm 0.10$	-0.05	$2.00 \pm 0.58$	$1.56 \pm 0.30$	...	C
336.2+01.9	Pe 1-6	10.2	8.7	$1.45 \pm 0.07$	1, 3	$-1.78 \pm 0.15$	-0.98	$4.63 \pm 1.38$	$3.86 \pm 0.80$	...	...
336.2-06.9	PC 14	7.2	5.1	$0.41 \pm 0.16$	1, 3	$-1.48 \pm 0.17$	-1.06	$5.97 \pm 1.80$	$5.02 \pm 1.06$	...	...
336.3-05.6	Hen 2-186	9.0	6.0	$0.44 \pm 0.10$	1	$-2.02 \pm 0.11$	-0.91	$6.94 \pm 2.01$	...	...	...
336.5+05.5	MPA J1611-4356	17.0	17.0	$0.96 \pm 0.12$	3	$-4.22 \pm 0.12$	-0.30	$12.09 \pm 3.53$	$9.61 \pm 1.90$	...	...
336.8-07.2	K 2-17	39.3	32.4	$0.33 \pm 0.07$	1, 3	$-3.98 \pm 0.12$	-0.37	$4.95 \pm 1.44$	$3.96 \pm 0.77$	...	...
336.9-11.5	MeWe 1-10	76.0	76.0	$0.17 \pm 0.03$	3	$-4.86 \pm 0.10$	-0.13	$4.07 \pm 1.14$	...	...	...
337.0+08.4	PHR J1602-4127	200.0	175.0	$0.27 \pm 0.10$	2	$-4.93 \pm 0.13$	-0.11	$1.73 \pm 0.51$	...	...	...
337.5-05.1	Hen 2-187	12.0	10.0	$0.45 \pm 0.26$	1	$-2.49 \pm 0.27$	-0.78	$6.27 \pm 2.11$	$5.17 \pm 1.34$	...	...
338.1-08.3	NGC 6326	20.6	13.7	$0.20 \pm 0.09$	3	$-2.08 \pm 0.11$	-0.89	$3.14 \pm 0.91$	...	...	...
338.6+01.1	BMP J1636-4529	11.0	9.0	$1.52 \pm 0.21$	3	$-2.77 \pm 0.21$	-0.70	$8.20 \pm 2.58$	...	...	...
338.8+05.6	IC 4599	18.0	16.0	$0.64 \pm 0.09$	1	$-1.94 \pm 0.10$	-0.93	$2.85 \pm 0.82$	...	...	...
339.9+88.4	LoTr 5	525.0	510.0	$0.01 \pm 0.01$	2	$-5.52 \pm 0.11$	0.06	$0.91 \pm 0.26$	$0.70 \pm 0.14$	...	C
340.8+10.8	Lo 12	84.5	70.0	$0.60 \pm 0.12$	1	$-4.36 \pm 0.15$	-0.27	$2.91 \pm 0.86$	...	...	...
340.8+12.3	Lo 11	65.7	57.0	$0.42 \pm 0.04$	1, 3	$-4.37 \pm 0.09$	-0.26	$3.70 \pm 1.06$	...	...	...
341.2-24.6	Lo 18	55.0	41.0	$0.07 \pm 0.03$	2, 3	$-4.67 \pm 0.07$	-0.18	$5.74 \pm 1.63$	...	$7.04 \pm 2.00$	...
341.6+13.7	NGC 6026	53.0	45.5	$0.31 \pm 0.11$	3	$-3.36 \pm 0.12$	-0.54	$2.43 \pm 0.71$	$1.96 \pm 0.39$	...	C
341.8+05.4	NGC 6153	27.0	24.2	$0.68 \pm 0.10$	1, 2	$-1.37 \pm 0.12$	-1.09	$1.32 \pm 0.38$	...	...	...
342.1+10.8	NGC 6072	74.3	65.1	$0.59 \pm 0.07$	1	$-2.81 \pm 0.09$	-0.69	$1.20 \pm 0.34$	...	$1.32 \pm 0.38$	...
342.1+27.5	Me 2-1	8.9	8.6	$0.10 \pm 0.07$	2	$-1.90 \pm 0.08$	-0.94	$5.38 \pm 1.53$	$4.48 \pm 0.84$	...	...
342.5-14.3	Sp 3	36.0	35.0	$0.12 \pm 0.05$	2	$-2.63 \pm 0.07$	-0.74	$2.11 \pm 0.60$	...	...	C
342.7+00.7	H 1-3	19.0	16.0	$1.51 \pm 0.43$	1	$-2.14 \pm 0.45$	-0.88	$3.14 \pm 1.37$	...	...	...
342.9-02.0	Pe 1-8	23.0	22.0	$1.36 \pm 0.17$	1	$-1.89 \pm 0.18$	-0.95	$2.08 \pm 0.64$	$1.73 \pm 0.38$	...	...
342.9-04.9	Hen 2-207	37.7	26.0	$0.49 \pm 0.19$	1	$-3.04 \pm 0.20$	-0.63	$3.11 \pm 0.97$	...	$3.47 \pm 1.08$	...

PNG	Name	$a$ ( $''$ )	$b$ ( $''$ )	$E(B - V)$ (mag)	method	$\log S_0(\text{H}\alpha)$ ( $\text{cgs sr}^{-1}$ )	$\log r$ (pc)	$D_{\text{mean}}$ (kpc)	$D_{\text{thin}}$ (kpc)	$D_{\text{thick}}$ (kpc)	Notes
343.3-00.6	HaTr 5	112.0	96.0	$0.60 \pm 0.07$	1	$-4.02 \pm 0.08$	-0.36	$1.74 \pm 0.50$	...	$2.05 \pm 0.58$	C
343.4+11.9	H 1-1	3.1	2.7	$0.30 \pm 0.05$	3	$-1.67 \pm 0.07$	-1.01	$14.05 \pm 3.98$	$11.76 \pm 2.18$	...	...
343.6+03.7	SuWt 3	31.9	16.3	$0.57 \pm 0.21$	1	$-3.62 \pm 0.23$	-0.47	$6.16 \pm 1.97$	...	...	...
343.9-05.8	SB 30	12.6	12.0	$0.35 \pm 0.25$	3	$-3.16 \pm 0.26$	-0.60	$8.51 \pm 2.83$	$6.91 \pm 1.75$	...	...
344.9+03.0	BMP J1651-3930	310.0	300.0	$0.22 \pm 0.06$	2	$-5.37 \pm 0.12$	0.01	$1.39 \pm 0.41$	...	...	...
345.0-04.9	Cn 1-3	2.0	2.0	$0.17 \pm 0.14$	1	$-0.25 \pm 0.15$	-1.40	$8.29 \pm 2.46$	...	...	...
345.2-01.2	H 1-7	10.6	8.7	$1.07 \pm 0.25$	1	$-0.94 \pm 0.25$	-1.21	$2.66 \pm 0.88$	...	...	...
345.2-08.8	IC 1266	12.9	12.2	$0.19 \pm 0.04$	1, 3	$-1.36 \pm 0.07$	-1.09	$2.67 \pm 0.76$	...	...	...
345.3-10.2	MeWe 1-11	69.0	69.0	$0.10 \pm 0.05$	2, 3	$-4.91 \pm 0.10$	-0.11	$4.62 \pm 1.29$	$3.62 \pm 0.65$	...	...
345.4+00.1	IC 4637	18.9	13.5	$0.74 \pm 0.07$	1, 2	$-1.35 \pm 0.09$	-1.09	$2.08 \pm 0.60$	$1.75 \pm 0.33$	...	...
345.5+15.1	Lo 13	75.0	72.0	$0.21 \pm 0.07$	3	$-4.87 \pm 0.14$	-0.12	$4.23 \pm 1.25$	$3.32 \pm 0.67$	...	...
345.9+03.0	Vd 1-6	16.0	10.0	$1.07 \pm 0.45$	1	$-1.94 \pm 0.46$	-0.93	$3.83 \pm 1.69$	...	...	...
346.2-08.2	IC 4663	19.5	16.0	$0.31 \pm 0.07$	1, 3	$-2.28 \pm 0.09$	-0.84	$3.39 \pm 0.97$	$2.80 \pm 0.53$	...	...
346.3-06.8	Fg 2	6.5	5.5	$0.42 \pm 0.06$	1, 3	$-1.55 \pm 0.08$	-1.04	$6.30 \pm 1.80$	...	...	...
346.9+12.4	K 1-3	156.0	95.0	$0.24 \pm 0.11$	1, 3	$-4.87 \pm 0.13$	-0.12	$2.55 \pm 0.75$	...	$3.16 \pm 0.93$	...
347.2-00.8	PHR J1714-4006	20.0	11.0	$2.33 \pm 0.41$	1	$-2.43 \pm 0.41$	-0.80	$4.45 \pm 1.83$	...	...	...
347.4+05.8	H 1-2	2.0	2.0	$1.00 \pm 0.23$	1, 3	$0.07 \pm 0.24$	-1.48	$6.77 \pm 2.20$	...	...	...
347.7+02.0	Vd 1-8	3.0	3.0	$1.94 \pm 0.29$	1	$-0.68 \pm 0.30$	-1.28	$7.26 \pm 2.56$	...	...	...
348.0-13.8	IC 4699	12.6	8.0	$0.09 \pm 0.03$	1, 3	$-2.36 \pm 0.06$	-0.81	$6.29 \pm 1.78$	$5.19 \pm 0.96$	...	...
348.4+04.9	MPA J1655-3535	11.0	9.0	$0.72 \pm 0.10$	3	$-2.85 \pm 0.11$	-0.68	$8.64 \pm 2.50$	...	...	...
349.1-01.7	PHR J1724-3859	152.0	90.0	$0.71 \pm 0.28$	1	$-4.87 \pm 0.30$	-0.12	$2.65 \pm 0.93$	...	$3.29 \pm 1.16$	P
349.3-01.1	NGC 6337	47.6	46.5	$0.60 \pm 0.14$	1, 2	$-2.48 \pm 0.15$	-0.78	$1.45 \pm 0.43$	...	...	...
349.3-04.2	Lo 16	88.0	80.0	$0.63 \pm 0.10$	1, 2	$-3.24 \pm 0.12$	-0.57	$1.32 \pm 0.38$	$1.07 \pm 0.21$	...	...
349.5+01.0	NGC 6302	90.0	35.0	$0.90 \pm 0.08$	1	$-1.48 \pm 0.10$	-1.06	$0.64 \pm 0.18$	...	$0.65 \pm 0.19$	C
349.6+03.1	PHR J1706-3544	54.0	52.0	$0.77 \pm 0.14$	1	$-4.30 \pm 0.29$	-0.28	$4.08 \pm 1.41$	$3.24 \pm 0.88$	...	...
349.8+04.4	M 2-4	3.0	2.0	$0.68 \pm 0.14$	1, 3	$-0.45 \pm 0.15$	-1.34	$7.67 \pm 2.29$	...	...	...
350.1-03.9	H 1-26	23.4	18.0	$1.15 \pm 0.23$	1	$-1.99 \pm 0.24$	-0.92	$2.43 \pm 0.79$	$2.02 \pm 0.49$	...	...
350.8+01.7	RPZM 7	5.0	5.0	$2.93 \pm 0.41$	1	$-1.27 \pm 0.40$	-1.11	$6.34 \pm 2.58$	...	...	...
350.8-02.4	H 1-22	3.5	3.2	$1.18 \pm 0.34$	1	$-0.92 \pm 0.35$	-1.21	$7.59 \pm 2.86$	...	...	...
350.9+04.4	H 2-1	4.3	3.7	$0.56 \pm 0.16$	1	$-0.60 \pm 0.17$	-1.30	$5.17 \pm 1.56$	...	...	...
350.9-02.9	Wray 16-287	83.0	45.0	$0.81 \pm 0.31$	1	$-4.09 \pm 0.31$	-0.34	$3.10 \pm 1.10$	...	$3.67 \pm 1.31$	...
351.0-10.4	HaTr 9	160.0	152.0	$0.12 \pm 0.03$	3	$-4.74 \pm 0.09$	-0.16	$1.83 \pm 0.52$	...	...	...
351.1+04.8	M 1-19	8.0	3.0	$0.61 \pm 0.13$	1	$-1.23 \pm 0.14$	-1.13	$6.28 \pm 1.86$	...	...	...
351.1+04.8a	Fr 1-3	260.0	240.0	$0.54 \pm 0.14$	3	$-4.76 \pm 0.14$	-0.15	$1.16 \pm 0.34$	...	$1.43 \pm 0.42$	...
351.1-03.9	PHR J1739-3829	54.0	38.0	$1.06 \pm 0.29$	1	$-3.69 \pm 0.30$	-0.45	$3.24 \pm 1.14$	...	$3.75 \pm 1.32$	...
351.2+05.2	M 2-5	6.5	6.5	$0.63 \pm 0.28$	1, 3	$-1.48 \pm 0.28$	-1.06	$5.57 \pm 1.91$	...	...	...
351.5-06.5	SB 34	22.8	21.0	$0.32 \pm 0.05$	3	$-4.23 \pm 0.08$	-0.30	$9.46 \pm 2.70$	$7.52 \pm 1.41$	...	...
351.7-06.6	SB 35	13.2	13.2	$0.33 \pm 0.05$	3	$-3.57 \pm 0.12$	-0.48	$10.30 \pm 3.00$	$8.30 \pm 1.63$	...	...
351.9+09.0	PC 13	10.0	8.5	$0.34 \pm 0.07$	1, 3	$-2.42 \pm 0.09$	-0.80	$7.13 \pm 2.04$	$5.88 \pm 1.12$	...	...
352.1+05.1	M 2-8	5.0	5.0	$0.58 \pm 0.17$	1	$-1.40 \pm 0.18$	-1.08	$6.88 \pm 2.09$	...	...	...
352.6+00.1	H 1-12	8.5	8.0	$2.28 \pm 0.28$	1	$-0.55 \pm 0.29$	-1.32	$2.42 \pm 0.84$	$2.07 \pm 0.56$	...	...
352.8-00.2	H 1-13	13.5	12.0	$2.18 \pm 0.28$	1	$-0.71 \pm 0.28$	-1.27	$1.74 \pm 0.59$	...	...	P
352.9+11.4	K 2-16	26.6	24.3	$0.35 \pm 0.10$	3	$-3.73 \pm 0.13$	-0.44	$5.92 \pm 1.74$	...	...	P
352.9-07.5	Fg 3	4.0	2.0	$0.23 \pm 0.07$	1, 3	$-0.21 \pm 0.09$	-1.41	$5.72 \pm 1.64$	...	...	P
353.0+08.3	MyCn 26	5.0	5.0	$0.30 \pm 0.03$	1, 3	$-1.68 \pm 0.07$	-1.00	$8.22 \pm 2.33$	...	...	...
353.2-05.2	H 1-38	14.0	12.0	$0.55 \pm 0.19$	1, 3	$-2.95 \pm 0.23$	-0.65	$7.07 \pm 2.28$	...	...	...
353.3-08.3	SB 39	103.2	95.4	$0.15 \pm 0.03$	3	$-5.08 \pm 0.20$	-0.06	$3.58 \pm 1.12$	$2.80 \pm 0.63$	...	...
353.5-05.0	JaFu 2	6.0	4.9	$0.47 \pm 0.12$	1	$-3.48 \pm 0.20$	-0.51	$23.52 \pm 7.45$	$19.00 \pm 4.42$	...	C
353.6+01.7	PPA J1722-3317	4.0	4.0	$2.47 \pm 0.38$	1	$-1.53 \pm 0.38$	-1.04	$9.31 \pm 3.64$	...	...	...
353.7-12.8	Wray 16-411	30.0	30.0	$0.08 \pm 0.02$	1, 3	$-4.05 \pm 0.08$	-0.35	$6.14 \pm 1.75$	$4.90 \pm 0.92$	...	...
354.2+04.3	M 2-10	6.5	5.5	$0.79 \pm 0.35$	1, 3	$-1.48 \pm 0.35$	-1.06	$6.04 \pm 2.28$	...	...	...
354.5-03.9	Sab 41	77.0	42.0	$0.53 \pm 0.07$	1	$-3.66 \pm 0.09$	-0.46	$2.53 \pm 0.73$	...	...	...
355.0+02.6	RPZM 13	2.0	2.0	$2.69 \pm 0.28$	1	$-0.72 \pm 0.28$	-1.27	$11.12 \pm 3.78$	...	...	...
355.1+04.7	Terz N 140	46.0	34.0	$0.71 \pm 0.20$	1, 3	$-4.10 \pm 0.23$	-0.34	$4.80 \pm 1.54$	...	...	...
355.1-02.9	H 1-31	1.8	1.7	$1.02 \pm 0.17$	1	$-0.41 \pm 0.20$	-1.35	$10.45 \pm 3.27$	...	...	...
355.1-06.9	M 3-21	2.8	2.8	$0.24 \pm 0.14$	1, 3	$-0.67 \pm 0.15$	-1.28	$7.73 \pm 2.30$	...	...	...
355.2+03.7	Terz N 137	13.3	10.5	$1.10 \pm 0.22$	1	$-2.59 \pm 0.28$	-0.75	$6.16 \pm 2.10$	...	...	...
355.2-02.5	H 1-29	3.0	3.0	$1.01 \pm 0.08$	1	$-1.22 \pm 0.19$	-1.13	$10.18 \pm 3.13$	...	...	...
355.3-03.2	PPA J1747-3435	19.5	15.4	$0.92 \pm 0.03$	1	$-3.60 \pm 0.05$	-0.47	$7.99 \pm 2.25$	$6.43 \pm 1.17$	...	...
355.4-02.4	M 3-14	8.0	5.0	$1.08 \pm 0.16$	1, 3	$-1.28 \pm 0.17$	-1.11	$5.03 \pm 1.52$	...	...	...
355.4-04.0	Hf 2-1	17.7	14.6	$0.50 \pm 0.11$	1	$-2.66 \pm 0.13$	-0.73	$4.74 \pm 1.39$	...	...	...
355.6-02.3	PHR J1744-3355	57.0	35.0	$0.91 \pm 0.35$	1	$-4.07 \pm 0.35$	-0.34	$4.18 \pm 1.56$	...	...	...
355.6-02.7	H 1-32	2.3	2.2	$1.02 \pm 0.15$	1	$-0.34 \pm 0.17$	-1.37	$7.78 \pm 2.35$	...	...	...
355.7-03.0	H 1-33	4.0	3.2	$0.95 \pm 0.27$	1	$-0.91 \pm 0.28$	-1.21	$7.04 \pm 2.40$	...	...	...
355.7-03.5	My 103	3.0	3.0	$0.71 \pm 0.18$	1	$-0.21 \pm 0.19$	-1.41	$5.39 \pm 1.66$	...	...	...
355.9+02.7	Th 3-10	3.0	2.6	$2.20 \pm 0.28$	1	$-0.68 \pm 0.29$	-1.28	$7.79 \pm 2.69$	...	...	...
355.9+03.6	H 1-9	5.0	4.0	$1.04 \pm 0.24$	1	$-0.94 \pm 0.25$	-1.21	$5.72 \pm 1.88$	...	...	P
355.9-04.2	M 1-30	3.5	3.5	$0.62 \pm 0.19$	1	$-0.75 \pm 0.20$	-1.26	$6.49 \pm 2.02$	...	...	...
355.9-04.4	K 6-32	27.0	15.0	$0.66 \pm 0.18$	1, 3	$-3.10 \pm 0.18$	-0.61	$5.02 \pm 1.53$	$4.08 \pm 0.89$	...	...
356.0-04.2	PHR J1753-3428	15.0	11.0	$0.64 \pm 0.07$	1, 3	$-3.15 \pm 0.08$	-0.60	$8.10 \pm 2.31$	$6.58 \pm 1.24$	...	...
356.1+02.7	Th 3-13	1.9	1.4	$1.60 \pm 0.33$	1	$-0.35 \pm 0.36$	-1.37	$10.79 \pm 4.13$	...	...	P
356.1-03.3	H 2-26	5.5	5.0	$1.19 \pm 0.24$	1, 3	$-2.45 \pm 0.24$	-0.79	$12.73 \pm 4.13$	...	$13.69 \pm 4.44$	...
356.2-04.4	Cn 2-1	2.6	2.6	$0.52 \pm 0.09$	1	$-0.50 \pm 0.11$	-1.33	$7.46 \pm 2.16$	$6.40 \pm 1.24$	...	...
356.5+02.2	Sab 49	17.0	15.0	$1.89 \pm 0.34$	1	$-3.21 \pm 0.36$	-0.58	$6.76 \pm 2.57$	...	...	...
356.5-02.3	M 1-27	6.7	6.4	$1.28 \pm 0.35$	1	$-0.72 \pm 0.35$	-1.27	$3.39 \pm 1.28$	...	...	P
356.5-03.6	H 2-27	5.2	4.2	$1.14 \pm 0.09$	1	$-1.71 \pm 0.17$	-1.00	$8.92 \pm 2.70$	...	...	...
356.5-03.9	H 1-39	2.0	2.0	$0.81 \pm 0.27$	1	$-0.46 \pm 0.27$	-1.34	$9.46 \pm 3.21$	...	...	...
356.6-01.9	RPZM 36	45.0	34.0	$1.81 \pm 0.41$	1	$-3.16 \pm 0.41$	-0.59	$2.68 \pm 1.10$	...	...	...
356.6-04.7	PHR J1756-3414	20.1	18.7	$0.50 \pm 0.02$	1, 3	$-3.31 \pm 0.05$	-0.55	$5.96 \pm 1.68$	...	...	...
356.7-04.8	H 1-41	12.0	8.8	$0.35 \pm 0.10$	1	$-2.15 \pm 0.12$	-0.87	$5.36 \pm 1.56$	$4.44 \pm 0.88$	...	...
356.7-06.4	H 1-51	17.7	15.2	$0.33 \pm 0.08$	1, 3	$-3.35 \pm 0.16$	-0.54	$7.20 \pm 2.17$	...	...	...

PNG	Name	$a$ ( $''$ )	$b$ ( $''$ )	$E(B - V)$ (mag)	method	$\log S_0(\text{H}\alpha)$ ( $\text{cgs sr}^{-1}$ )	$\log r$ (pc)	$D_{\text{mean}}$ (kpc)	$D_{\text{thin}}$ (kpc)	$D_{\text{thick}}$ (kpc)	Notes
356.8+03.3	Th 3-12	2.0	1.3	$1.33 \pm 0.12$	1	$-0.98 \pm 0.16$	-1.19	$16.33 \pm 4.90$	...	...	...
356.8-05.4	H 2-35	7.0	6.5	$0.48 \pm 0.10$	1, 3	$-2.66 \pm 0.23$	-0.73	$11.32 \pm 3.63$	...	...	...
356.8-11.7	Lo 17	116.0	111.0	$0.10 \pm 0.03$	1, 3	$-4.78 \pm 0.07$	-0.15	$2.58 \pm 0.73$	...	...	...
356.9+04.4	M 3-38	1.6	1.2	$1.23 \pm 0.17$	1	$-0.22 \pm 0.18$	-1.40	$11.73 \pm 3.60$	...	...	...
356.9+04.5	M 2-11	6.0	6.0	$0.90 \pm 0.22$	1	$-1.50 \pm 0.23$	-1.05	$6.08 \pm 1.96$	...	...	...
357.0+02.4	M 4-4	6.3	5.1	$1.74 \pm 0.15$	1, 3	$-1.68 \pm 0.16$	-1.00	$7.23 \pm 2.17$	...	...	...
357.0-04.4	PHR J1756-3342	21.6	20.9	$0.71 \pm 0.11$	1, 3	$-3.88 \pm 0.12$	-0.40	$7.79 \pm 2.27$	$6.24 \pm 1.23$	...	...
357.1+01.9	Th 3-24	8.6	7.3	$1.45 \pm 0.21$	1	$-2.40 \pm 0.23$	-0.81	$8.15 \pm 2.63$	...	$8.74 \pm 2.81$	...
357.1+03.6	M 3-7	6.5	6.0	$0.97 \pm 0.13$	1	$-1.31 \pm 0.14$	-1.11	$5.19 \pm 1.53$	...	...	...
357.1+04.4	Terz N 18	10.9	9.1	$1.04 \pm 0.42$	1	$-2.35 \pm 0.43$	-0.82	$6.30 \pm 2.64$	$5.20 \pm 1.88$	...	...
357.1-04.7	H 1-43	2.0	2.0	$0.55 \pm 0.25$	1, 3	$-0.90 \pm 0.25$	-1.22	$12.50 \pm 4.13$	...	...	P
357.1-06.1	M 3-50	8.5	3.5	$0.46 \pm 0.06$	1, 3	$-2.53 \pm 0.15$	-0.77	$12.90 \pm 3.85$	...	...	...
357.2+02.0	H 2-13	5.6	5.4	$1.42 \pm 0.19$	1	$-1.55 \pm 0.22$	-1.04	$6.86 \pm 2.17$	...	...	...
357.2+07.4	M 4-3	2.0	2.0	$1.02 \pm 0.07$	1, 3	$-0.48 \pm 0.09$	-1.33	$9.58 \pm 2.75$	$8.22 \pm 1.56$	...	...
357.2-04.5	H 1-42	4.3	3.7	$0.59 \pm 0.06$	1	$-0.84 \pm 0.09$	-1.23	$6.05 \pm 1.73$	$5.15 \pm 0.97$	...	...
357.3+03.3	M 3-41	4.3	4.3	$1.17 \pm 0.11$	1	$-0.93 \pm 0.13$	-1.21	$5.94 \pm 1.74$	...	...	...
357.3+04.0	H 2-7	5.7	4.4	$1.19 \pm 0.22$	1	$-1.47 \pm 0.24$	-1.06	$7.18 \pm 2.35$	$6.04 \pm 1.49$	...	...
357.4-03.2	M 2-16	5.0	5.0	$0.89 \pm 0.16$	1	$-1.23 \pm 0.17$	-1.13	$6.15 \pm 1.86$	...	...	...
357.4-03.5	M 2-18	2.2	2.1	$0.90 \pm 0.10$	1, 3	$-0.62 \pm 0.12$	-1.30	$9.71 \pm 2.82$	...	...	...
357.4-04.6	M 2-22	5.8	5.2	$0.74 \pm 0.22$	1	$-1.66 \pm 0.23$	-1.01	$7.39 \pm 2.38$	...	...	...
357.4-07.2	SB 51	45.6	33.0	$0.25 \pm 0.06$	3	$-5.00 \pm 0.07$	-0.09	$8.67 \pm 2.46$	...	...	...
357.5+03.2	M 3-42	7.2	4.4	$1.06 \pm 0.17$	1	$-1.88 \pm 0.21$	-0.95	$8.25 \pm 2.59$	...	...	...
357.5-02.4	PPA J1749-3216	7.8	6.5	$1.74 \pm 0.41$	1	$-2.30 \pm 0.42$	-0.83	$8.51 \pm 3.56$	...	...	...
357.6+01.7	H 1-23	3.5	2.6	$1.51 \pm 0.19$	1	$-0.44 \pm 0.21$	-1.34	$6.20 \pm 1.95$	...	...	...
357.6-03.3	H 2-29	10.7	9.8	$0.95 \pm 0.40$	1	$-2.42 \pm 0.42$	-0.80	$6.41 \pm 2.69$	...	...	...
357.7-04.8	BMP J1759-3321	670.0	480.0	$0.30 \pm 0.07$	2	$-5.68 \pm 0.22$	0.10	$0.91 \pm 0.29$	...	...	...
357.8+01.6	PPA J1734-2954	17.0	10.0	$2.32 \pm 0.43$	1	$-2.60 \pm 0.43$	-0.75	$5.65 \pm 2.38$	...	...	...
357.8-04.4	Wray 17-104	16.6	14.3	$0.72 \pm 0.35$	1, 3	$-2.99 \pm 0.36$	-0.64	$6.12 \pm 2.33$	...	$6.79 \pm 2.59$	...
357.9-03.8	H 2-30	13.3	13.3	$0.94 \pm 0.06$	1	$-2.96 \pm 0.07$	-0.65	$6.96 \pm 1.98$	...	...	...
357.9-05.1	M 1-34	12.5	8.5	$0.74 \pm 0.21$	1, 3	$-2.06 \pm 0.21$	-0.90	$5.06 \pm 1.60$	...	$5.32 \pm 1.68$	...
358.0+01.5	JaSt 1	7.1	5.1	$2.11 \pm 0.28$	3	$-3.00 \pm 0.30$	-0.64	$15.69 \pm 5.50$	...	...	...
358.2+03.5	H 2-10	3.7	3.0	$1.38 \pm 0.14$	1	$-1.06 \pm 0.18$	-1.17	$8.29 \pm 2.54$	$7.03 \pm 1.53$	...	...
358.2+03.6	M 3-10	4.2	4.0	$1.22 \pm 0.15$	1	$-0.72 \pm 0.16$	-1.27	$5.45 \pm 1.64$	...	...	...
358.2+04.2	M 3-8	5.0	5.0	$1.29 \pm 0.12$	1	$-1.34 \pm 0.14$	-1.10	$6.62 \pm 1.96$	...	...	...
358.3+03.0	H 1-17	2.8	2.8	$1.36 \pm 0.16$	1	$-0.56 \pm 0.19$	-1.31	$7.22 \pm 2.22$	...	...	...
358.3-21.6	IC 1297	10.8	9.8	$0.10 \pm 0.03$	1, 3	$-1.60 \pm 0.06$	-1.03	$3.78 \pm 1.07$	...	...	...
358.4+01.6	JaSt 3	7.8	7.8	$2.09 \pm 0.34$	1	$-2.10 \pm 0.36$	-0.89	$6.86 \pm 2.61$	$5.70 \pm 1.79$	...	...
358.4+01.7	JaSt 2	4.4	4.3	$2.24 \pm 0.43$	1	$-1.60 \pm 0.44$	-1.02	$8.98 \pm 3.85$	...	...	...
358.5+02.6	M 3-57	40.0	36.0	$1.38 \pm 0.17$	1	$-2.28 \pm 0.19$	-0.84	$1.58 \pm 0.49$	...	...	...
358.5+02.9	Al 2-F	4.2	3.5	$1.36 \pm 0.24$	1	$-1.98 \pm 0.24$	-0.92	$12.91 \pm 4.21$	$10.74 \pm 2.64$	...	...
358.5-02.5	M 4-7	6.9	6.6	$1.72 \pm 0.27$	1	$-1.48 \pm 0.30$	-1.06	$5.34 \pm 1.88$	...	...	...
358.5-04.2	H 1-46	3.0	3.0	$0.79 \pm 0.11$	1	$-0.65 \pm 0.12$	-1.29	$7.11 \pm 2.07$	...	...	...
358.5-07.3	NGC 6563	59.0	43.0	$0.10 \pm 0.05$	1	$-3.05 \pm 0.07$	-0.63	$1.94 \pm 0.55$	...	...	...
358.6+01.7	JaSt 4	10.6	9.5	$2.14 \pm 0.36$	1	$-2.38 \pm 0.37$	-0.81	$6.35 \pm 2.46$	$5.24 \pm 1.70$	...	...
358.6+01.8	M 4-6	2.5	2.3	$1.98 \pm 0.20$	1	$-0.31 \pm 0.24$	-1.38	$7.17 \pm 2.33$	...	...	...
358.6+02.0	JaSt 2-1	60.0	47.0	$1.86 \pm 0.28$	1, 3	$-3.68 \pm 0.29$	-0.45	$2.75 \pm 0.95$	...	...	...
358.6-05.5	M 3-51	20.9	14.5	$0.60 \pm 0.25$	1	$-3.08 \pm 0.27$	-0.62	$5.72 \pm 1.94$	...	...	...
358.7-02.7	Al 2-R	6.4	3.9	$1.48 \pm 0.23$	1	$-2.40 \pm 0.23$	-0.80	$12.98 \pm 4.19$	$10.71 \pm 2.59$	...	...
358.7-03.0	K 6-34	10.4	9.8	$1.06 \pm 0.10$	1	$-1.99 \pm 0.11$	-0.92	$4.94 \pm 1.43$	...	...	...
358.8+01.7	JaSt 5	9.1	5.9	$2.06 \pm 0.12$	1	$-2.14 \pm 0.16$	-0.88	$7.49 \pm 2.25$	...	...	...
358.8+03.0	Th 3-26	9.1	8.3	$1.29 \pm 0.15$	1	$-1.99 \pm 0.19$	-0.92	$5.76 \pm 1.77$	...	...	...
358.9+03.2	H 1-20	4.4	3.8	$1.43 \pm 0.13$	1	$-0.92 \pm 0.15$	-1.21	$6.19 \pm 1.84$	...	...	...
358.9+03.4	H 1-19	2.6	2.0	$1.28 \pm 0.14$	1, 3	$-0.65 \pm 0.16$	-1.29	$9.38 \pm 2.80$	...	...	...
358.9-00.7	M 1-26	7.8	7.0	$1.05 \pm 0.26$	1	$-0.14 \pm 0.27$	-1.43	$2.09 \pm 0.70$	...	...	...
358.9-02.1	PHR J1751-3059	15.0	12.0	$1.07 \pm 0.41$	1	$-3.46 \pm 0.41$	-0.51	$9.45 \pm 3.89$	...	...	...
358.9-03.7	H 1-44	3.5	3.3	$1.06 \pm 0.13$	1	$-1.41 \pm 0.17$	-1.08	$9.10 \pm 2.75$	...	...	...
359.0-04.1	M 3-48	5.4	4.4	$0.60 \pm 0.18$	1	$-2.31 \pm 0.23$	-0.83	$12.54 \pm 4.01$	...	$13.38 \pm 4.28$	...
359.0-04.8	M 2-25	17.7	13.4	$0.61 \pm 0.16$	1	$-2.52 \pm 0.17$	-0.77	$4.55 \pm 1.38$	...	$4.91 \pm 1.49$	...
359.1+15.1	Abell 40	34.3	30.4	$0.69 \pm 0.10$	3	$-3.85 \pm 0.15$	-0.40	$5.03 \pm 1.50$	$4.03 \pm 0.83$	...	...
359.1-01.7	M 1-29	7.6	7.6	$1.27 \pm 0.18$	1	$-0.91 \pm 0.19$	-1.21	$3.32 \pm 1.02$	...	...	...
359.1-02.3	M 3-16	10.0	7.7	$1.17 \pm 0.22$	1	$-1.50 \pm 0.23$	-1.05	$4.18 \pm 1.35$	...	...	...
359.2+01.3	JaSt 8	8.0	6.7	$1.82 \pm 0.06$	3	$-2.64 \pm 0.13$	-0.74	$10.31 \pm 3.01$	$8.46 \pm 1.68$	...	...
359.2+04.7	Th 3-14	1.7	1.6	$1.37 \pm 0.19$	1	$-0.55 \pm 0.22$	-1.31	$12.15 \pm 3.86$	...	...	...
359.3+03.6	Al 2-E	8.8	8.0	$1.50 \pm 0.19$	1	$-2.09 \pm 0.27$	-0.89	$6.33 \pm 2.13$	...	...	...
359.3-00.9	Hb 5	51.7	18.1	$1.19 \pm 0.34$	1	$-1.51 \pm 0.35$	-1.05	$1.20 \pm 0.45$	...	$1.22 \pm 0.46$	C
359.3-01.8	M 3-44	4.4	4.4	$1.65 \pm 0.36$	1	$-0.75 \pm 0.37$	-1.26	$5.17 \pm 2.00$	...	...	P
359.3-03.1	M 3-17	2.9	2.9	$1.09 \pm 0.31$	1	$-0.84 \pm 0.32$	-1.23	$8.29 \pm 3.00$	...	...	...
359.4+02.3	Th 3-32	3.5	3.0	$1.56 \pm 0.28$	3	$-1.53 \pm 0.28$	-1.04	$11.53 \pm 3.92$	...	...	...
359.4-03.4	H 2-33	7.8	7.4	$0.92 \pm 0.34$	1	$-2.17 \pm 0.37$	-0.87	$7.34 \pm 2.86$	$6.09 \pm 1.97$	...	...
359.4-08.5	SB 55	16.2	13.8	$0.18 \pm 0.07$	3	$-3.38 \pm 0.13$	-0.53	$8.05 \pm 2.37$	...	...	...
359.5-01.2	JaSt 66	3.4	2.7	$2.24 \pm 0.20$	1	$-0.92 \pm 0.23$	-1.21	$8.35 \pm 2.67$	$7.10 \pm 1.69$	...	...
359.6-04.8	H 2-36	17.7	14.5	$0.69 \pm 0.08$	1, 3	$-3.27 \pm 0.09$	-0.56	$7.04 \pm 2.01$	$5.70 \pm 1.08$	...	...
359.7-01.4	JaSt 73	1.2	0.7	$1.37 \pm 0.34$	3	$-0.52 \pm 0.34$	-1.32	$21.46 \pm 7.95$	...	...	...
359.7-01.8	M 3-45	7.1	6.5	$1.37 \pm 0.37$	1	$-1.19 \pm 0.38$	-1.14	$4.42 \pm 1.74$	...	...	...
359.7-02.6	H 1-40	1.4	1.4	$1.34 \pm 0.42$	1	$0.38 \pm 0.43$	-1.57	$7.95 \pm 3.36$	...	...	...
359.7-04.4	KFL 3	15.2	14.3	$0.59 \pm 0.20$	1	$-3.18 \pm 0.20$	-0.59	$7.19 \pm 2.25$	...	...	...
359.7-05.7	PHR J1808-3201	228.0	195.0	$0.48 \pm 0.10$	3	$-5.65 \pm 0.19$	0.09	$2.41 \pm 0.74$	$1.86 \pm 0.41$	...	...
359.8+03.7	Th 3-25	3.0	2.6	$1.44 \pm 0.20$	1	$-0.74 \pm 0.21$	-1.26	$8.10 \pm 2.55$	$6.91 \pm 1.60$	...	...
359.8+05.6	M 2-12	4.4	4.4	$0.71 \pm 0.15$	1	$-1.31 \pm 0.16$	-1.10	$7.37 \pm 2.22$	...	...	P
359.8-07.2	M 2-32	8.0	8.0	$0.23 \pm 0.09$	1	$-2.26 \pm 0.11$	-0.84	$7.39 \pm 2.13$	...	...	...
359.9+05.1	M 3-9	17.2	15.1	$1.14 \pm 0.11$	1, 3	$-2.35 \pm 0.14$	-0.82	$3.90 \pm 1.15$	$3.22 \pm 0.65$	...	...

PNG	Name	$a$ ( $''$ )	$b$ ( $''$ )	$E(B - V)$ (mag)	method	$\log S_0(\text{H}\alpha)$ ( $\text{cgs sr}^{-1}$ )	$\log r$ (pc)	$D_{\text{mean}}$ (kpc)	$D_{\text{thin}}$ (kpc)	$D_{\text{thick}}$ (kpc)	Notes
359.9-04.5	M 2-27	3.3	3.0	$0.99 \pm 0.12$	1	$-0.52 \pm 0.13$	-1.32	$6.26 \pm 1.84$	...	...	...